

Table: 1

Please select one of the following:

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
I am comfortable answering these questions	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%
			*					*								*			
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 2

Please select which of the following best represents how you identify:

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
Assigned female at birth, still identify as female	1112	1112	53	188	333	342	195	37	190	448	438	210	563	340	-	53	188	508	363
	98%	98%	99%	94%	98%	99%	99%	94%	97%	97%	99%	94%	98%	99%	-	99%	94%	98%	99%
Assigned female at birth, now identify as another gender (male, non-binary, gender fluid, etc.)	27	27	1	13	8	4	2	2	5	13	6	13	9	4	-	1	13	10	3
	2%	2%	1%	6%	2%	1%	1%	6%	3%	3%	1%	6%	2%	1%	-	1%	6%	2%	1%
			*	DEF				J*				LM				*	QR		
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 3

How knowledgeable would you say you are about the following? - A surgical abortion procedure - performed in a hospital or an abortion clinic

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
Top 2 Box (Net)	721	721	29	130	215	224	123	28	116	303	275	144	370	207	-	29	130	334	228
	63%	63%	53%	65%	63%	65%	63%	72%	59%	66%	62%	64%	65%	60%	-	53%	65%	65%	62%
			*					*								*			
Very knowledgeable	220	220	9	44	66	73	29	10	36	91	84	49	114	57	-	9	44	107	60
	19%	19%	16%	22%	19%	21%	15%	27%	18%	20%	19%	22%	20%	17%	-	16%	22%	21%	17%
			*					*								*			
Somewhat knowledgeable	501	501	20	86	149	151	94	18	80	212	191	95	256	150	-	20	86	227	168
	44%	44%	37%	43%	44%	44%	48%	45%	41%	46%	43%	42%	45%	44%	-	37%	43%	44%	46%
			*					*								*			
Bottom 2 Box (Net)	399	399	25	68	121	117	68	11	77	149	161	75	195	129	-	25	68	177	129
	35%	35%	47%	34%	36%	34%	35%	28%	40%	32%	36%	34%	34%	38%	-	47%	34%	34%	35%
			*					*								*			
Not very knowledgeable	302	302	17	57	96	92	41	8	57	114	122	62	156	85	-	17	57	140	89
	27%	27%	31%	28%	28%	27%	21%	20%	29%	25%	28%	28%	27%	25%	-	31%	28%	27%	24%
			*					*								*			
Not at all knowledgeable	97	97	8	11	25	25	27	3	20	35	39	14	39	45	-	8	11	37	40
	9%	9%	15%	5%	7%	7%	14%	8%	10%	8%	9%	6%	7%	13%	-	15%	5%	7%	11%
			C*				CDE	*						KL		PQ*			P
I've never heard of this	19	19	-	3	4	5	6	-	2	9	8	4	8	7	-	-	3	6	9
	2%	2%	-	2%	1%	1%	3%	-	1%	2%	2%	2%	1%	2%	-	-	2%	1%	2%
			*					*								*			
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 4

How knowledgeable would you say you are about the following? - A medication abortion (the abortion pill)

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
Top 2 Box (Net)	713	713	33	146	213	216	105	22	130	293	267	159	363	190	-	33	146	328	206
	63%	63%	61%	72%	63%	62%	53%	56%	67%	64%	60%	71%	63%	55%	-	61%	72%	63%	56%
			*	DEF				*				LM	M		*	QR	R		
Very knowledgeable	185	185	8	44	61	54	18	12	35	66	72	48	96	41	-	8	44	90	43
	16%	16%	15%	22%	18%	16%	9%	30%	18%	14%	16%	21%	17%	12%	-	15%	22%	17%	12%
			*	F	F			IJ*				M			*	R	R		
Somewhat knowledgeable	528	528	25	102	152	162	87	10	95	227	196	111	267	150	-	25	102	239	163
	46%	46%	46%	51%	45%	47%	44%	26%	49%	49%	44%	50%	47%	44%	-	46%	51%	46%	44%
			*					*	G	G	G				*				
Bottom 2 Box (Net)	405	405	20	54	121	122	89	16	63	161	165	61	198	146	-	20	54	178	154
	36%	36%	37%	27%	36%	35%	45%	41%	32%	35%	37%	28%	34%	43%	-	37%	27%	34%	42%
			*		C	C	C	*						KL		*			PQ
Not very knowledgeable	298	298	12	41	91	92	62	10	43	120	125	46	152	100	-	12	41	134	111
	26%	26%	22%	20%	27%	27%	31%	25%	22%	26%	28%	20%	26%	29%	-	22%	20%	26%	30%
			*				C	*						K		*			P
Not at all knowledgeable	108	108	8	13	30	30	27	6	20	41	40	16	46	46	-	8	13	44	43
	9%	9%	15%	6%	9%	9%	14%	16%	10%	9%	9%	7%	8%	13%	-	15%	6%	8%	12%
			*				C	*						KL		*			
I've never heard of this	21	21	1	2	6	8	4	1	2	7	11	2	12	7	-	1	2	11	7
	2%	2%	2%	1%	2%	2%	2%	3%	1%	2%	2%	1%	2%	2%	-	2%	1%	2%	2%
			*					*								*			
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 5

How knowledgeable would you say you are about the following? - The Plan B pill (the morning after pill)

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
Top 2 Box (Net)	836	836	34	156	268	257	122	27	138	340	332	173	444	219	-	34	156	402	244
	73%	73%	63%	78%	79%	74%	62%	68%	71%	74%	75%	78%	77%	64%	-	63%	78%	78%	67%
			*	BF	BF	F		*				M	M		*	OR	OR		
Very knowledgeable	263	263	9	66	87	75	25	13	50	101	98	71	140	51	-	9	66	129	59
	23%	23%	16%	33%	26%	22%	13%	32%	26%	22%	22%	32%	24%	15%	-	16%	33%	25%	16%
			*	BEF	F	F		*				LM	M		*	OQR	R		
Somewhat knowledgeable	574	574	25	90	181	182	96	14	87	239	233	102	304	168	-	25	90	273	186
	50%	50%	46%	45%	53%	53%	49%	36%	45%	52%	53%	46%	53%	49%	-	46%	45%	53%	51%
			*					*							*				
Bottom 2 Box (Net)	285	285	20	40	69	84	72	11	55	116	103	42	122	121	-	20	40	108	117
	25%	25%	37%	20%	20%	24%	37%	29%	28%	25%	23%	19%	21%	35%	-	37%	20%	21%	32%
			CD*				CDE	*						KL		PQ*			PQ
Not very knowledgeable	215	215	10	24	60	65	56	8	36	94	77	26	101	89	-	10	24	87	94
	19%	19%	18%	12%	18%	19%	29%	19%	19%	20%	17%	12%	18%	26%	-	18%	12%	17%	26%
			*			C	CDE	*					K	KL		*			PQ
Not at all knowledgeable	70	70	10	15	10	19	16	4	19	21	26	16	21	32	-	10	15	21	23
	6%	6%	19%	8%	3%	5%	8%	9%	10%	5%	6%	7%	4%	9%	-	19%	8%	4%	6%
			CDEF*	D			D	*	I			L	L	L		PQR*			
I've never heard of this	17	17	-	6	3	5	3	1	2	5	9	7	7	3	-	-	6	7	4
	2%	2%	-	3%	1%	1%	2%	3%	1%	1%	2%	3%	1%	1%	-	-	3%	1%	1%
			*					*							*				
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 6

How knowledgeable would you say you are about the following? - Top Box Summary

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
A surgical abortion procedure - performed in a hospital or an abortion clinic	220	220	9	44	66	73	29	10	36	91	84	49	114	57	-	9	44	107	60
	19%	19%	16%	22%	19%	21%	15%	27%	18%	20%	19%	22%	20%	17%	-	16%	22%	21%	17%
			*					*								*			
A medication abortion (the abortion pill)	185	185	8	44	61	54	18	12	35	66	72	48	96	41	-	8	44	90	43
	16%	16%	15%	22%	18%	16%	9%	30%	18%	14%	16%	21%	17%	12%	-	15%	22%	17%	12%
			*	F	F			IJ*				M				*	R	R	
The Plan B pill (the morning after pill)	263	263	9	66	87	75	25	13	50	101	98	71	140	51	-	9	66	129	59
	23%	23%	16%	33%	26%	22%	13%	32%	26%	22%	22%	32%	24%	15%	-	16%	33%	25%	16%
			*	BEF	F	F		*				LM	M			*	QQR	R	

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 7

How knowledgeable would you say you are about the following? - Top 2 Box Summary

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
A surgical abortion procedure - performed in a hospital or an abortion clinic	721	721	29	130	215	224	123	28	116	303	275	144	370	207	-	29	130	334	228
	63%	63%	53%	65%	63%	65%	63%	72%	59%	66%	62%	64%	65%	60%	-	53%	65%	65%	62%
			*					*								*			
A medication abortion (the abortion pill)	713	713	33	146	213	216	105	22	130	293	267	159	363	190	-	33	146	328	206
	63%	63%	61%	72%	63%	62%	53%	56%	67%	64%	60%	71%	63%	55%	-	61%	72%	63%	56%
			*	DEF				*					LM	M		*	QR	R	
The Plan B pill (the morning after pill)	836	836	34	156	268	257	122	27	138	340	332	173	444	219	-	34	156	402	244
	73%	73%	63%	78%	79%	74%	62%	68%	71%	74%	75%	78%	77%	64%	-	63%	78%	78%	67%
			*	BF	BF	F		*					M	M		*	OR	OR	

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 8

How knowledgeable would you say you are about the following? - Bottom 2 Box Summary

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
A surgical abortion procedure - performed in a hospital or an abortion clinic	399	399	25	68	121	117	68	11	77	149	161	75	195	129	-	25	68	177	129
	35%	35%	47%	34%	36%	34%	35%	28%	40%	32%	36%	34%	34%	38%	-	47%	34%	34%	35%
			*					*								*			
A medication abortion (the abortion pill)	405	405	20	54	121	122	89	16	63	161	165	61	198	146	-	20	54	178	154
	36%	36%	37%	27%	36%	35%	45%	41%	32%	35%	37%	28%	34%	43%	-	37%	27%	34%	42%
			*		C	C	C	*						KL		*			PQ
The Plan B pill (the morning after pill)	285	285	20	40	69	84	72	11	55	116	103	42	122	121	-	20	40	108	117
	25%	25%	37%	20%	20%	24%	37%	29%	28%	25%	23%	19%	21%	35%	-	37%	20%	21%	32%
			CD*				CDE	*							KL		PQ*		PQ

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 9

How knowledgeable would you say you are about the following? - Bottom Box Summary

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
A surgical abortion procedure - performed in a hospital or an abortion clinic	97	97	8	11	25	25	27	3	20	35	39	14	39	45	-	8	11	37	40
	9%	9%	15%	5%	7%	7%	14%	8%	10%	8%	9%	6%	7%	13%	-	15%	5%	7%	11%
			C*				CDE	*						KL		PQ*			P
A medication abortion (the abortion pill)	108	108	8	13	30	30	27	6	20	41	40	16	46	46	-	8	13	44	43
	9%	9%	15%	6%	9%	9%	14%	16%	10%	9%	9%	7%	8%	13%	-	15%	6%	8%	12%
			*				C	*						KL		*			
The Plan B pill (the morning after pill)	70	70	10	15	10	19	16	4	19	21	26	16	21	32	-	10	15	21	23
	6%	6%	19%	8%	3%	5%	8%	9%	10%	5%	6%	7%	4%	9%	-	19%	8%	4%	6%
			CDEF*	D			D	*	I			L		L		PQR*			

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 10

To the best of your knowledge, which of the below abortion methods do Canadians have access to?

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
A surgical abortion procedure - performed in a hospital or an abortion clinic	833	833	31	146	257	255	143	23	139	341	329	159	432	242	-	31	146	393	263
	73%	73%	58%	73%	76%	74%	72%	59%	71%	74%	74%	71%	76%	71%	-	58%	73%	76%	72%
			*		B	B		*							-	*		O	
A medication abortion (the abortion pill RU-486 / Mifegymiso) that can be taken at home	660	660	29	121	218	196	96	16	119	272	253	134	349	178	-	29	121	317	193
	58%	58%	54%	60%	64%	57%	49%	40%	61%	59%	57%	60%	61%	52%	-	54%	60%	61%	53%
			*	F	EF			*	G	G	G		M		-	*		R	
I'm not sure	231	231	18	36	55	73	49	10	38	91	92	42	100	88	-	18	36	90	88
	20%	20%	33%	18%	16%	21%	25%	25%	19%	20%	21%	19%	18%	26%	-	33%	18%	17%	24%
			CD*				D	*						L	-	PQ*			Q
Prefer not to say	12	12	1	2	3	3	3	2	1	5	4	2	6	4	-	1	2	4	5
	1%	1%	2%	1%	1%	1%	2%	6%	1%	1%	1%	1%	1%	1%	-	2%	1%	1%	1%
			*					HU*							-	*			
Sigma	1736	1736	80	305	533	528	291	51	298	709	678	336	887	513	-	80	305	803	548
	152%	152%	148%	152%	156%	152%	148%	130%	153%	154%	153%	151%	155%	149%	-	148%	152%	155%	150%
Summary																			
Selected both options [surgical "AND" medication]	597	597	26	104	192	182	94	12	103	248	234	113	315	169	-	26	104	285	182
	52%	52%	48%	52%	56%	52%	48%	30%	53%	54%	53%	51%	55%	49%	-	48%	52%	55%	50%
			*					*	G	G	G				-	*			
Selected only one of the options [surgical "OR" medication]	896	896	35	163	283	270	144	27	156	365	348	179	466	251	-	35	163	424	273
	79%	79%	64%	81%	83%	78%	73%	69%	80%	79%	78%	80%	81%	73%	-	64%	81%	82%	75%
			*	B	BF	B		*					M		-	*	O	OR	
Selected surgical but not medication	236	236	6	42	65	74	49	11	37	93	95	45	117	73	-	6	42	108	80
	21%	21%	11%	21%	19%	21%	25%	29%	19%	20%	21%	20%	21%	21%	-	11%	21%	21%	22%
			*				B	*							-	*			
Selected medication but not surgical	63	63	3	17	26	15	2	4	17	23	19	20	34	9	-	3	17	31	11
	6%	6%	6%	9%	8%	4%	1%	10%	9%	5%	4%	9%	6%	2%	-	6%	9%	6%	3%
			F*	EF	F	F		*	J			M	M		-	*	R	R	
Not sure / Prefer not to say	243	243	19	38	58	76	53	12	39	96	96	44	106	93	-	19	38	93	93
	21%	21%	36%	19%	17%	22%	27%	31%	20%	21%	22%	20%	19%	27%	-	36%	19%	18%	25%
			CDE*				D	*						L	-	PQ*			Q

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 11

Please read the below and select, to the best of your knowledge, whether the statement is true or false. If you are truly unsure, you can select "I don't know." - The cost for a surgical abortion procedure is fully covered under my provincial plan

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
True	456	456	18	68	138	151	82	21	65	205	165	77	237	143	-	18	68	213	158
	40%	40%	33%	34%	40%	44%	41%	52%	33%	45%	37%	34%	41%	42%	-	33%	34%	41%	43%
			*			C		H*		HJ					*				P
False	117	117	2	33	42	29	11	4	21	44	47	33	63	21	-	2	33	58	23
	10%	10%	3%	16%	12%	8%	6%	10%	11%	10%	11%	15%	11%	6%	-	3%	16%	11%	6%
			*	BEF	F			*				M	M		*	OR	R		
I'm not sure / I don't know	566	566	34	100	161	166	104	15	108	212	231	113	273	180	-	34	100	247	185
	50%	50%	64%	50%	47%	48%	53%	37%	56%	46%	52%	51%	48%	52%	-	64%	50%	48%	51%
			DE*					*	GI						Q*				
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 12

Please read the below and select, to the best of your knowledge, whether the statement is true or false. If you are truly unsure, you can select "I don't know." - The cost for medication abortion (the abortion pill) is fully covered under my provincial plan.

		Gender	AGE					EDUCATION				Generation				Age-group 3			
	Total	Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
True	313	313	17	55	100	94	47	11	51	128	123	57	166	89	-	17	55	148	93
	27%	27%	31%	28%	29%	27%	24%	28%	26%	28%	28%	26%	29%	26%	-	31%	28%	29%	25%
			*					*							*				
False	185	185	8	33	67	50	26	7	29	81	68	37	101	48	-	8	33	94	50
	16%	16%	16%	17%	20%	15%	13%	18%	15%	18%	15%	17%	18%	14%	-	16%	17%	18%	14%
			*					*							*				
I'm not sure / I don't know	641	641	29	113	174	201	124	21	116	252	253	129	306	206	-	29	113	275	224
	56%	56%	54%	56%	51%	58%	63%	54%	59%	55%	57%	58%	53%	60%	-	54%	56%	53%	61%
			*				D	*							*				Q
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 13

Please read the below and select, to the best of your knowledge, whether the statement is true or false. If you are truly unsure, you can select "I don't know." - Plan B /the morning after pill is the same as medication abortion (the abortion pill)

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
True	210	210	12	29	43	67	60	6	36	83	85	32	84	93	-	12	29	74	95
	18%	18%	22%	14%	13%	19%	30%	15%	18%	18%	19%	14%	15%	27%	-	22%	14%	14%	26%
			*			D	CDE	*						KL		*			PQ
False	505	505	15	109	197	127	57	16	93	194	203	120	280	106	-	15	109	260	121
	44%	44%	29%	54%	58%	37%	29%	41%	48%	42%	46%	54%	49%	31%	-	29%	54%	50%	33%
			*	BEF	BEF			*				M	M			*	OR	OR	
I'm not sure / I don't know	424	424	27	64	101	152	80	17	67	184	156	71	208	145	-	27	64	184	150
	37%	37%	50%	32%	30%	44%	41%	44%	34%	40%	35%	32%	36%	42%	-	50%	32%	35%	41%
			CD*			CD	D	*						K		P*			P
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 14

Please read the below and select, to the best of your knowledge, whether the statement is true or false. If you are truly unsure, you can select "I don't know." - True Summary

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
The cost for a surgical abortion procedure is fully covered under my provincial plan	456	456	18	68	138	151	82	21	65	205	165	77	237	143	-	18	68	213	158
	40%	40%	33%	34%	40%	44%	41%	52%	33%	45%	37%	34%	41%	42%	-	33%	34%	41%	43%
			*			C		H*		HJ					*				P
The cost for medication abortion (the abortion pill) is fully covered under my provincial plan.	313	313	17	55	100	94	47	11	51	128	123	57	166	89	-	17	55	148	93
	27%	27%	31%	28%	29%	27%	24%	28%	26%	28%	28%	26%	29%	26%	-	31%	28%	29%	25%
			*					*							*				
Plan B /the morning after pill is the same as medication abortion (the abortion pill)	210	210	12	29	43	67	60	6	36	83	85	32	84	93	-	12	29	74	95
	18%	18%	22%	14%	13%	19%	30%	15%	18%	18%	19%	14%	15%	27%	-	22%	14%	14%	26%
			*			D	CDE	*						KL	*				PQ

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 15

Please read the below and select, to the best of your knowledge, whether the statement is true or false. If you are truly unsure, you can select "I don't know." - False Summary

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
The cost for a surgical abortion procedure is fully covered under my provincial plan	117	117	2	33	42	29	11	4	21	44	47	33	63	21	-	2	33	58	23
	10%	10%	3%	16%	12%	8%	6%	10%	11%	10%	11%	15%	11%	6%	-	3%	16%	11%	6%
			*	BEF	F			*				M	M			*	OR	R	
The cost for medication abortion (the abortion pill) is fully covered under my provincial plan.	185	185	8	33	67	50	26	7	29	81	68	37	101	48	-	8	33	94	50
	16%	16%	16%	17%	20%	15%	13%	18%	15%	18%	15%	17%	18%	14%	-	16%	17%	18%	14%
			*					*								*			
Plan B /the morning after pill is the same as medication abortion (the abortion pill)	505	505	15	109	197	127	57	16	93	194	203	120	280	106	-	15	109	260	121
	44%	44%	29%	54%	58%	37%	29%	41%	48%	42%	46%	54%	49%	31%	-	29%	54%	50%	33%
			*	BEF	BEF			*				M	M			*	OR	OR	

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 16

Please read the below and select, to the best of your knowledge, whether the statement is true or false. If you are truly unsure, you can select "I don't know." - I'm not sure / I don't know Summary

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
The cost for a surgical abortion procedure is fully covered under my provincial plan	566	566	34	100	161	166	104	15	108	212	231	113	273	180	-	34	100	247	185
	50%	50%	64%	50%	47%	48%	53%	37%	56%	46%	52%	51%	48%	52%	-	64%	50%	48%	51%
			DE*					*	GI							Q*			
The cost for medication abortion (the abortion pill) is fully covered under my provincial plan.	641	641	29	113	174	201	124	21	116	252	253	129	306	206	-	29	113	275	224
	56%	56%	54%	56%	51%	58%	63%	54%	59%	55%	57%	58%	53%	60%	-	54%	56%	53%	61%
			*				D	*								*			Q
Plan B /the morning after pill is the same as medication abortion (the abortion pill)	424	424	27	64	101	152	80	17	67	184	156	71	208	145	-	27	64	184	150
	37%	37%	50%	32%	30%	44%	41%	44%	34%	40%	35%	32%	36%	42%	-	50%	32%	35%	41%
			CD*			CD	D	*						K		P*			P

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 17

If you were faced with a situation for pregnancy termination, please indicate which of the following options would be your first choice. Please remember your honest responses are very helpful and will remain anonymous.

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
A surgical abortion procedure - performed in a hospital or an abortion clinic	351	351	8	61	107	110	65	12	60	140	139	67	171	113	-	8	61	160	122
	31%	31%	14%	30%	31%	32%	33%	30%	31%	30%	31%	30%	30%	33%	-	14%	30%	31%	33%
			*	B	B	B	B	*								*	O	O	O
A medication abortion (the abortion pill) that can be taken at home	456	456	22	94	146	131	63	14	74	186	182	104	238	115	-	22	94	213	127
	40%	40%	41%	47%	43%	38%	32%	36%	38%	40%	41%	46%	42%	33%	-	41%	47%	41%	35%
			*	F	F			*				M	M			*	R		
I'm not sure / I don't know	276	276	20	32	72	88	63	12	48	105	112	37	132	107	-	20	32	121	103
	24%	24%	36%	16%	21%	25%	32%	30%	25%	23%	25%	16%	23%	31%	-	36%	16%	23%	28%
			CD*		C	CD	*						K	KL		PQ*		P	P
Prefer not to say	56	56	4	14	16	16	6	2	13	30	11	16	32	8	-	4	14	24	13
	5%	5%	8%	7%	5%	5%	3%	4%	6%	7%	2%	7%	6%	2%	-	8%	7%	5%	4%
			*					*	J	J		M	M			*			
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 18

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - If I was faced with a situation for pregnancy termination, I would want to be able to choose between a medication abortion (the abortion pill) taken at home and a surgical abortion procedure performed in a hospital or an abortion clinic

	Gender		AGE					EDUCATION				Generation				Age-group 3			
	Total	Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
Top 2 Box (Net)	952	952	44	162	294	281	171	31	165	380	376	180	477	295	-	44	162	436	311
	84%	84%	81%	81%	86%	81%	87%	78%	85%	83%	85%	81%	83%	86%	-	81%	81%	84%	85%
			*					*								*			
Strongly agree	648	648	24	121	201	190	113	16	116	272	245	131	328	190	-	24	121	294	210
	57%	57%	44%	60%	59%	55%	57%	40%	59%	59%	55%	59%	57%	55%	-	44%	60%	57%	57%
			*					*	G	G						*			
Somewhat agree	304	304	20	42	93	91	59	15	50	108	131	49	149	106	-	20	42	142	101
	27%	27%	36%	21%	27%	26%	30%	39%	25%	23%	29%	22%	26%	31%	-	36%	21%	27%	27%
			C*					I*			I			K		P*			
Bottom 2 Box (Net)	97	97	4	25	28	28	12	5	15	43	34	28	49	20	-	4	25	46	22
	8%	8%	8%	12%	8%	8%	6%	13%	7%	9%	8%	13%	8%	6%	-	8%	12%	9%	6%
			*					*				M				*	R		
Somewhat disagree	62	62	1	16	20	18	7	4	5	30	22	18	30	13	-	1	16	31	13
	5%	5%	2%	8%	6%	5%	3%	11%	3%	7%	5%	8%	5%	4%	-	2%	8%	6%	4%
			*					H*		H		M				*	R		
Strongly disagree	35	35	3	8	7	10	6	1	10	13	12	10	18	7	-	3	8	15	9
	3%	3%	6%	4%	2%	3%	3%	2%	5%	3%	3%	4%	3%	2%	-	6%	4%	3%	2%
			*					*								*			
I'm not sure / I don't know	90	90	6	14	19	38	13	4	15	37	34	15	47	28	-	6	14	36	34
	8%	8%	11%	7%	6%	11%	7%	9%	8%	8%	8%	7%	8%	8%	-	11%	7%	7%	9%
			*			D		*								*			
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 19

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - I would be comfortable having a medication abortion (the abortion pill) at home if it was prescribed by my doctor through telemedicine

	Gender		AGE					EDUCATION				Generation				Age-group 3			
	Total	Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
Top 2 Box (Net)	730	730	29	138	224	222	117	19	124	300	286	150	371	209	-	29	138	333	230
	64%	64%	54%	69%	66%	64%	59%	49%	64%	65%	65%	67%	65%	61%	-	54%	69%	64%	63%
			*					*								*			
Strongly agree	367	367	18	79	117	100	53	8	69	153	138	87	178	102	-	18	79	164	107
	32%	32%	33%	39%	34%	29%	27%	19%	35%	33%	31%	39%	31%	30%	-	33%	39%	32%	29%
			*	EF				*				LM				*	R		
Somewhat agree	363	363	11	59	107	122	64	12	56	148	148	62	194	107	-	11	59	170	123
	32%	32%	21%	29%	31%	35%	32%	30%	28%	32%	33%	28%	34%	31%	-	21%	29%	33%	34%
			*			B		*								*			
Bottom 2 Box (Net)	281	281	13	45	85	81	56	15	40	109	116	53	137	90	-	13	45	130	92
	25%	25%	24%	23%	25%	23%	29%	39%	21%	24%	26%	24%	24%	26%	-	24%	23%	25%	25%
			*					HI*								*			
Somewhat disagree	158	158	8	29	46	45	30	13	20	51	74	33	71	54	-	8	29	69	52
	14%	14%	16%	14%	14%	13%	15%	33%	10%	11%	17%	15%	12%	16%	-	16%	14%	13%	14%
			*					HIJ*			HI					*			
Strongly disagree	122	122	4	17	39	36	26	3	21	58	41	20	66	36	-	4	17	61	40
	11%	11%	8%	8%	11%	10%	13%	6%	11%	13%	9%	9%	12%	11%	-	8%	8%	12%	11%
			*					*								*			
I'm not sure / I don't know	128	128	12	18	31	43	24	5	30	51	42	20	64	44	-	12	18	54	44
	11%	11%	22%	9%	9%	12%	12%	12%	16%	11%	9%	9%	11%	13%	-	22%	9%	10%	12%
			CD*					*	J							PQ*			
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 20

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - Considering that a medication abortion (the abortion pill) is approved by Health Canada, with costs fully covered, people who need or want access to medication abortion (the abortion pill) should be allowed to choose the best option for them

	Gender		AGE					EDUCATION				Generation				Age-group 3			
	Total	Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
Top 2 Box (Net)	943	943	43	163	292	284	162	29	154	391	369	182	474	287	-	43	163	432	305
	83%	83%	80%	81%	86%	82%	82%	74%	79%	85%	83%	82%	83%	83%	-	80%	81%	84%	83%
			*					*								*			
Strongly agree	644	644	27	116	204	197	99	12	111	268	253	132	328	185	-	27	116	303	197
	57%	57%	51%	58%	60%	57%	50%	31%	57%	58%	57%	59%	57%	54%	-	51%	58%	59%	54%
			*					*	G	G	G					*			
Somewhat agree	299	299	16	46	87	86	63	17	43	123	116	50	146	102	-	16	46	129	108
	26%	26%	29%	23%	26%	25%	32%	43%	22%	27%	26%	23%	26%	30%	-	29%	23%	25%	29%
			*					HUJ*								*			
Bottom 2 Box (Net)	100	100	4	22	29	24	20	4	20	37	39	24	49	28	-	4	22	45	29
	9%	9%	8%	11%	9%	7%	10%	10%	10%	8%	9%	11%	9%	8%	-	8%	11%	9%	8%
			*					*								*			
Somewhat disagree	69	69	2	15	20	16	15	3	14	21	31	15	33	20	-	2	15	31	20
	6%	6%	5%	7%	6%	5%	8%	7%	7%	4%	7%	7%	6%	6%	-	5%	7%	6%	6%
			*					*								*			
Strongly disagree	31	31	2	8	9	9	4	1	6	17	8	8	16	7	-	2	8	13	8
	3%	3%	4%	4%	3%	3%	2%	3%	3%	4%	2%	4%	3%	2%	-	4%	4%	3%	2%
			*					*								*			
I'm not sure / I don't know	96	96	7	16	20	38	15	6	21	33	36	17	50	29	-	7	16	41	33
	8%	8%	12%	8%	6%	11%	8%	16%	11%	7%	8%	8%	9%	8%	-	12%	8%	8%	9%
			*			D		*								*			
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 21

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - Canadians should have the same access to a medication abortion (the abortion pill) as to a surgical abortion procedure performed in a hospital or an abortion clinic

	Gender		AGE					EDUCATION				Generation				Age-group 3			
	Total	Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
Top 2 Box (Net)	936	936	44	156	288	289	159	30	153	386	368	173	476	287	-	44	156	431	305
	82%	82%	82%	77%	85%	83%	81%	75%	78%	84%	83%	78%	83%	84%	-	82%	77%	83%	83%
			*		C			*								*			
Strongly agree	625	625	28	117	197	186	97	12	110	270	232	130	318	177	-	28	117	286	194
	55%	55%	52%	58%	58%	54%	49%	30%	57%	59%	52%	58%	56%	51%	-	52%	58%	55%	53%
			*					*	G	G	G					*			
Somewhat agree	312	312	16	39	91	102	63	18	42	116	135	43	158	110	-	16	39	145	111
	27%	27%	30%	19%	27%	30%	32%	45%	22%	25%	31%	19%	28%	32%	-	30%	19%	28%	30%
			*			C	C	HI*			H		K	K		*		P	P
Bottom 2 Box (Net)	124	124	4	30	37	27	26	8	28	46	43	33	59	33	-	4	30	57	32
	11%	11%	8%	15%	11%	8%	13%	19%	14%	10%	10%	15%	10%	10%	-	8%	15%	11%	9%
			*	E				*								*	R		
Somewhat disagree	83	83	-	23	26	14	20	5	18	28	32	23	38	22	-	-	23	38	22
	7%	7%	-	12%	8%	4%	10%	14%	9%	6%	7%	10%	7%	6%	-	-	12%	7%	6%
			*	BE	BE		BE	*								*	OR		
Strongly disagree	41	41	4	7	11	13	6	2	9	19	11	9	20	12	-	4	7	20	10
	4%	4%	8%	4%	3%	4%	3%	5%	5%	4%	2%	4%	4%	3%	-	8%	4%	4%	3%
			*					*								*			
I'm not sure / I don't know	78	78	5	15	16	31	11	2	15	28	33	17	38	23	-	5	15	29	29
	7%	7%	10%	8%	5%	9%	6%	6%	7%	6%	7%	8%	7%	7%	-	10%	8%	6%	8%
			*			D		*								*			
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:
 Overlap formulae used
 - Column Proportions:
 Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R
 Minimum Base: 30 (**), Small Base: 100 (*)
 - Column Means:
 Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R
 Minimum Base: 30 (**), Small Base: 100 (*)

Table: 22

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - I know enough about the options on safely terminating a pregnancy

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
Top 2 Box (Net)	655	655	22	114	197	209	112	19	111	278	247	123	340	192	-	22	114	307	212
	57%	57%	41%	56%	58%	60%	57%	49%	57%	60%	56%	55%	59%	56%	-	41%	56%	59%	58%
			*		B	B		*							*		O	O	
Strongly agree	221	221	11	42	71	67	31	7	43	96	75	45	118	58	-	11	42	102	66
	19%	19%	20%	21%	21%	19%	16%	18%	22%	21%	17%	20%	21%	17%	-	20%	21%	20%	18%
			*					*							*				
Somewhat agree	434	434	12	72	126	143	82	12	67	183	172	78	222	134	-	12	72	205	145
	38%	38%	21%	36%	37%	41%	42%	31%	34%	40%	39%	35%	39%	39%	-	21%	36%	40%	40%
			*		B	B	B	*							*		O	O	
Bottom 2 Box (Net)	370	370	22	70	118	94	67	12	69	135	155	80	177	113	-	22	70	162	117
	33%	33%	40%	35%	35%	27%	34%	29%	36%	29%	35%	36%	31%	33%	-	40%	35%	31%	32%
			*		E			*							*				
Somewhat disagree	239	239	11	39	77	65	47	7	42	91	99	47	115	77	-	11	39	107	82
	21%	21%	21%	19%	23%	19%	24%	19%	22%	20%	22%	21%	20%	22%	-	21%	19%	21%	23%
			*					*							*				
Strongly disagree	131	131	10	31	41	29	20	4	27	44	56	33	62	36	-	10	31	55	34
	11%	11%	19%	15%	12%	8%	10%	11%	14%	9%	13%	15%	11%	10%	-	19%	15%	11%	9%
			E*	E				*								R*	R		
I'm not sure / I don't know	114	114	10	18	25	43	18	8	15	48	42	20	55	39	-	10	18	48	38
	10%	10%	19%	9%	7%	12%	9%	21%	8%	10%	9%	9%	10%	11%	-	19%	9%	9%	10%
			D*			D		HUJ*								Q*			
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 23

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - I would trust that my doctor would present all the options available to me

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
Top 2 Box (Net)	953	953	46	159	282	293	172	25	164	388	376	174	478	301	-	46	159	426	322
	84%	84%	86%	79%	83%	85%	87%	63%	84%	84%	85%	78%	84%	88%	-	86%	79%	82%	88%
			*					*	G	G	G			K		*			PQ
Strongly agree	552	552	30	91	162	170	99	13	95	237	207	101	275	177	-	30	91	238	193
	49%	49%	56%	45%	48%	49%	50%	34%	49%	51%	47%	45%	48%	51%	-	56%	45%	46%	53%
			*					*		G						*			
Somewhat agree	400	400	16	68	120	123	73	12	69	151	169	73	203	124	-	16	68	188	128
	35%	35%	30%	34%	35%	36%	37%	29%	35%	33%	38%	33%	36%	36%	-	30%	34%	36%	35%
			*					*								*			
Bottom 2 Box (Net)	114	114	2	28	43	28	13	7	17	43	47	35	59	21	-	2	28	63	21
	10%	10%	3%	14%	13%	8%	7%	19%	9%	9%	11%	16%	10%	6%	-	3%	14%	12%	6%
			*	BEF	EF			*				LM	M			*	OR	R	
Somewhat disagree	85	85	1	19	33	21	11	4	11	33	37	23	46	16	-	1	19	48	17
	7%	7%	2%	9%	10%	6%	6%	10%	6%	7%	8%	10%	8%	5%	-	2%	9%	9%	5%
			*					*				M				*	R	R	
Strongly disagree	29	29	1	9	11	7	2	3	6	10	10	12	12	5	-	1	9	15	4
	3%	3%	1%	4%	3%	2%	1%	9%	3%	2%	2%	5%	2%	1%	-	1%	4%	3%	1%
			*					IJ*				LM				*	R		
I'm not sure / I don't know	72	72	6	15	15	24	12	7	14	30	21	15	36	22	-	6	15	29	23
	6%	6%	11%	7%	4%	7%	6%	18%	7%	7%	5%	7%	6%	6%	-	11%	7%	6%	6%
			*					HIJ*								*			
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 24

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - I am concerned about my reproductive rights in Canada after the reversal of Roe vs. Wade in the USA

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
Top 2 Box (Net)	704	704	37	123	220	210	114	17	110	292	285	137	362	205	-	37	123	325	219
	62%	62%	68%	61%	65%	61%	58%	43%	56%	63%	64%	62%	63%	60%	-	68%	61%	63%	60%
			*					*		G	G					*			
Strongly agree	334	334	17	71	101	93	51	9	55	128	141	77	160	97	-	17	71	146	99
	29%	29%	32%	35%	30%	27%	26%	23%	28%	28%	32%	34%	28%	28%	-	32%	35%	28%	27%
			*	E				*								*			
Somewhat agree	370	370	19	52	119	117	63	8	55	164	144	61	201	109	-	19	52	179	120
	33%	33%	36%	26%	35%	34%	32%	20%	28%	36%	32%	27%	35%	32%	-	36%	26%	35%	33%
			*		C			*					K			*		P	
Bottom 2 Box (Net)	274	274	4	50	83	87	50	12	51	108	103	57	133	83	-	4	50	128	91
	24%	24%	8%	25%	24%	25%	25%	30%	26%	23%	23%	26%	23%	24%	-	8%	25%	25%	25%
			*	B	B	B	B	*								*	O	O	O
Somewhat disagree	176	176	-	34	54	52	36	9	34	69	64	37	81	58	-	-	34	77	65
	15%	15%	-	17%	16%	15%	18%	23%	17%	15%	14%	17%	14%	17%	-	-	17%	15%	18%
			*	B	B	B	B	*								*	O	O	O
Strongly disagree	97	97	4	16	29	34	14	3	17	39	39	20	52	25	-	4	16	51	26
	9%	9%	8%	8%	8%	10%	7%	7%	9%	8%	9%	9%	9%	7%	-	8%	8%	10%	7%
			*					*								*			
I'm not sure / I don't know	161	161	13	28	38	49	33	10	34	61	56	29	78	55	-	13	28	65	56
	14%	14%	24%	14%	11%	14%	17%	26%	17%	13%	13%	13%	14%	16%	-	24%	14%	12%	15%
			D*					IJ*								Q*			
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 25

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - A medication abortion (the abortion pill) would make the termination of an early-stage pregnancy accessible for all, especially for those living in remote or rural areas

	Gender		AGE					EDUCATION				Generation				Age-group 3			
	Total	Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
Top 2 Box (Net)	910	910	44	159	280	276	152	26	151	373	361	173	464	273	-	44	159	418	290
	80%	80%	81%	79%	82%	80%	77%	65%	77%	81%	81%	78%	81%	79%	-	81%	79%	81%	79%
			*					*		G	G				*				
Strongly agree	544	544	24	97	178	154	91	12	95	228	209	107	272	164	-	24	97	248	175
	48%	48%	44%	48%	52%	44%	46%	31%	49%	49%	47%	48%	48%	48%	-	44%	48%	48%	48%
			*		E			*	G	G					*				
Somewhat agree	366	366	20	62	101	122	61	13	55	145	152	66	191	108	-	20	62	170	115
	32%	32%	37%	31%	30%	35%	31%	34%	28%	32%	34%	30%	33%	32%	-	37%	31%	33%	31%
			*					*							*				
Bottom 2 Box (Net)	104	104	4	26	32	24	18	8	20	44	32	30	48	26	-	4	26	47	27
	9%	9%	8%	13%	9%	7%	9%	19%	10%	10%	7%	14%	8%	8%	-	8%	13%	9%	7%
			*	E				J*				LM			*	R			
Somewhat disagree	70	70	2	16	22	17	13	7	13	29	22	19	33	18	-	2	16	33	18
	6%	6%	4%	8%	6%	5%	7%	17%	7%	6%	5%	8%	6%	5%	-	4%	8%	6%	5%
			*					HUJ*							*				
Strongly disagree	34	34	2	10	10	7	5	1	7	15	11	11	15	8	-	2	10	14	9
	3%	3%	4%	5%	3%	2%	3%	2%	4%	3%	2%	5%	3%	2%	-	4%	5%	3%	2%
			*					*							*				
I'm not sure / I don't know	125	125	6	16	29	46	27	6	24	44	51	19	61	44	-	6	16	53	49
	11%	11%	11%	8%	9%	13%	14%	16%	12%	10%	11%	9%	11%	13%	-	11%	8%	10%	13%
			*			D		*							*				
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	-	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 26

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - Top Box Summary

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
If I was faced with a situation for pregnancy termination, I would want to be able to choose between a medication abortion (the abortion pill) taken at home and a surgical abortion procedure performed in a hospital or an abortion clinic	648	648	24	121	201	190	113	16	116	272	245	131	328	190	-	24	121	294	210
	57%	57%	44%	60%	59%	55%	57%	40%	59%	59%	55%	59%	57%	55%	-	44%	60%	57%	57%
			*					*	G	G						*			
I would be comfortable having a medication abortion (the abortion pill) at home if it was prescribed by my doctor through telemedicine	367	367	18	79	117	100	53	8	69	153	138	87	178	102	-	18	79	164	107
	32%	32%	33%	39%	34%	29%	27%	19%	35%	33%	31%	39%	31%	30%	-	33%	39%	32%	29%
			*	EF				*				LM				*	R		
Considering that a medication abortion (the abortion pill) is approved by Health Canada, with costs fully covered, people who need or want access to medication abortion (the abortion pill) should be allowed to choose the best option for them	644	644	27	116	204	197	99	12	111	268	253	132	328	185	-	27	116	303	197
	57%	57%	51%	58%	60%	57%	50%	31%	57%	58%	57%	59%	57%	54%	-	51%	58%	59%	54%
			*					*	G	G	G					*			
Canadians should have the same access to a medication abortion (the abortion pill) as to a surgical abortion procedure performed in a hospital or an abortion clinic	625	625	28	117	197	186	97	12	110	270	232	130	318	177	-	28	117	286	194
	55%	55%	52%	58%	58%	54%	49%	30%	57%	59%	52%	58%	56%	51%	-	52%	58%	55%	53%
			*					*	G	G	G					*			
I know enough about the options on safely terminating a pregnancy	221	221	11	42	71	67	31	7	43	96	75	45	118	58	-	11	42	102	66
	19%	19%	20%	21%	21%	19%	16%	18%	22%	21%	17%	20%	21%	17%	-	20%	21%	20%	18%
			*					*								*			
I would trust that my doctor would present all the options available to me	552	552	30	91	162	170	99	13	95	237	207	101	275	177	-	30	91	238	193
	49%	49%	56%	45%	48%	49%	50%	34%	49%	51%	47%	45%	48%	51%	-	56%	45%	46%	53%
			*					*	G							*			
I am concerned about my reproductive rights in Canada after the reversal of Roe vs. Wade in the USA	334	334	17	71	101	93	51	9	55	128	141	77	160	97	-	17	71	146	99
	29%	29%	32%	35%	30%	27%	26%	23%	28%	28%	32%	34%	28%	28%	-	32%	35%	28%	27%
			*	E				*								*			
A medication abortion (the abortion pill) would make the termination of an early-stage pregnancy accessible for all, especially for those living in remote or rural areas	544	544	24	97	178	154	91	12	95	228	209	107	272	164	-	24	97	248	175
	48%	48%	44%	48%	52%	44%	46%	31%	49%	49%	47%	48%	48%	48%	-	44%	48%	48%	48%
			*		E			*	G	G						*			

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 27

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - Top 2 Box Summary

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
If I was faced with a situation for pregnancy termination, I would want to be able to choose between a medication abortion (the abortion pill) taken at home and a surgical abortion procedure performed in a hospital or an abortion clinic	952	952	44	162	294	281	171	31	165	380	376	180	477	295	-	44	162	436	311
	84%	84%	81%	81%	86%	81%	87%	78%	85%	83%	85%	81%	83%	86%	-	81%	81%	84%	85%
			*					*								*			
I would be comfortable having a medication abortion (the abortion pill) at home if it was prescribed by my doctor through telemedicine	730	730	29	138	224	222	117	19	124	300	286	150	371	209	-	29	138	333	230
	64%	64%	54%	69%	66%	64%	59%	49%	64%	65%	65%	67%	65%	61%	-	54%	69%	64%	63%
			*					*								*			
Considering that a medication abortion (the abortion pill) is approved by Health Canada, with costs fully covered, people who need or want access to medication abortion (the abortion pill) should be allowed to choose the best option for them	943	943	43	163	292	284	162	29	154	391	369	182	474	287	-	43	163	432	305
	83%	83%	80%	81%	86%	82%	82%	74%	79%	85%	83%	82%	83%	83%	-	80%	81%	84%	83%
			*					*								*			
Canadians should have the same access to a medication abortion (the abortion pill) as to a surgical abortion procedure performed in a hospital or an abortion clinic	936	936	44	156	288	289	159	30	153	386	368	173	476	287	-	44	156	431	305
	82%	82%	82%	77%	85%	83%	81%	75%	78%	84%	83%	78%	83%	84%	-	82%	77%	83%	83%
			*					*								*			
I know enough about the options on safely terminating a pregnancy	655	655	22	114	197	209	112	19	111	278	247	123	340	192	-	22	114	307	212
	57%	57%	41%	56%	58%	60%	57%	49%	57%	60%	56%	55%	59%	56%	-	41%	56%	59%	58%
			*					*								*			
I would trust that my doctor would present all the options available to me	953	953	46	159	282	293	172	25	164	388	376	174	478	301	-	46	159	426	322
	84%	84%	86%	79%	83%	85%	87%	63%	84%	84%	85%	78%	84%	88%	-	86%	79%	82%	88%
			*					*	G	G	G			K		*			PQ
I am concerned about my reproductive rights in Canada after the reversal of Roe vs. Wade in the USA	704	704	37	123	220	210	114	17	110	292	285	137	362	205	-	37	123	325	219
	62%	62%	68%	61%	65%	61%	58%	43%	56%	63%	64%	62%	63%	60%	-	68%	61%	63%	60%
			*					*		G	G					*			
A medication abortion (the abortion pill) would make the termination of an early-stage pregnancy accessible for all, especially for those living in remote or rural areas	910	910	44	159	280	276	152	26	151	373	361	173	464	273	-	44	159	418	290
	80%	80%	81%	79%	82%	80%	77%	65%	77%	81%	81%	78%	81%	79%	-	81%	79%	81%	79%
			*					*		G	G					*			

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 28

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - Bottom 2 Box Summary

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
If I was faced with a situation for pregnancy termination, I would want to be able to choose between a medication abortion (the abortion pill) taken at home and a surgical abortion procedure performed in a hospital or an abortion clinic	97	97	4	25	28	28	12	5	15	43	34	28	49	20	-	4	25	46	22
	8%	8%	8%	12%	8%	8%	6%	13%	7%	9%	8%	13%	8%	6%	-	8%	12%	9%	6%
			*					*				M				*	R		
I would be comfortable having a medication abortion (the abortion pill) at home if it was prescribed by my doctor through telemedicine	281	281	13	45	85	81	56	15	40	109	116	53	137	90	-	13	45	130	92
	25%	25%	24%	23%	25%	23%	29%	39%	21%	24%	26%	24%	24%	26%	-	24%	23%	25%	25%
			*					HI*								*			
Considering that a medication abortion (the abortion pill) is approved by Health Canada, with costs fully covered, people who need or want access to medication abortion (the abortion pill) should be allowed to choose the best option for them	100	100	4	22	29	24	20	4	20	37	39	24	49	28	-	4	22	45	29
	9%	9%	8%	11%	9%	7%	10%	10%	10%	8%	9%	11%	9%	8%	-	8%	11%	9%	8%
			*					*								*			
Canadians should have the same access to a medication abortion (the abortion pill) as to a surgical abortion procedure performed in a hospital or an abortion clinic	124	124	4	30	37	27	26	8	28	46	43	33	59	33	-	4	30	57	32
	11%	11%	8%	15%	11%	8%	13%	19%	14%	10%	10%	15%	10%	10%	-	8%	15%	11%	9%
			*	E				*								*	R		
I know enough about the options on safely terminating a pregnancy	370	370	22	70	118	94	67	12	69	135	155	80	177	113	-	22	70	162	117
	33%	33%	40%	35%	35%	27%	34%	29%	36%	29%	35%	36%	31%	33%	-	40%	35%	31%	32%
			*	E				*								*			
I would trust that my doctor would present all the options available to me	114	114	2	28	43	28	13	7	17	43	47	35	59	21	-	2	28	63	21
	10%	10%	3%	14%	13%	8%	7%	19%	9%	9%	11%	16%	10%	6%	-	3%	14%	12%	6%
			*	BEF	EF			*				LM	M			*	OR	R	
I am concerned about my reproductive rights in Canada after the reversal of Roe vs. Wade in the USA	274	274	4	50	83	87	50	12	51	108	103	57	133	83	-	4	50	128	91
	24%	24%	8%	25%	24%	25%	25%	30%	26%	23%	23%	26%	23%	24%	-	8%	25%	25%	25%
			*	B	B	B	B	*								*	O	O	O
A medication abortion (the abortion pill) would make the termination of an early-stage pregnancy accessible for all, especially for those living in remote or rural areas	104	104	4	26	32	24	18	8	20	44	32	30	48	26	-	4	26	47	27
	9%	9%	8%	13%	9%	7%	9%	19%	10%	10%	7%	14%	8%	8%	-	8%	13%	9%	7%
			*	E				J*				LM				*	R		

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 29

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - Bottom Box Summary

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
If I was faced with a situation for pregnancy termination, I would want to be able to choose between a medication abortion (the abortion pill) taken at home and a surgical abortion procedure performed in a hospital or an abortion clinic	35	35	3	8	7	10	6	1	10	13	12	10	18	7	-	3	8	15	9
	3%	3%	6%	4%	2%	3%	3%	2%	5%	3%	3%	4%	3%	2%	-	6%	4%	3%	2%
			*					*								*			
I would be comfortable having a medication abortion (the abortion pill) at home if it was prescribed by my doctor through telemedicine	122	122	4	17	39	36	26	3	21	58	41	20	66	36	-	4	17	61	40
	11%	11%	8%	8%	11%	10%	13%	6%	11%	13%	9%	9%	12%	11%	-	8%	8%	12%	11%
			*					*								*			
Considering that a medication abortion (the abortion pill) is approved by Health Canada, with costs fully covered, people who need or want access to medication abortion (the abortion pill) should be allowed to choose the best option for them	31	31	2	8	9	9	4	1	6	17	8	8	16	7	-	2	8	13	8
	3%	3%	4%	4%	3%	3%	2%	3%	3%	4%	2%	4%	3%	2%	-	4%	4%	3%	2%
			*					*								*			
Canadians should have the same access to a medication abortion (the abortion pill) as to a surgical abortion procedure performed in a hospital or an abortion clinic	41	41	4	7	11	13	6	2	9	19	11	9	20	12	-	4	7	20	10
	4%	4%	8%	4%	3%	4%	3%	5%	5%	4%	2%	4%	4%	3%	-	8%	4%	4%	3%
			*					*								*			
I know enough about the options on safely terminating a pregnancy	131	131	10	31	41	29	20	4	27	44	56	33	62	36	-	10	31	55	34
	11%	11%	19%	15%	12%	8%	10%	11%	14%	9%	13%	15%	11%	10%	-	19%	15%	11%	9%
			E*	E				*								R*	R		
I would trust that my doctor would present all the options available to me	29	29	1	9	11	7	2	3	6	10	10	12	12	5	-	1	9	15	4
	3%	3%	1%	4%	3%	2%	1%	9%	3%	2%	2%	5%	2%	1%	-	1%	4%	3%	1%
			*					IJ*				LM				*	R		
I am concerned about my reproductive rights in Canada after the reversal of Roe vs. Wade in the USA	97	97	4	16	29	34	14	3	17	39	39	20	52	25	-	4	16	51	26
	9%	9%	8%	8%	8%	10%	7%	7%	9%	8%	9%	9%	9%	7%	-	8%	8%	10%	7%
			*					*								*			
A medication abortion (the abortion pill) would make the termination of an early-stage pregnancy accessible for all, especially for those living in remote or rural areas	34	34	2	10	10	7	5	1	7	15	11	11	15	8	-	2	10	14	9
	3%	3%	4%	5%	3%	2%	3%	2%	4%	3%	2%	5%	3%	2%	-	4%	5%	3%	2%
			*					*								*			

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G,H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G,H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 30

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - I'm not sure / I don't know Summary

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
If I was faced with a situation for pregnancy termination, I would want to be able to choose between a medication abortion (the abortion pill) taken at home and a surgical abortion procedure performed in a hospital or an abortion clinic	90	90	6	14	19	38	13	4	15	37	34	15	47	28	-	6	14	36	34
	8%	8%	11%	7%	6%	11%	7%	9%	8%	8%	8%	7%	8%	8%	-	11%	7%	7%	9%
			*			D		*								*			
I would be comfortable having a medication abortion (the abortion pill) at home if it was prescribed by my doctor through telemedicine	128	128	12	18	31	43	24	5	30	51	42	20	64	44	-	12	18	54	44
	11%	11%	22%	9%	9%	12%	12%	12%	16%	11%	9%	9%	11%	13%	-	22%	9%	10%	12%
			CD*					*	J							PQ*			
Considering that a medication abortion (the abortion pill) is approved by Health Canada, with costs fully covered, people who need or want access to medication abortion (the abortion pill) should be allowed to choose the best option for them	96	96	7	16	20	38	15	6	21	33	36	17	50	29	-	7	16	41	33
	8%	8%	12%	8%	6%	11%	8%	16%	11%	7%	8%	8%	9%	8%	-	12%	8%	8%	9%
			*			D		*								*			
Canadians should have the same access to a medication abortion (the abortion pill) as to a surgical abortion procedure performed in a hospital or an abortion clinic	78	78	5	15	16	31	11	2	15	28	33	17	38	23	-	5	15	29	29
	7%	7%	10%	8%	5%	9%	6%	6%	7%	6%	7%	8%	7%	7%	-	10%	8%	6%	8%
			*			D		*								*			
I know enough about the options on safely terminating a pregnancy	114	114	10	18	25	43	18	8	15	48	42	20	55	39	-	10	18	48	38
	10%	10%	19%	9%	7%	12%	9%	21%	8%	10%	9%	9%	10%	11%	-	19%	9%	9%	10%
			D*			D		HJ*								Q*			
I would trust that my doctor would present all the options available to me	72	72	6	15	15	24	12	7	14	30	21	15	36	22	-	6	15	29	23
	6%	6%	11%	7%	4%	7%	6%	18%	7%	7%	5%	7%	6%	6%	-	11%	7%	6%	6%
			*					HJ*								*			
I am concerned about my reproductive rights in Canada after the reversal of Roe vs. Wade in the USA	161	161	13	28	38	49	33	10	34	61	56	29	78	55	-	13	28	65	56
	14%	14%	24%	14%	11%	14%	17%	26%	17%	13%	13%	13%	14%	16%	-	24%	14%	12%	15%
			D*					IJ*								Q*			
A medication abortion (the abortion pill) would make the termination of an early-stage pregnancy accessible for all, especially for those living in remote or rural areas	125	125	6	16	29	46	27	6	24	44	51	19	61	44	-	6	16	53	49
	11%	11%	11%	8%	9%	13%	14%	16%	12%	10%	11%	9%	11%	13%	-	11%	8%	10%	13%
			*			D		*								*			

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 31

Who would you first turn to for information about abortion?

	Total	Gender	AGE					EDUCATION				Generation				Age-group 3			
		Female	16-17	18-24	25-34	35-44	45-50	<HS	HS	Post Sec	Univ Grad	Gen Z	Millennial	Gen X	Boomer	16-17	18-24	25-40	40+
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	1139	50	192	378	384	135	40	196	454	449	216	632	291	-	50	192	573	324
Base: All Respondents (wtd)	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
Online	233	233	6	36	83	83	25	8	36	90	99	42	137	54	-	6	36	129	62
	20%	20%	11%	18%	25%	24%	12%	20%	18%	19%	22%	19%	24%	16%	-	11%	18%	25%	17%
			*		BF	BF		*					M		*			OPR	
My pharmacist	44	44	1	10	11	11	11	2	1	21	20	11	17	16	-	1	10	16	17
	4%	4%	2%	5%	3%	3%	5%	6%	1%	5%	4%	5%	3%	5%	-	2%	5%	3%	5%
			*					H*		H	H				*				
My doctor	662	662	22	112	192	202	133	20	110	281	251	123	324	215	-	22	112	287	240
	58%	58%	41%	56%	56%	58%	67%	51%	56%	61%	57%	55%	57%	63%	-	41%	56%	55%	66%
			*			B	BCD	*							*				OPQ
A friend/friends	71	71	3	16	25	13	13	2	14	35	20	19	34	17	-	3	16	34	17
	6%	6%	6%	8%	7%	4%	7%	6%	7%	8%	4%	9%	6%	5%	-	6%	8%	7%	5%
			*	E	E			*							*				
Family members	70	70	19	23	15	12	2	3	19	16	32	23	31	16	-	19	23	23	5
	6%	6%	36%	11%	4%	3%	1%	7%	10%	4%	7%	10%	5%	5%	-	36%	11%	4%	1%
			CDEF*	DEF	F			*	I		I	LM				PQR*	QR	R	
Anonymous chat/telephone line	34	34	1	2	6	15	10	2	12	9	12	2	17	15	-	1	2	17	14
	3%	3%	1%	1%	2%	4%	5%	4%	6%	2%	3%	1%	3%	4%	-	1%	1%	3%	4%
			*			CD		*	I					K		*			
Other	6	6	1	-	2	4	-	1	-	2	4	-	4	2	-	1	-	4	2
	1%	1%	1%	-	1%	1%	-	2%	-	*	1%	-	1%	1%	-	1%	-	1%	1%
			*					H*							*				
None/ would not get an abortion	19	19	1	2	6	6	5	1	3	8	7	3	9	8	-	1	2	8	8
	2%	2%	1%	1%	2%	2%	2%	4%	2%	2%	1%	1%	2%	2%	-	1%	1%	2%	2%
			*					*							*				
Sigma	1139	1139	54	201	341	346	197	39	195	461	444	223	573	343	-	54	201	518	366
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A,B/C/D/E/F,G/H/I/J,K/L/M/N,O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)