

Table: 1

Please select one of the following:

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity					
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC	Urban	Rural
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
I am comfortable answering these questions	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 2

Please select which of the following best represents how you identify:

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
Assigned female at birth, still identify as female	1112	156	139	74	442	236	65	276	187	293	296	494	618	681	403	79	324	896	83
	98%	100%	99%	98%	98%	95%	95%	96%	99%	98%	98%	97%	98%	99%	96%	88%	98%	98%	96%
Assigned female at birth, now identify as another gender (male, non-binary, gender fluid, etc.)	27	-	1	1	7	14	3	11	1	5	7	15	12	8	19	11	8	17	4
	2%	-	1%	2%	2%	5%	5%	4%	1%	2%	2%	3%	2%	1%	4%	12%	2%	2%	4%
						ABD	ABD	H						MP	MNP*				*
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 3

How knowledgeable would you say you are about the following? - A surgical abortion procedure - performed in a hospital or an abortion clinic

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
Top 2 Box (Net)	721	98	97	51	288	142	46	172	128	186	204	337	384	449	259	72	187	590	50
	63%	62%	69%	67%	64%	57%	67%	60%	68%	62%	67%	66%	61%	65%	61%	80%	56%	65%	58%
		E												P	P	MNP*			*
Very knowledgeable	220	38	20	15	87	48	12	61	52	46	53	120	101	125	89	25	65	174	17
	19%	24%	15%	20%	19%	19%	18%	21%	28%	15%	17%	23%	16%	18%	21%	27%	19%	19%	20%
								IJ								M*			*
Somewhat knowledgeable	501	60	77	36	201	95	34	111	75	140	152	120	283	324	170	47	123	416	33
	44%	38%	55%	47%	45%	38%	49%	39%	40%	47%	50%	43%	45%	47%	40%	52%	37%	46%	38%
			AE				E				GH			NP	P	NP*			*
Bottom 2 Box (Net)	399	57	42	23	155	99	22	110	57	103	99	165	234	230	154	17	137	305	35
	35%	36%	30%	31%	35%	40%	33%	38%	30%	35%	33%	32%	37%	33%	36%	19%	41%	33%	40%
														O	O	*	MNO		*
Not very knowledgeable	302	41	28	20	112	83	17	87	43	76	76	124	179	176	114	12	103	239	25
	27%	26%	20%	27%	25%	33%	25%	30%	23%	25%	25%	24%	28%	26%	27%	13%	31%	26%	29%
						BD								O	O	*	NO		*
Not at all knowledgeable	97	16	14	3	43	16	5	23	14	27	23	42	55	54	40	5	34	66	10
	9%	10%	10%	4%	9%	6%	8%	8%	8%	9%	8%	8%	9%	8%	9%	6%	10%	7%	11%
																*			*
I've never heard of this	19	2	1	2	6	8	-	5	3	10	-	7	12	10	9	1	8	17	2
	2%	1%	1%	2%	1%	3%	-	2%	2%	3%	-	1%	2%	1%	2%	1%	2%	2%	2%
								J	J	J						*			*
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 4

How knowledgeable would you say you are about the following? - A medication abortion (the abortion pill)

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
Top 2 Box (Net)	713	99	89	50	285	144	46	178	115	184	204	340	373	454	247	65	182	577	54
	63%	64%	64%	66%	63%	58%	67%	62%	61%	62%	67%	67%	59%	66%	58%	73%	55%	63%	62%
												L		NP	P	NP*			*
Very knowledgeable	185	26	19	11	73	41	14	49	36	42	52	98	87	110	71	20	51	142	15
	16%	17%	14%	15%	16%	17%	21%	17%	19%	14%	17%	19%	14%	16%	17%	22%	15%	16%	17%
												L				*			*
Somewhat knowledgeable	528	73	71	39	212	102	31	129	79	142	152	242	286	344	175	45	130	434	39
	46%	47%	50%	51%	47%	41%	46%	45%	42%	48%	50%	47%	45%	50%	42%	50%	39%	48%	45%
														NP		*			*
Bottom 2 Box (Net)	405	55	50	23	155	101	22	105	65	110	96	159	246	224	165	24	141	321	31
	36%	35%	35%	30%	34%	41%	32%	37%	35%	37%	32%	31%	39%	32%	39%	26%	43%	35%	36%
													K		MO	*	MNO		*
Not very knowledgeable	298	37	38	18	105	82	18	77	54	79	70	112	186	171	114	15	99	246	19
	26%	24%	27%	24%	23%	33%	26%	27%	29%	26%	23%	22%	29%	25%	27%	17%	30%	27%	22%
						D								K		O	*	NO	*
Not at all knowledgeable	108	18	12	5	49	19	4	28	11	32	27	47	61	53	51	8	43	74	13
	9%	12%	9%	6%	11%	8%	6%	10%	6%	11%	9%	9%	10%	8%	12%	9%	13%	8%	15%
														M	*		M		Q*
I've never heard of this	21	2	1	3	10	5	1	4	8	4	3	10	11	11	10	1	9	15	2
	2%	1%	1%	3%	2%	2%	1%	1%	4%	1%	1%	2%	2%	2%	2%	1%	3%	2%	2%
									GIJ							*			*
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 5

How knowledgeable would you say you are about the following? - The Plan B pill (the morning after pill)

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
Top 2 Box (Net)	836	124	105	58	325	169	55	208	135	212	243	382	455	517	301	71	230	673	62
	73%	79%	75%	76%	72%	68%	81%	73%	72%	71%	80%	75%	72%	75%	71%	79%	69%	74%	72%
		E					E				GHI					*			*
Very knowledgeable	263	42	26	18	94	63	20	77	50	60	65	127	136	151	105	32	73	209	21
	23%	27%	19%	23%	21%	25%	29%	27%	26%	20%	21%	25%	22%	22%	25%	35%	22%	23%	25%
														P	MNP*				*
Somewhat knowledgeable	574	83	78	40	231	107	35	132	85	153	178	255	319	366	196	39	157	465	41
	50%	53%	56%	53%	52%	43%	51%	46%	45%	51%	59%	50%	51%	53%	46%	44%	47%	51%	47%
			E		E						GH			N	*				*
Bottom 2 Box (Net)	285	30	36	18	115	73	13	71	49	83	60	121	165	166	110	18	92	226	23
	25%	19%	25%	23%	26%	29%	19%	25%	26%	28%	20%	24%	26%	24%	26%	20%	28%	25%	26%
					A					J						*			*
Not very knowledgeable	215	19	30	14	76	65	11	51	43	61	45	90	126	130	79	15	64	179	18
	19%	12%	21%	18%	17%	26%	17%	18%	23%	20%	15%	18%	20%	19%	19%	17%	19%	20%	21%
					AD				J							*			*
Not at all knowledgeable	70	11	6	4	39	8	2	20	6	22	16	31	39	36	31	2	28	47	5
	6%	7%	4%	5%	9%	3%	3%	7%	3%	7%	5%	6%	6%	5%	7%	3%	8%	5%	6%
					EF											*			*
I've never heard of this	17	2	-	1	8	7	-	8	4	4	-	7	10	5	11	1	10	14	2
	2%	1%	-	1%	2%	3%	-	3%	2%	1%	-	1%	2%	1%	3%	1%	3%	1%	2%
								J	J						M	*	M		*
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 6

How knowledgeable would you say you are about the following? - Top Box Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity					
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
A surgical abortion procedure - performed in a hospital or an abortion clinic	220	38	20	15	87	48	12	61	52	46	53	120	101	125	89	25	65	174	17
	19%	24%	15%	20%	19%	19%	18%	21%	28%	15%	17%	23%	16%	18%	21%	27%	19%	19%	20%
A medication abortion (the abortion pill)	185	26	19	11	73	41	14	49	36	42	52	98	87	110	71	20	51	142	15
	16%	17%	14%	15%	16%	17%	21%	17%	19%	14%	17%	19%	14%	16%	17%	*	15%	16%	17%
The Plan B pill (the morning after pill)	263	42	26	18	94	63	20	77	50	60	65	127	136	151	105	32	73	209	21
	23%	27%	19%	23%	21%	25%	29%	27%	26%	20%	21%	25%	22%	22%	25%	35%	22%	23%	25%
															P	MNP*			*

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 7

How knowledgeable would you say you are about the following? - Top 2 Box Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
A surgical abortion procedure - performed in a hospital or an abortion clinic	721	98	97	51	288	142	46	172	128	186	204	337	384	449	259	72	187	590	50
	63%	62%	69%	67%	64%	57%	67%	60%	68%	62%	67%	66%	61%	65%	61%	80%	56%	65%	58%
			E											P	P	MNP*			*
A medication abortion (the abortion pill)	713	99	89	50	285	144	46	178	115	184	204	340	373	454	247	65	182	577	54
	63%	64%	64%	66%	63%	58%	67%	62%	61%	62%	67%	67%	59%	66%	58%	73%	55%	63%	62%
												L		NP	P	NP*			*
The Plan B pill (the morning after pill)	836	124	105	58	325	169	55	208	135	212	243	382	455	517	301	71	230	673	62
	73%	79%	75%	76%	72%	68%	81%	73%	72%	71%	80%	75%	72%	75%	71%	79%	69%	74%	72%
		E					E				GHI					*			*

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 8

How knowledgeable would you say you are about the following? - Bottom 2 Box Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity					
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC	Urban	Rural
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
A surgical abortion procedure - performed in a hospital or an abortion clinic	399	57	42	23	155	99	22	110	57	103	99	165	234	230	154	17	137	305	35
	35%	36%	30%	31%	35%	40%	33%	38%	30%	35%	33%	32%	37%	33%	36%	19%	41%	33%	40%
														O	O	*	MNO		*
A medication abortion (the abortion pill)	405	55	50	23	155	101	22	105	65	110	96	159	246	224	165	24	141	321	31
	36%	35%	35%	30%	34%	41%	32%	37%	35%	37%	32%	31%	39%	32%	39%	26%	43%	35%	36%
													K		MO	*	MNO		*
The Plan B pill (the morning after pill)	285	30	36	18	115	73	13	71	49	83	60	121	165	166	110	18	92	226	23
	25%	19%	25%	23%	26%	29%	19%	25%	26%	28%	20%	24%	26%	24%	26%	20%	28%	25%	26%
						A				J						*			*

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 9

How knowledgeable would you say you are about the following? - Bottom Box Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
A surgical abortion procedure - performed in a hospital or an abortion clinic	97	16	14	3	43	16	5	23	14	27	23	42	55	54	40	5	34	66	10
	9%	10%	10%	4%	9%	6%	8%	8%	8%	9%	8%	8%	9%	8%	9%	6%	10%	7%	11%
															*				*
A medication abortion (the abortion pill)	108	18	12	5	49	19	4	28	11	32	27	47	61	53	51	8	43	74	13
	9%	12%	9%	6%	11%	8%	6%	10%	6%	11%	9%	9%	10%	8%	12%	9%	13%	8%	15%
														M	*	M			Q*
The Plan B pill (the morning after pill)	70	11	6	4	39	8	2	20	6	22	16	31	39	36	31	2	28	47	5
	6%	7%	4%	5%	9%	3%	3%	7%	3%	7%	5%	6%	6%	5%	7%	3%	8%	5%	6%
					EF											*			*

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 10

To the best of your knowledge, which of the below abortion methods do Canadians have access to?

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
A surgical abortion procedure - performed in a hospital or an abortion clinic	833	121	102	62	328	168	51	189	137	222	250	370	463	539	275	71	205	679	64
	73%	78%	73%	82%	73%	68%	74%	66%	73%	75%	83%	73%	73%	78%	65%	79%	62%	74%	74%
		E		DE						G	GHI			NP	P	NP*			*
A medication abortion (the abortion pill RU-486 / Mifegymiso) that can be taken at home	660	91	82	47	261	137	42	149	108	183	195	295	365	441	207	54	154	546	51
	58%	58%	59%	63%	58%	55%	61%	52%	58%	61%	64%	58%	58%	64%	49%	60%	46%	60%	59%
								G	G					NP	P	NP*			*
I'm not sure	231	29	34	11	90	53	14	72	36	61	42	105	126	122	103	8	95	178	17
	20%	18%	24%	14%	20%	21%	20%	25%	19%	20%	14%	21%	20%	18%	24%	9%	29%	20%	19%
								J	J					O	MO	*	MNO		*
Prefer not to say	12	-	1	-	7	5	-	3	1	3	-	1	11	5	4	-	4	7	1
	1%	-	1%	-	1%	2%	-	1%	1%	1%	-	*	2%	1%	1%	-	1%	1%	1%
													K			*			*
Sigma	1736	241	219	121	685	364	106	413	283	469	487	771	965	1107	590	132	457	1411	133
	152%	154%	156%	159%	153%	146%	155%	144%	151%	157%	161%	151%	153%	161%	140%	148%	138%	155%	154%
Summary																			
Selected both options [surgical "AND" medication]	597	85	79	45	236	115	38	126	95	170	184	262	335	418	168	43	125	498	47
	52%	54%	56%	59%	53%	46%	55%	44%	51%	57%	61%	51%	53%	61%	40%	48%	38%	55%	54%
			E							G	GH			NOP		*			*
Selected only one of the options [surgical "OR" medication]	896	128	105	65	353	191	55	212	150	235	261	403	493	562	315	81	233	727	69
	79%	82%	75%	86%	79%	77%	80%	74%	80%	79%	86%	79%	78%	82%	75%	91%	70%	80%	79%
											GI			NP	P	MNP*			*
Selected surgical but not medication	236	37	23	18	92	54	13	63	42	52	67	108	128	121	107	28	79	181	18
	21%	23%	16%	23%	21%	22%	19%	22%	23%	17%	22%	21%	20%	18%	25%	31%	24%	20%	20%
														M	M*	M			*
Selected medication but not surgical	63	6	3	2	25	23	4	23	13	12	11	33	30	23	39	11	28	48	4
	6%	4%	2%	3%	5%	9%	6%	8%	7%	4%	4%	6%	5%	3%	9%	12%	9%	5%	5%
				B				J						M	M*	M			*
Not sure / Prefer not to say	243	29	35	11	96	58	14	75	37	64	42	106	137	127	107	8	99	186	18
	21%	18%	25%	14%	21%	23%	20%	26%	20%	21%	14%	21%	22%	18%	25%	9%	30%	20%	21%
								J	J					O	MO	*	MNO		*

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 11

Please read the below and select, to the best of your knowledge, whether the statement is true or false. If you are truly unsure, you can select "I don't know." - The cost for a surgical abortion procedure is fully covered under my provincial plan

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
True	456	56	54	33	181	112	22	101	79	118	141	220	237	304	145	39	105	381	32
	40%	35%	38%	43%	40%	45%	32%	35%	42%	39%	46%	43%	38%	44%	34%	44%	32%	42%	37%
False	117	13	11	10	44	27	11	35	26	34	18	44	72	60	53	15	38	92	8
	10%	9%	8%	13%	10%	11%	17%	12%	14%	11%	6%	9%	11%	9%	13%	17%	11%	10%	9%
I'm not sure / I don't know	566	88	76	33	224	110	35	151	83	147	145	245	321	325	224	35	189	440	46
	50%	56%	54%	44%	50%	44%	52%	53%	44%	49%	48%	48%	51%	47%	53%	39%	57%	48%	54%
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 12

Please read the below and select, to the best of your knowledge, whether the statement is true or false. If you are truly unsure, you can select "I don't know." - The cost for medication abortion (the abortion pill) is fully covered under my provincial plan.

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
True	313	33	35	22	132	76	16	74	51	77	101	144	169	200	109	26	83	262	20
	27%	21%	25%	29%	29%	30%	23%	26%	27%	26%	33%	28%	27%	29%	26%	30%	25%	29%	23%
False	185	26	20	11	71	45	13	50	39	41	48	84	101	120	63	18	44	150	14
	16%	16%	14%	14%	16%	18%	19%	17%	21%	14%	16%	17%	16%	17%	15%	20%	13%	16%	16%
I'm not sure / I don't know	641	98	85	43	246	129	40	163	98	180	154	280	361	369	250	45	205	501	53
	56%	63%	61%	57%	55%	52%	59%	57%	52%	60%	51%	55%	57%	54%	59%	50%	62%	55%	61%
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 13

Please read the below and select, to the best of your knowledge, whether the statement is true or false. If you are truly unsure, you can select "I don't know." - Plan B /the morning after pill is the same as medication abortion (the abortion pill)

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
True	210	23	21	12	82	56	15	61	28	53	64	104	105	132	73	26	48	168	16
	18%	15%	15%	16%	18%	22%	22%	21%	15%	18%	21%	20%	17%	19%	17%	28%	14%	18%	18%
False	505	73	57	34	202	111	29	122	92	137	134	203	303	308	187	41	145	406	43
	44%	46%	41%	45%	45%	45%	42%	43%	49%	46%	44%	40%	48%	45%	44%	46%	44%	45%	50%
I'm not sure / I don't know	424	61	62	30	166	82	24	104	68	108	106	202	222	249	162	23	139	339	28
	37%	39%	44%	39%	37%	33%	35%	36%	36%	36%	35%	40%	35%	36%	38%	25%	42%	37%	32%
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 14

Please read the below and select, to the best of your knowledge, whether the statement is true or false. If you are truly unsure, you can select "I don't know." - True Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
The cost for a surgical abortion procedure is fully covered under my provincial plan	456	56	54	33	181	112	22	101	79	118	141	220	237	304	145	39	105	381	32
	40%	35%	38%	43%	40%	45%	32%	35%	42%	39%	46%	43%	38%	44%	34%	44%	32%	42%	37%
						F					G			NP	P	NP*			*
The cost for medication abortion (the abortion pill) is fully covered under my provincial plan.	313	33	35	22	132	76	16	74	51	77	101	144	169	200	109	26	83	262	20
	27%	21%	25%	29%	29%	30%	23%	26%	27%	26%	33%	28%	27%	29%	26%	30%	25%	29%	23%
																*			*
Plan B /the morning after pill is the same as medication abortion (the abortion pill)	210	23	21	12	82	56	15	61	28	53	64	104	105	132	73	26	48	168	16
	18%	15%	15%	16%	18%	22%	22%	21%	15%	18%	21%	20%	17%	19%	17%	28%	14%	18%	18%
															P	MNP*			*

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 15

Please read the below and select, to the best of your knowledge, whether the statement is true or false. If you are truly unsure, you can select "I don't know." - False Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
The cost for a surgical abortion procedure is fully covered under my provincial plan	117	13	11	10	44	27	11	35	26	34	18	44	72	60	53	15	38	92	8
	10%	9%	8%	13%	10%	11%	17%	12%	14%	11%	6%	9%	11%	9%	13%	17%	11%	10%	9%
							ABD	J	J	J						M*			*
The cost for medication abortion (the abortion pill) is fully covered under my provincial plan.	185	26	20	11	71	45	13	50	39	41	48	84	101	120	63	18	44	150	14
	16%	16%	14%	14%	16%	18%	19%	17%	21%	14%	16%	17%	16%	17%	15%	20%	13%	16%	16%
									I							*			*
Plan B/the morning after pill is the same as medication abortion (the abortion pill)	505	73	57	34	202	111	29	122	92	137	134	203	303	308	187	41	145	406	43
	44%	46%	41%	45%	45%	45%	42%	43%	49%	46%	44%	40%	48%	45%	44%	46%	44%	45%	50%
													K			*			*

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 16

Please read the below and select, to the best of your knowledge, whether the statement is true or false. If you are truly unsure, you can select "I don't know." - I'm not sure / I don't know Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
The cost for a surgical abortion procedure is fully covered under my provincial plan	566	88	76	33	224	110	35	151	83	147	145	245	321	325	224	35	189	440	46
	50%	56%	54%	44%	50%	44%	52%	53%	44%	49%	48%	48%	51%	47%	53%	39%	57%	48%	54%
		E													O	*	MNO		*
The cost for medication abortion (the abortion pill) is fully covered under my provincial plan.	641	98	85	43	246	129	40	163	98	180	154	280	361	369	250	45	205	501	53
	56%	63%	61%	57%	55%	52%	59%	57%	52%	60%	51%	55%	57%	54%	59%	50%	62%	55%	61%
		E								J						*	M		*
Plan B /the morning after pill is the same as medication abortion (the abortion pill)	424	61	62	30	166	82	24	104	68	108	106	202	222	249	162	23	139	339	28
	37%	39%	44%	39%	37%	33%	35%	36%	36%	36%	35%	40%	35%	36%	38%	25%	42%	37%	32%
			E												O	*	NO		*

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 17

If you were faced with a situation for pregnancy termination, please indicate which of the following options would be your first choice. Please remember your honest responses are very helpful and will remain anonymous.

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
A surgical abortion procedure - performed in a hospital or an abortion clinic	351	37	46	24	130	95	19	82	59	91	102	166	185	214	131	32	99	279	30
	31%	24%	33%	32%	29%	38%	28%	29%	31%	31%	34%	33%	29%	31%	31%	35%	30%	31%	34%
						AD										*			*
A medication abortion (the abortion pill) that can be taken at home	456	73	41	33	190	86	33	104	76	132	130	195	262	285	162	41	121	380	34
	40%	47%	29%	44%	42%	34%	49%	36%	41%	44%	43%	38%	42%	41%	39%	46%	37%	42%	40%
		BE	B	B	B	BE										*			*
I'm not sure / I don't know	276	43	39	15	107	58	14	83	44	62	62	125	151	165	105	15	90	215	18
	24%	27%	28%	19%	24%	23%	21%	29%	24%	21%	21%	25%	24%	24%	25%	17%	27%	24%	21%
								IJ							O	*	NO		*
Prefer not to say	56	3	14	4	23	11	1	17	8	13	9	24	32	25	23	2	21	40	4
	5%	2%	10%	5%	5%	4%	2%	6%	4%	4%	3%	5%	5%	4%	6%	2%	6%	4%	5%
			AF												*				*
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 18

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - If I was faced with a situation for pregnancy termination, I would want to be able to choose between a medication abortion (the abortion pill) taken at home and a surgical abortion procedure performed in a hospital or an abortion clinic

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
Top 2 Box (Net)	952	137	109	61	379	204	61	232	152	255	268	429	523	601	330	74	256	771	72
	84%	88%	78%	81%	84%	82%	90%	81%	81%	85%	88%	84%	83%	87%	78%	83%	77%	84%	83%
		B					B				GH			NP		*			*
Strongly agree	648	95	73	35	258	139	47	148	105	178	190	291	358	425	210	52	158	516	53
	57%	61%	52%	47%	58%	56%	69%	52%	56%	60%	63%	57%	57%	62%	50%	59%	48%	57%	61%
		C			C		BCDE				G			NP		*			*
Somewhat agree	304	42	36	26	121	65	14	84	47	77	78	139	165	175	120	22	99	254	19
	27%	27%	26%	34%	27%	26%	21%	29%	25%	26%	26%	27%	26%	25%	29%	30%	28%	22%	22%
				F												*			*
Bottom 2 Box (Net)	97	11	15	7	33	27	2	29	18	24	20	43	53	44	49	9	40	72	8
	8%	7%	11%	10%	7%	11%	3%	10%	9%	8%	7%	9%	8%	6%	12%	10%	12%	8%	10%
			F			F								M	*	M			*
Somewhat disagree	62	10	5	2	22	20	2	16	14	16	12	27	34	30	29	5	24	45	5
	5%	7%	4%	2%	5%	8%	3%	5%	8%	5%	4%	5%	5%	4%	7%	6%	7%	5%	6%
															*				*
Strongly disagree	35	1	10	6	10	7	1	13	3	8	8	16	19	13	20	3	16	27	3
	3%	1%	7%	7%	2%	3%	1%	5%	2%	3%	3%	3%	3%	2%	5%	4%	5%	3%	4%
			ADF	ADF										M	*	M			*
I'm not sure / I don't know	90	8	16	7	37	18	5	26	18	20	16	36	54	45	42	7	35	70	6
	8%	5%	11%	9%	8%	7%	7%	9%	10%	7%	5%	7%	9%	6%	10%	8%	11%	8%	7%
														M	*	M			*
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 19

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - I would be comfortable having a medication abortion (the abortion pill) at home if it was prescribed by my doctor through telemedicine

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P		
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
Top 2 Box (Net)	730	100	90	49	288	158	47	169	113	206	206	327	404	470	245	62	183	588	58
	64%	64%	64%	64%	64%	63%	68%	59%	60%	69%	68%	64%	64%	58%	58%	69%	55%	64%	67%
										G	G			NP	P	NP*			*
Strongly agree	367	59	38	29	142	77	23	86	60	105	102	153	214	250	111	34	77	298	33
	32%	38%	27%	38%	32%	31%	34%	30%	32%	35%	34%	30%	34%	36%	26%	38%	23%	33%	38%
														NP	P	NP*			*
Somewhat agree	363	41	52	20	145	81	24	83	53	101	104	174	189	220	134	28	106	290	26
	32%	26%	37%	26%	32%	33%	34%	29%	28%	34%	34%	34%	30%	32%	32%	32%	32%	32%	30%
																*			*
Bottom 2 Box (Net)	281	33	33	19	113	67	16	79	50	57	77	127	153	145	129	22	106	227	18
	25%	21%	24%	25%	25%	27%	23%	28%	27%	19%	25%	25%	24%	21%	31%	25%	32%	25%	21%
								I						M	*	M			*
Somewhat disagree	158	18	17	10	65	40	9	42	29	35	46	67	91	78	75	15	60	126	8
	14%	11%	12%	14%	14%	16%	13%	15%	15%	12%	15%	13%	14%	11%	18%	17%	18%	14%	9%
														M	*	M			*
Strongly disagree	122	15	17	9	48	27	7	38	21	22	31	60	62	67	54	7	47	101	11
	11%	10%	12%	11%	11%	11%	10%	13%	11%	7%	10%	12%	10%	10%	13%	8%	14%	11%	12%
								I							*	M			*
I'm not sure / I don't know	128	24	17	8	49	25	6	38	24	36	20	55	73	75	48	5	43	98	10
	11%	15%	12%	10%	11%	10%	9%	13%	13%	12%	7%	11%	12%	11%	11%	6%	13%	11%	12%
								J	J	J					*				*
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 20

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - Considering that a medication abortion (the abortion pill) is approved by Health Canada, with costs fully covered, people who need or want access to medication abortion (the abortion pill) should be allowed to choose the best option for them

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
Top 2 Box (Net)	943	135	116	60	372	201	59	221	153	252	265	418	525	581	342	80	262	762	72
	83%	86%	83%	80%	83%	81%	86%	77%	82%	85%	87%	82%	83%	84%	81%	89%	79%	83%	83%
										G	G			P	P	NP*			*
Strongly agree	644	97	77	44	256	128	41	147	109	179	180	268	376	410	223	58	165	517	52
	57%	62%	55%	58%	57%	51%	59%	51%	58%	60%	59%	53%	60%	59%	53%	65%	50%	57%	60%
										G			K	NP	P	NP*			*
Somewhat agree	299	37	39	16	115	73	18	74	44	73	85	150	149	171	119	22	97	245	21
	26%	24%	28%	21%	26%	29%	27%	26%	23%	25%	28%	29%	24%	25%	28%	24%	29%	27%	24%
												L				*			*
Bottom 2 Box (Net)	100	10	10	9	37	28	6	31	15	24	24	50	50	53	43	8	35	79	8
	9%	7%	7%	12%	8%	11%	8%	11%	8%	8%	8%	10%	8%	8%	10%	9%	11%	9%	10%
																*			*
Somewhat disagree	69	9	3	5	27	21	3	20	11	12	21	34	34	33	33	7	26	56	4
	6%	6%	2%	7%	6%	8%	5%	7%	6%	4%	7%	7%	5%	5%	8%	8%	8%	6%	5%
						B								M	*				*
Strongly disagree	31	1	7	4	10	7	2	11	4	12	3	16	16	20	11	1	9	23	4
	3%	1%	5%	6%	2%	3%	3%	4%	2%	4%	1%	3%	2%	3%	3%	1%	3%	3%	5%
			A	A				J		J					*				*
I'm not sure / I don't know	96	11	14	6	41	20	4	35	19	22	14	41	55	55	36	2	34	71	6
	8%	7%	10%	8%	9%	8%	6%	12%	10%	7%	5%	8%	9%	8%	9%	2%	10%	8%	7%
								J	J					O	O	*	NO		*
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 21

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - Canadians should have the same access to a medication abortion (the abortion pill) as to a surgical abortion procedure performed in a hospital or an abortion clinic

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
Top 2 Box (Net)	936	127	111	57	377	203	61	220	152	254	265	409	528	590	328	77	251	759	67
	82%	81%	79%	76%	84%	81%	89%	77%	81%	85%	87%	80%	84%	86%	78%	86%	75%	83%	77%
				C			C			G	G			NP	P	NP*			*
Strongly agree	625	92	70	39	250	134	41	135	101	178	182	261	364	413	199	49	151	506	46
	55%	59%	50%	51%	56%	54%	60%	47%	54%	60%	60%	51%	58%	60%	47%	54%	45%	55%	53%
										G	G		K	NP		*			*
Somewhat agree	312	36	41	19	127	69	20	85	51	76	83	148	164	177	128	28	100	253	21
	27%	23%	30%	25%	28%	28%	29%	30%	27%	25%	27%	29%	26%	26%	30%	30%	30%	28%	25%
																*			*
Bottom 2 Box (Net)	124	17	14	14	42	35	3	44	19	23	24	70	55	61	59	10	49	93	14
	11%	11%	10%	19%	9%	14%	5%	15%	10%	8%	8%	14%	9%	9%	14%	12%	15%	10%	16%
				BDF			F			IJ		L		M	*	M			*
Somewhat disagree	83	10	6	9	32	23	3	31	13	13	19	49	34	40	43	7	35	64	8
	7%	6%	5%	11%	7%	9%	4%	11%	7%	5%	6%	10%	5%	6%	10%	8%	11%	7%	9%
				BF			IJ					L		M	*	M			*
Strongly disagree	41	6	7	5	10	11	1	13	7	9	5	20	21	21	17	3	14	30	6
	4%	4%	5%	7%	2%	5%	1%	5%	3%	3%	2%	4%	3%	3%	4%	3%	4%	3%	7%
				DF											*				*
I'm not sure / I don't know	78	13	15	4	30	12	4	23	16	22	14	31	48	38	35	2	32	60	6
	7%	8%	11%	6%	7%	5%	6%	8%	8%	7%	5%	6%	8%	6%	8%	2%	10%	7%	6%
			E											O	*	MNO			*
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 22

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - I know enough about the options on safely terminating a pregnancy

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
Top 2 Box (Net)	655 57%	89 57%	90 64%	46 60%	252 56%	140 56%	39 57%	148 52%	113 60%	178 60%	189 62%	319 63%	336 53%	430 62%	210 50%	59 65%	152 46%	543 60%	43 50%
Strongly agree	221 19%	40 26%	28 20%	10 13%	96 21%	31 12%	16 24%	48 17%	38 20%	50 17%	76 25%	109 21%	112 18%	157 23%	60 14%	25 28%	35 10%	169 19%	17 20%
Somewhat agree	434 38%	48 31%	63 45%	35 47%	156 35%	109 44%	23 33%	100 35%	75 40%	128 43%	113 37%	210 41%	224 36%	272 40%	150 36%	33 37%	117 35%	374 41%	26 30%
Bottom 2 Box (Net)	370 33%	49 31%	32 23%	26 34%	156 35%	85 34%	22 32%	110 39%	53 28%	90 30%	92 30%	144 28%	227 36%	192 28%	171 41%	29 32%	142 43%	288 32%	34 40%
Somewhat disagree	239 21%	32 21%	22 16%	17 23%	96 21%	56 22%	16 23%	73 26%	33 17%	58 20%	61 20%	93 18%	147 23%	135 20%	98 23%	15 17%	83 25%	185 20%	22 25%
Strongly disagree	131 11%	16 10%	9 7%	9 12%	61 14%	29 12%	6 9%	37 13%	20 11%	32 11%	30 10%	51 10%	80 13%	57 8%	74 17%	14 15%	60 18%	102 11%	12 14%
I'm not sure / I don't know	114 10%	19 12%	18 13%	4 6%	41 9%	24 10%	7 11%	28 10%	21 11%	30 10%	22 7%	47 9%	67 11%	67 10%	40 10%	2 2%	38 11%	82 9%	9 11%
Sigma	1139 100%	156 100%	140 100%	76 100%	449 100%	249 100%	68 100%	287 100%	188 100%	298 100%	303 100%	509 100%	630 100%	689 100%	421 100%	90 100%	332 100%	913 100%	87 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 23

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - I would trust that my doctor would present all the options available to me

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
Top 2 Box (Net)	953	131	123	63	377	200	60	223	152	254	269	441	512	586	348	78	270	775	68
	84%	83%	88%	83%	84%	80%	87%	78%	81%	85%	89%	87%	81%	85%	82%	87%	81%	85%	79%
										G	GH	L				*			*
Strongly agree	552	67	72	38	225	112	38	131	79	149	161	269	284	357	191	51	140	442	45
	49%	43%	52%	51%	50%	45%	55%	46%	42%	50%	53%	53%	45%	52%	45%	57%	42%	48%	52%
										H	L		NP	P	NP*				*
Somewhat agree	400	64	51	24	152	88	22	93	74	104	107	172	228	229	156	27	130	333	24
	35%	41%	36%	32%	34%	35%	32%	32%	39%	35%	35%	34%	36%	33%	37%	30%	39%	36%	28%
																*			*
Bottom 2 Box (Net)	114	17	6	8	42	33	7	37	23	29	22	44	70	65	44	11	34	87	13
	10%	11%	5%	11%	9%	13%	10%	13%	12%	10%	7%	9%	11%	10%	11%	12%	10%	10%	15%
				B		B		J								*			*
Somewhat disagree	85	15	5	4	32	24	4	26	17	24	17	33	52	55	28	6	23	68	8
	7%	9%	4%	5%	7%	10%	6%	9%	9%	8%	6%	7%	8%	8%	7%	6%	7%	7%	9%
						B										*			*
Strongly disagree	29	2	1	5	10	9	2	12	5	5	5	11	18	11	16	5	11	20	5
	3%	1%	1%	6%	2%	4%	3%	4%	3%	2%	2%	2%	3%	2%	4%	6%	3%	2%	6%
				ABD											M	M*			Q*
I'm not sure / I don't know	72	9	10	5	29	16	2	26	12	15	13	25	47	38	30	1	29	51	5
	6%	6%	7%	6%	7%	7%	3%	9%	7%	5%	4%	5%	8%	5%	7%	1%	9%	6%	6%
								J							O	*	NO		*
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 24

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - I am concerned about my reproductive rights in Canada after the reversal of Roe vs. Wade in the USA

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
Top 2 Box (Net)	704	107	84	45	295	133	39	159	114	209	191	303	401	446	240	67	174	570	48
	62%	69%	60%	59%	66%	54%	57%	56%	61%	70%	63%	60%	64%	65%	57%	74%	52%	62%	55%
		E		E						GH				NP	P	NP*			*
Strongly agree	334	50	37	20	142	65	20	78	53	107	80	130	204	214	109	30	79	266	26
	29%	32%	26%	27%	32%	26%	29%	27%	28%	36%	26%	26%	32%	31%	26%	33%	24%	29%	30%
										GJ			K	P	*				*
Somewhat agree	370	58	47	24	153	69	19	81	62	102	111	173	197	232	131	37	94	305	22
	33%	37%	34%	32%	34%	28%	28%	28%	33%	34%	36%	34%	31%	34%	31%	41%	28%	33%	25%
										G				P	NP*				*
Bottom 2 Box (Net)	274	27	29	23	103	72	19	75	50	54	77	127	146	158	109	12	98	220	22
	24%	17%	21%	30%	23%	29%	28%	26%	26%	18%	25%	25%	23%	26%	13%	29%	24%	25%	
				A	A	A	I	I		I				O	O	*	MNO		*
Somewhat disagree	176	18	19	15	64	46	14	55	31	36	46	81	95	101	71	8	63	142	11
	15%	11%	14%	20%	14%	18%	21%	19%	17%	12%	15%	16%	15%	15%	17%	9%	19%	16%	13%
							A	I						O	*	NO			*
Strongly disagree	97	9	10	8	39	27	5	20	18	18	31	46	52	57	38	4	34	78	11
	9%	6%	7%	10%	9%	11%	7%	7%	10%	6%	10%	9%	8%	8%	9%	4%	10%	9%	12%
															*				*
I'm not sure / I don't know	161	22	27	8	51	43	10	53	24	35	36	79	83	85	72	12	61	123	17
	14%	14%	19%	11%	11%	17%	15%	18%	13%	12%	12%	15%	13%	12%	17%	13%	18%	13%	20%
			D		D		IJ								M	*	M		*
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 25

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - A medication abortion (the abortion pill) would make the termination of an early-stage pregnancy accessible for all, especially for those living in remote or rural areas

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P		
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
Top 2 Box (Net)	910	126	111	61	364	189	58	213	148	241	264	414	495	569	321	73	248	737	66
	80%	81%	79%	80%	81%	76%	85%	74%	79%	81%	87%	81%	79%	83%	76%	82%	75%	81%	76%
											GHI			NP		*			*
Strongly agree	544	87	70	33	216	100	38	123	91	148	159	233	311	363	171	46	124	440	44
	48%	55%	50%	44%	48%	40%	55%	43%	49%	50%	52%	46%	49%	53%	40%	52%	37%	48%	51%
		E					E				G			NP	P	NP*			*
Somewhat agree	366	39	41	28	149	89	20	90	57	93	106	181	185	206	151	27	123	296	22
	32%	25%	29%	36%	33%	36%	30%	31%	30%	31%	35%	36%	29%	30%	36%	30%	37%	32%	25%
					A							L				*	M		*
Bottom 2 Box (Net)	104	11	9	10	40	29	4	39	16	22	22	42	62	50	51	12	39	75	11
	9%	7%	6%	14%	9%	12%	6%	13%	8%	7%	7%	8%	10%	7%	12%	13%	12%	8%	13%
								IJ							M	*	M		*
Somewhat disagree	70	10	5	4	27	22	2	24	11	15	16	25	45	33	34	6	28	50	7
	6%	7%	3%	6%	6%	9%	3%	8%	6%	5%	5%	5%	7%	5%	8%	6%	9%	5%	8%
														M	*	M			*
Strongly disagree	34	1	4	6	13	7	2	14	5	7	6	17	17	17	16	6	10	25	4
	3%	1%	3%	8%	3%	3%	3%	5%	3%	2%	2%	3%	3%	2%	4%	7%	3%	3%	4%
				ADE												M*			*
I'm not sure / I don't know	125	19	20	5	45	31	6	35	23	36	17	53	72	70	50	4	45	101	9
	11%	12%	14%	6%	10%	12%	8%	12%	12%	12%	6%	10%	11%	10%	12%	5%	14%	11%	11%
								J	J	J					O	*	NO		*
Sigma	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F,G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 26

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - Top Box Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
If I was faced with a situation for pregnancy termination, I would want to be able to choose between a medication abortion (the abortion pill) taken at home and a surgical abortion procedure performed in a hospital or an abortion clinic	648	95	73	35	258	139	47	148	105	178	190	291	358	425	210	52	158	516	53
	57%	61%	52%	47%	58%	56%	69%	52%	56%	60%	63%	57%	57%	62%	50%	59%	48%	57%	61%
		C			C		BCDE				G			NP		*			*
I would be comfortable having a medication abortion (the abortion pill) at home if it was prescribed by my doctor through telemedicine	367	59	38	29	142	77	23	86	60	105	102	153	214	250	111	34	77	298	33
	32%	38%	27%	38%	32%	31%	34%	30%	32%	35%	34%	30%	34%	36%	26%	38%	23%	33%	38%
												NP	P		NP*				*
Considering that a medication abortion (the abortion pill) is approved by Health Canada, with costs fully covered, people who need or want access to medication abortion (the abortion pill) should be allowed to choose the best option for them	644	97	77	44	256	128	41	147	109	179	180	268	376	410	223	58	165	517	52
	57%	62%	55%	58%	57%	51%	59%	51%	58%	60%	59%	53%	60%	59%	53%	65%	50%	57%	60%
										G			K	NP	P	NP*			*
Canadians should have the same access to a medication abortion (the abortion pill) as to a surgical abortion procedure performed in a hospital or an abortion clinic	625	92	70	39	250	134	41	135	101	178	182	261	364	413	199	49	151	506	46
	55%	59%	50%	51%	56%	54%	60%	47%	54%	60%	60%	51%	58%	60%	47%	54%	45%	55%	53%
										G			K	NP		*			*
I know enough about the options on safely terminating a pregnancy	221	40	28	10	96	31	16	48	38	50	76	109	112	157	60	25	35	169	17
	19%	26%	20%	13%	21%	12%	24%	17%	20%	17%	25%	21%	18%	23%	14%	28%	10%	19%	20%
		CE			E		CE				GI			NP	P	NP*			*
I would trust that my doctor would present all the options available to me	552	67	72	38	225	112	38	131	79	149	161	269	284	357	191	51	140	442	45
	49%	43%	52%	51%	50%	45%	55%	46%	42%	50%	53%	53%	45%	52%	45%	57%	42%	48%	52%
											H	L		NP	P	NP*			*
I am concerned about my reproductive rights in Canada after the reversal of Roe vs. Wade in the USA	334	50	37	20	142	65	20	78	53	107	80	130	204	214	109	30	79	266	26
	29%	32%	26%	27%	32%	26%	29%	27%	28%	36%	26%	26%	32%	31%	26%	33%	24%	29%	30%
										GI			K	P		*			*
A medication abortion (the abortion pill) would make the termination of an early-stage pregnancy accessible for all, especially for those living in remote or rural areas	544	87	70	33	216	100	38	123	91	148	159	233	311	363	171	46	124	440	44
	48%	55%	50%	44%	48%	40%	55%	43%	49%	50%	52%	46%	49%	53%	40%	52%	37%	48%	51%
		E					E				G			NP	P	NP*			*

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 27

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - Top 2 Box Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
If I was faced with a situation for pregnancy termination, I would want to be able to choose between a medication abortion (the abortion pill) taken at home and a surgical abortion procedure performed in a hospital or an abortion clinic	952	137	109	61	379	204	61	232	152	255	268	429	523	601	330	74	256	771	72
	84%	88%	78%	81%	84%	82%	90%	81%	81%	85%	88%	84%	83%	87%	78%	83%	77%	84%	83%
		B					B				GH			NP		*			*
I would be comfortable having a medication abortion (the abortion pill) at home if it was prescribed by my doctor through telemedicine	730	100	90	49	288	158	47	169	113	206	206	327	404	470	245	62	183	588	58
	64%	64%	64%	64%	64%	63%	68%	59%	60%	69%	68%	64%	64%	68%	58%	69%	55%	64%	67%
								G			G			NP	P	NP*			*
Considering that a medication abortion (the abortion pill) is approved by Health Canada, with costs fully covered, people who need or want access to medication abortion (the abortion pill) should be allowed to choose the best option for them	943	135	116	60	372	201	59	221	153	252	265	418	525	581	342	80	262	762	72
	83%	86%	83%	80%	83%	81%	86%	77%	82%	85%	87%	82%	83%	84%	81%	89%	79%	83%	83%
										G	G			P	P	NP*			*
Canadians should have the same access to a medication abortion (the abortion pill) as to a surgical abortion procedure performed in a hospital or an abortion clinic	936	127	111	57	377	203	61	220	152	254	265	409	528	590	328	77	251	759	67
	82%	81%	79%	76%	84%	81%	89%	77%	81%	85%	87%	80%	84%	86%	78%	86%	75%	83%	77%
					C		C			G	G			NP	P	NP*			*
I know enough about the options on safely terminating a pregnancy	655	89	90	46	252	140	39	148	113	178	189	319	336	430	210	59	152	543	43
	57%	57%	64%	60%	56%	56%	57%	52%	60%	60%	62%	63%	53%	62%	50%	65%	46%	60%	50%
										G	L			NP	P	NP*			*
I would trust that my doctor would present all the options available to me	953	131	123	63	377	200	60	223	152	254	269	441	512	586	348	78	270	775	68
	84%	83%	88%	83%	84%	80%	87%	78%	81%	85%	89%	87%	81%	85%	82%	87%	81%	85%	79%
										G	GH	L				*			*
I am concerned about my reproductive rights in Canada after the reversal of Roe vs. Wade in the USA	704	107	84	45	295	133	39	159	114	209	191	303	401	446	240	67	174	570	48
	62%	69%	60%	59%	66%	54%	57%	56%	61%	70%	63%	60%	64%	65%	57%	74%	52%	62%	55%
		E			E					GH				NP	P	NP*			*
A medication abortion (the abortion pill) would make the termination of an early-stage pregnancy accessible for all, especially for those living in remote or rural areas	910	126	111	61	364	189	58	213	148	241	264	414	495	569	321	73	248	737	66
	80%	81%	79%	80%	81%	76%	85%	74%	79%	81%	87%	81%	79%	83%	76%	82%	75%	81%	76%
											GH			NP		*			*

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 28

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - Bottom 2 Box Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
If I was faced with a situation for pregnancy termination, I would want to be able to choose between a medication abortion (the abortion pill) taken at home and a surgical abortion procedure performed in a hospital or an abortion clinic	97	11	15	7	33	27	2	29	18	24	20	43	53	44	49	9	40	72	8
	8%	7%	11%	10%	7%	11%	3%	10%	9%	8%	7%	9%	8%	6%	12%	10%	12%	8%	10%
			F			F									M	*	M		*
I would be comfortable having a medication abortion (the abortion pill) at home if it was prescribed by my doctor through telemedicine	281	33	33	19	113	67	16	79	50	57	77	127	153	145	129	22	106	227	18
	25%	21%	24%	25%	25%	27%	23%	28%	27%	19%	25%	25%	24%	21%	31%	25%	32%	25%	21%
						I									M	*	M		*
Considering that a medication abortion (the abortion pill) is approved by Health Canada, with costs fully covered, people who need or want access to medication abortion (the abortion pill) should be allowed to choose the best option for them	100	10	10	9	37	28	6	31	15	24	24	50	50	53	43	8	35	79	8
	9%	7%	7%	12%	8%	11%	8%	11%	8%	8%	8%	10%	8%	8%	10%	9%	11%	9%	10%
															*				*
Canadians should have the same access to a medication abortion (the abortion pill) as to a surgical abortion procedure performed in a hospital or an abortion clinic	124	17	14	14	42	35	3	44	19	23	24	70	55	61	59	10	49	93	14
	11%	11%	10%	19%	9%	14%	5%	15%	10%	8%	8%	14%	9%	9%	14%	12%	15%	10%	16%
				BDF		F		IJ				L			M	*	M		*
I know enough about the options on safely terminating a pregnancy	370	49	32	26	156	85	22	110	53	90	92	144	227	192	171	29	142	288	34
	33%	31%	23%	34%	35%	34%	32%	39%	28%	30%	30%	28%	36%	28%	41%	32%	43%	32%	40%
				B	B			HIJ				K			M	*	M		*
I would trust that my doctor would present all the options available to me	114	17	6	8	42	33	7	37	23	29	22	44	70	65	44	11	34	87	13
	10%	11%	5%	11%	9%	13%	10%	13%	12%	10%	7%	9%	11%	10%	11%	12%	10%	10%	15%
				B	B			J							*				*
I am concerned about my reproductive rights in Canada after the reversal of Roe vs. Wade in the USA	274	27	29	23	103	72	19	75	50	54	77	127	146	158	109	12	98	220	22
	24%	17%	21%	30%	23%	29%	28%	26%	26%	18%	25%	25%	23%	23%	26%	13%	29%	24%	25%
				A		A	A	I	I		I			O	O	*	MNO		*
A medication abortion (the abortion pill) would make the termination of an early-stage pregnancy accessible for all, especially for those living in remote or rural areas	104	11	9	10	40	29	4	39	16	22	22	42	62	50	51	12	39	75	11
	9%	7%	6%	14%	9%	12%	6%	13%	8%	7%	7%	8%	10%	7%	12%	13%	12%	8%	13%
								IJ							M	*	M		*

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 29

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - Bottom Box Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
If I was faced with a situation for pregnancy termination, I would want to be able to choose between a medication abortion (the abortion pill) taken at home and a surgical abortion procedure performed in a hospital or an abortion clinic	35	1	10	6	10	7	1	13	3	8	8	16	19	13	20	3	16	27	3
	3%	1%	7%	7%	2%	3%	1%	5%	2%	3%	3%	3%	3%	2%	5%	4%	5%	3%	4%
			ADF	ADF											M	*	M		*
I would be comfortable having a medication abortion (the abortion pill) at home if it was prescribed by my doctor through telemedicine	122	15	17	9	48	27	7	38	21	22	31	60	62	67	54	7	47	101	11
	11%	10%	12%	11%	11%	11%	10%	13%	11%	7%	10%	12%	10%	10%	13%	8%	14%	11%	12%
								I								*	M		*
Considering that a medication abortion (the abortion pill) is approved by Health Canada, with costs fully covered, people who need or want access to medication abortion (the abortion pill) should be allowed to choose the best option for them	31	1	7	4	10	7	2	11	4	12	3	16	16	20	11	1	9	23	4
	3%	1%	5%	6%	2%	3%	3%	4%	2%	4%	1%	3%	2%	3%	3%	1%	3%	3%	5%
			A	A				J		J						*			*
Canadians should have the same access to a medication abortion (the abortion pill) as to a surgical abortion procedure performed in a hospital or an abortion clinic	41	6	7	5	10	11	1	13	7	9	5	20	21	21	17	3	14	30	6
	4%	4%	5%	7%	2%	5%	1%	5%	3%	3%	2%	4%	3%	3%	4%	3%	4%	3%	7%
				DF												*			*
I know enough about the options on safely terminating a pregnancy	131	16	9	9	61	29	6	37	20	32	30	51	80	57	74	14	60	102	12
	11%	10%	7%	12%	14%	12%	9%	13%	11%	11%	10%	10%	13%	8%	17%	15%	18%	11%	14%
					B										M	M*	M		*
I would trust that my doctor would present all the options available to me	29	2	1	5	10	9	2	12	5	5	5	11	18	11	16	5	11	20	5
	3%	1%	1%	6%	2%	4%	3%	4%	3%	2%	2%	2%	3%	2%	4%	6%	3%	2%	6%
				ABD											M	M*			Q*
I am concerned about my reproductive rights in Canada after the reversal of Roe vs. Wade in the USA	97	9	10	8	39	27	5	20	18	18	31	46	52	57	38	4	34	78	11
	9%	6%	7%	10%	9%	11%	7%	7%	10%	6%	10%	9%	8%	8%	9%	4%	10%	9%	12%
															*				*
A medication abortion (the abortion pill) would make the termination of an early-stage pregnancy accessible for all, especially for those living in remote or rural areas	34	1	4	6	13	7	2	14	5	7	6	17	17	17	16	6	10	25	4
	3%	1%	3%	8%	3%	3%	3%	5%	3%	2%	2%	3%	3%	2%	4%	7%	3%	3%	4%
				ADE											M*				*

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 30

Thank you again for taking the time to answer this important survey. As a reminder, we are interested in general awareness and preferences on ways to end a pregnancy. We are not collecting personal experiences and your responses will remain anonymous. To what extent do you agree or disagree with each of the following statements: - I'm not sure / I don't know Summary

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
If I was faced with a situation for pregnancy termination, I would want to be able to choose between a medication abortion (the abortion pill) taken at home and a surgical abortion procedure performed in a hospital or an abortion clinic	90	8	16	7	37	18	5	26	18	20	16	36	54	45	42	7	35	70	6
	8%	5%	11%	9%	8%	7%	7%	9%	10%	7%	5%	7%	9%	6%	10%	8%	11%	8%	7%
															M	*	M		*
I would be comfortable having a medication abortion (the abortion pill) at home if it was prescribed by my doctor through telemedicine	128	24	17	8	49	25	6	38	24	36	20	55	73	75	48	5	43	98	10
	11%	15%	12%	10%	11%	10%	9%	13%	13%	12%	7%	11%	12%	11%	11%	6%	13%	11%	12%
								J	J	J					*				*
Considering that a medication abortion (the abortion pill) is approved by Health Canada, with costs fully covered, people who need or want access to medication abortion (the abortion pill) should be allowed to choose the best option for them	96	11	14	6	41	20	4	35	19	22	14	41	55	55	36	2	34	71	6
	8%	7%	10%	8%	9%	8%	6%	12%	10%	7%	5%	8%	9%	8%	9%	2%	10%	8%	7%
								J	J					O	O	*	NO		*
Canadians should have the same access to a medication abortion (the abortion pill) as to a surgical abortion procedure performed in a hospital or an abortion clinic	78	13	15	4	30	12	4	23	16	22	14	31	48	38	35	2	32	60	6
	7%	8%	11%	6%	7%	5%	6%	8%	8%	7%	5%	6%	8%	6%	8%	2%	10%	7%	6%
			E											O	*	MNO			*
I know enough about the options on safely terminating a pregnancy	114	19	18	4	41	24	7	28	21	30	22	47	67	67	40	2	38	82	9
	10%	12%	13%	6%	9%	10%	11%	10%	11%	10%	7%	9%	11%	10%	10%	2%	11%	9%	11%
														O	O	*	NO		*
I would trust that my doctor would present all the options available to me	72	9	10	5	29	16	2	26	12	15	13	25	47	38	30	1	29	51	5
	6%	6%	7%	6%	7%	7%	3%	9%	7%	5%	4%	5%	8%	5%	7%	1%	9%	6%	6%
								J							O	*	NO		*
I am concerned about my reproductive rights in Canada after the reversal of Roe vs. Wade in the USA	161	22	27	8	51	43	10	53	24	35	36	79	83	85	72	12	61	123	17
	14%	14%	19%	11%	11%	17%	15%	18%	13%	12%	12%	15%	13%	12%	17%	13%	18%	13%	20%
			D			D		I						M	*	M			*
A medication abortion (the abortion pill) would make the termination of an early-stage pregnancy accessible for all, especially for those living in remote or rural areas	125	19	20	5	45	31	6	35	23	36	17	53	72	70	50	4	45	101	9
	11%	12%	14%	6%	10%	12%	8%	12%	12%	12%	6%	10%	11%	10%	12%	5%	14%	11%	11%
								J	J	J				O	*	NO			*

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J/K/L/M/N/O/P/Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

Table: 31

Who would you first turn to for information about abortion?

	Total	REGION						HOUSEHOLD INCOME				HOUSEHOLD COMPOSITION		Ethnicity				Urban	Rural
		BC	AB	SK/MB	Ontario	Quebec	Atlantic	<\$40K	\$40K - <\$60K	\$60K - <\$100K	\$100K+	Kids	No Kids	White	BIPOC	Indigenous	BPOC		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	
Base: All Respondents (unwtd)	1139	136	125	113	426	223	116	288	194	295	300	513	626	696	413	89	324	906	94
Base: All Respondents (wtd)	1139	156	140	76	449	249	68	287	188	298	303	509	630	689	421	90	332	913	87
Online	233 20%	30 19%	29 21%	17 22%	90 20%	52 21%	15 21%	52 18%	44 24%	63 21%	60 20%	93 18%	140 22%	140 20%	84 20%	14 16%	70 21%	194 21%	16 19%
My pharmacist	44 4%	3 2%	- -	- -	11 3%	28 11%	2 3%	14 5%	5 2%	12 4%	12 4%	22 4%	22 3%	24 3%	17 4%	6 6%	11 3%	32 3%	5 5%
My doctor	662 58%	92 59%	85 61%	39 52%	267 59%	145 58%	34 50%	164 57%	105 56%	181 61%	179 59%	297 58%	365 58%	404 59%	245 58%	51 57%	194 58%	529 58%	51 59%
A friend/friends	71 6%	18 11%	- -	7 10%	34 8%	4 2%	7 10%	24 8%	11 6%	16 5%	17 6%	27 5%	43 7%	40 6%	30 7%	8 9%	22 7%	57 6%	3 4%
Family members	70 6%	10 6%	10 7%	5 7%	25 6%	15 6%	6 9%	15 5%	15 8%	11 4%	19 6%	42 8%	29 5%	34 5%	34 8%	7 8%	27 8%	51 6%	7 8%
Anonymous chat/telephone line	34 3%	2 1%	9 7%	2 3%	15 3%	3 1%	3 5%	8 3%	6 3%	7 2%	11 3%	16 3%	19 3%	27 4%	7 2%	3 3%	4 1%	31 3%	1 1%
Other	6 1%	1 1%	- -	1 2%	3 1%	1 *	- -	1 *	1 1%	4 1%	1 *	5 1%	1 *	6 1%	1 *	- -	1 *	5 1%	1 1%
None/ would not get an abortion	19 2%	1 1%	7 5%	4 5%	4 1%	2 1%	2 2%	9 3%	1 *	4 1%	5 2%	7 1%	12 2%	14 2%	4 1%	- -	4 1%	14 2%	3 3%
Sigma	1139 100%	156 100%	140 100%	76 100%	449 100%	249 100%	68 100%	287 100%	188 100%	298 100%	303 100%	509 100%	630 100%	689 100%	421 100%	90 100%	332 100%	913 100%	87 100%

Statistics:

Overlap formulae used

- Column Proportions:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)

- Column Means:

Columns Tested (5%): A/B/C/D/E/F/G/H/I/J,K/L,M/N/O/P,Q/R

Minimum Base: 30 (**), Small Base: 100 (*)