

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q1. Do you think it should be legal or not for a doctor to assist a patient aged 18 or over in ending their life by prescribing life-ending medication that the patient can take themselves, if all the conditions for assisted dying outlined above are met?

All Adults aged 16-75 in UK

	Total (A)	Gender		Age					Aggregated Age breaks			Generations			Region					Employment status		Social grade		Education		Ethnicity				
		Male (B)	Female (C)	16-24 (D)	25-34 (E)	35-44 (F)	45-54 (G)	55-75 (H)	16-34 (I)	35-54 (J)	55-75 (K)	Gen Z (L)	Millennials (M)	Gen X (N)	Baby Boomer (O)	North (P)	Midlands (Q)	South (R)	London (S)	Wales (T)	Scotland (U)	Northern Ireland (V)	Working (W)	Not working (X)	ABC1 (Y)	C2DE (Z)	Graduates (a)	Non-graduates (b)	White ethnic group (c)	Minority ethnic group (d)
Unweighted base	1128	551	570	164	211	191	212	350	375	403	350	187	334	288	319	263	283	249	155	53	95	30	725	403	731	397	586	542	980	134
Weighted base	1128	554	567	159	207	195	199	368	366	394	368	181	330	284	333	259	287	249	156	52	92	32	745	383	638	490	397	731	982	133
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	729 65%	349 63%	375 66%	92 57%	128 62%	117 60%	148 75% DEF	245 67%	219 60%	265 67% I	245 67%	107 59%	200 61%	202 71% LM	220 66%	169 65% S	201 70% S	166 67% S	75 48%	39 75% S*	61 66% S*	19 59% **	482 65%	247 64%	426 67%	303 62%	265 67%	464 64%	666 68% d	59 44%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	196 17%	108 19%	87 15%	43 27% GH	42 20% G	41 21% GH	21 10%	50 13%	85 23% JK	62 16%	50 13%	47 26% NO	64 19% N	36 13%	48 15%	42 16%	41 14%	33 13%	51 33% PQRSTU	7 13% *	15 16% *	8 26% **	134 18%	61 16%	104 16%	92 19%	76 19%	120 16%	145 15%	51 38% c
Don't know	161 14%	76 14%	85 15%	16 10%	29 14%	33 17%	23 12%	60 16%	45 12%	56 14%	60 16%	18 10%	52 16%	34 12%	56 17%	39 15%	36 12%	37 15%	23 15%	6 11% *	16 17% *	5 15% **	104 14%	57 15%	84 13%	77 16%	46 11%	115 16% a	138 14%	19 14%
Prefer not to say	43 4%	22 4%	20 3%	9 5%	9 4%	5 3%	7 3%	13 4%	17 5%	12 3%	13 4%	9 5%	13 4%	12 4%	9 3%	9 4%	10 3%	14 6%	7 5%	1 1% *	1 1% *	- - **	25 3%	17 5%	25 4%	18 4%	11 3%	31 4%	33 3%	4 3%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q1. Do you think it should be legal or not for a doctor to assist a patient aged 18 or over in ending their life by prescribing life-ending medication that the patient can take themselves, if all the conditions for assisted dying outlined above are met?

All Adults aged 16-75 in UK

	Total (A)	Marital Status			Presence of children HH (17 or under)		GE 2019 Vote				EU Referendum Vote		Beliefs on legality of assisted dying		Beliefs on legality of doctor administering life-ending meds		Beliefs on legality of assisted dying if patient is not terminally ill but mentally suffering		Beliefs on legality of assisted dying if patient is not terminally ill but physically suffering	
		Married/ Living as Married (B)	Single (C)	Widowed/ Divorced/ Separated (D)	ANY (E)	NONE (F)	Conservati ve (G)	Labour (H)	Liberal Dems (I)	Other (J)	Remain (K)	Leave (L)	Yes, should be legal (M)	No, shouldn't be legal (N)	Yes, should be legal (O)	No, shouldn't be legal (P)	Yes, should be legal (Q)	No, shouldn't be legal (R)	Yes, should be legal (S)	No, shouldn't be legal (T)
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Unweighted base	1128	643	354	131	383	745	307	274	78	135	456	365	735	201	688	249	657	259	405	453
Weighted base	1128	627	363	138	376	752	310	273	64	133	424	389	729	196	684	241	654	252	405	448
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	729 65%	414 66%	221 61%	94 68%	216 58%	513 68% E	208 67%	184 67%	46 72% *	96 72%	295 70%	268 69%	729 100% N	- -	642 94% P	56 23%	581 89% R	90 36%	362 89% T	245 55%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	196 17%	108 17%	70 19%	17 13%	89 24% F	107 14%	56 18%	45 17%	8 13% *	19 15%	64 15%	68 17%	- -	196 100% M	19 3%	169 70% O	37 6%	138 55% Q	21 5%	160 36% S
Don't know	161 14%	80 13%	56 15%	24 18%	53 14%	108 14%	37 12%	37 13%	10 15% *	18 13%	57 13%	47 12%	- -	- -	21 3%	13 5%	32 5%	19 8%	20 5%	36 8%
Prefer not to say	43 4%	25 4%	16 4%	2 1%	18 5%	25 3%	9 3%	7 3%	- - *	- -	8 2%	6 2%	- -	- -	2 * O	4 2% O	4 1%	5 2%	3 1%	7 2%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*\*)

ColumnMeans (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q2. Do you think it should be legal or not for a doctor to assist a patient aged 18 or over in ending their life, by the doctor administering life-ending medication, assuming that the other conditions for assisted dying outlined above are met?

All Adults aged 16-75 in UK

	Total (A)	Gender		Age					Aggregated Age breaks			Generations				Region						Employment status		Social grade		Education		Ethnicity		
		Male (B)	Female (C)	16-24 (D)	25-34 (E)	35-44 (F)	45-54 (G)	55-75 (H)	16-34 (I)	35-54 (J)	55-75 (K)	Gen Z (L)	Millennials (M)	Gen X (N)	Baby Boomer (O)	North (P)	Midlands (Q)	South (R)	London (S)	Wales (T)	Scotland (U)	Northern Ireland (V)	Working (W)	Not working (X)	ABC1 (Y)	C2DE (Z)	Graduates (a)	Non-graduates (b)	White ethnic group (c)	Minority ethnic group (d)
Unweighted base	1128	551	570	164	211	191	212	350	375	403	350	187	334	288	319	263	283	249	155	53	95	30	725	403	731	397	586	542	980	134
Weighted base	1128	554	567	159	207	195	199	368	366	394	368	181	330	284	333	259	287	249	156	52	92	32	745	383	638	490	397	731	982	133
Yes, it should be legal for a doctor to administer life-ending medication	684 61%	338 61%	341 60%	86 54%	121 58%	102 52%	143 72%	233 63%	207 56%	245 62%	233 63%	99 55%	184 56%	190 67%	211 64%	159 61%	193 67%	147 59%	72 46%	38 73%	57 61%	19 60%	443 59%	241 63%	397 62%	287 59%	246 62%	438 60%	627 64%	53 40%
No, it should not be legal for a doctor to administer life-ending medication	241 21%	126 23%	114 20%	46 29%	56 27%	51 26%	28 14%	59 16%	102 28%	79 20%	59 16%	54 30%	82 25%	51 18%	54 16%	51 20%	49 17%	49 20%	55 35%	8 15%	20 22%	9 28%	171 23%	70 18%	132 21%	109 22%	96 24%	144 20%	183 19%	56 42%
Don't know	163 14%	71 13%	92 16%	20 13%	22 11%	37 19%	21 10%	63 17%	43 12%	57 15%	63 17%	21 12%	51 15%	32 11%	59 18%	41 16%	34 12%	39 16%	25 16%	6 11%	13 15%	4 12%	104 14%	59 15%	87 14%	76 16%	43 11%	119 16%	139 14%	22 16%
Prefer not to say	40 4%	19 3%	20 4%	7 4%	8 4%	6 3%	7 3%	13 4%	15 4%	12 3%	13 4%	7 4%	13 4%	11 4%	9 3%	9 3%	10 4%	15 6%	4 3%	1 1%	2 2%	- -	27 4%	14 4%	23 4%	18 4%	12 3%	29 4%	34 3%	2 2%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*\*)

ColumnMeans (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q2. Do you think it should be legal or not for a doctor to assist a patient aged 18 or over in ending their life, by the doctor administering life-ending medication, assuming that the other conditions for assisted dying outlined above are met?

All Adults aged 16-75 in UK

	Total	Marital Status			Presence of children HH (17 or under)		GE 2019 Vote				EU Referendum Vote		Beliefs on legality of assisted dying		Beliefs on legality of doctor administering life-ending meds		Beliefs on legality of assisted dying if patient is not terminally ill but mentally suffering		Beliefs on legality of assisted dying if patient is not terminally ill but physically suffering	
		Married/Living as Married	Single	Widowed/Divorced/Separated	ANY	NONE	Conservative	Labour	Liberal Dems	Other	Remain	Leave	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Unweighted base	1128	643	354	131	383	745	307	274	78	135	456	365	735	201	688	249	657	259	405	453
Weighted base	1128	627	363	138	376	752	310	273	64	133	424	389	729	196	684	241	654	252	405	448
Yes, it should be legal for a doctor to administer life-ending medication	684 61%	386 62%	207 57%	91 66%	208 55%	476 63% E	201 65%	175 64%	44 70% *	82 62%	278 65%	256 66%	642 88% N	19 10%	684 100% P	- -	554 85% R	77 31%	346 85% T	223 50%
No, it should not be legal for a doctor to administer life-ending medication	241 21%	138 22%	84 23% D	19 14%	106 28% F	134 18%	62 20%	58 21%	9 15% *	36 27%	82 19%	82 21%	56 8%	169 86% M	- -	241 100% O	62 10%	152 61% Q	34 8%	189 42% S
Don't know	163 14%	78 13%	58 16%	26 19%	46 12%	117 16%	37 12%	35 13%	10 16% *	15 11%	54 13%	44 11%	29 4%	3 2%	- -	- -	32 5%	18 7%	21 5%	30 7%
Prefer not to say	40 4%	25 4%	14 4%	2 1%	15 4%	25 3%	10 3%	5 2%	- -	- -	11 3%	7 2%	2 *	4 2% M	- -	- -	6 1%	4 2%	5 1%	7 2%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q3. Do you think that it should be legal or not for a doctor to assist a patient (aged 18 or over in ending their life, if they are not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, and where the patient has expressed a clear desire to end their life? Assume that the other conditions for assisted dying outlined above are met. - Summary

All Adults aged 16-75 in UK

	Q3. Do you think that it should be legal or not for a doctor to assist a patient (aged 18 or over in ending their life, if they are not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, and where the patient has expressed a clear desire to end their life? Assume that the other conditions for assisted dying outlined above are met. - Summary	
	If they are physically suffering (A)	If they are mentally or emotionally suffering (B)
Unweighted base	1128	1128
Weighted base	1128	1128
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	654 58% B	405 36%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	252 22%	448 40% A
Don't know	188 17%	231 21% A
Prefer not to say	34 3%	43 4%

nts of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A/B Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A/B Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q3. Do you think that it should be legal or not for a doctor to assist a patient (aged 18 or over in ending their life, if they are not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, and where the patient has expressed a clear desire to end their life? Assume that the other conditions for assisted dying outlined above are met. - If they are physically suffering

All Adults aged 16-75 in UK

	Total (A)	Gender		Age					Aggregated Age breaks			Generations			Region						Employment status		Social grade		Education		Ethnicity			
		Male (B)	Female (C)	16-24 (D)	25-34 (E)	35-44 (F)	45-54 (G)	55-75 (H)	16-34 (I)	35-54 (J)	55-75 (K)	Gen Z (L)	Millennials (M)	Gen X (N)	Baby Boomer (O)	North (P)	Midlands (Q)	South (R)	London (S)	Wales (T)	Scotland (U)	Northern Ireland (V)	Working (W)	Not working (X)	ABC1 (Y)	C2DE (Z)	Graduates (a)	Non-graduates (b)	White ethnic group (c)	Minority ethnic group (d)
Unweighted base	1128	551	570	164	211	191	212	350	375	403	350	187	334	288	319	263	283	249	155	53	95	30	725	403	731	397	586	542	980	134
Weighted base	1128	554	567	159	207	195	199	368	366	394	368	181	330	284	333	259	287	249	156	52	92	32	745	383	638	490	397	731	982	133
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	654 58%	327 59%	324 57%	88 55%	125 60%	106 54%	127 64%	208 57%	213 58%	233 59%	208 57%	102 56%	189 57%	177 62%	186 56%	151 58%	190 66%	143 57%	69 44%	34 66%	55 59%	13 40%	439 59%	215 56%	370 58%	284 58%	235 59%	419 57%	592 60%	59 44%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	252 22%	126 23%	125 22%	45 28% GH	52 25%	48 25%	35 17%	73 20%	97 26% K	83 21%	73 20%	50 28% N	81 24%	54 19%	67 20%	48 19%	48 17%	55 22%	55 35% PQRT	8 15% *	22 24% *	16 51% **	173 23%	79 21%	141 22%	111 23%	102 26% b	149 20%	198 20%	51 39% c
Don't know	188 17%	87 16%	100 18%	15 10%	28 14%	36 19%	30 15%	78 21% D	44 12%	66 17%	78 21% I	18 10%	54 16%	40 14%	76 23% LN	53 20%	40 14%	42 17%	29 18%	9 17% *	13 14% *	3 9% **	118 16%	69 18%	110 17%	78 16%	51 13%	137 19% a	169 17%	16 12%
Prefer not to say	34 3%	15 3%	18 3%	11 7% EH	2 1%	5 2%	7 4%	9 3%	13 3%	12 3%	9 3%	11 6% MO	7 2%	12 4%	5 1%	7 3%	9 3%	9 4%	4 3%	1 1% *	3 4% *	- - **	15 2%	19 5% W	17 3%	17 3%	9 2%	25 3%	23 2%	7 5%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q3. Do you think that it should be legal or not for a doctor to assist a patient (aged 18 or over in ending their life, if they are not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, and where the patient has expressed a clear desire to end their life? Assume that the other conditions for assisted dying outlined above are met. - If they are physically suffering

All Adults aged 16-75 in UK

	Total	Marital Status			Presence of children HH (17 or under)		GE 2019 Vote				EU Referendum Vote		Beliefs on legality of assisted dying		Beliefs on legality of doctor administering life-ending meds		Beliefs on legality of assisted dying if patient is not terminally ill but mentally suffering		Beliefs on legality of assisted dying if patient is not terminally ill but physically suffering	
		Married/ Living as Married	Single	Widowed/ Divorced/ Separated	ANY	NONE	Conservati ve	Labour	Liberal Dems	Other	Remain	Leave	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Unweighted base	1128	643	354	131	383	745	307	274	78	135	456	365	735	201	688	249	657	259	405	453
Weighted base	1128	627	363	138	376	752	310	273	64	133	424	389	729	196	684	241	654	252	405	448
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	654 58%	366 58%	206 57%	82 60%	203 54%	451 60%	183 59%	165 60%	40 62% *	80 60%	267 63%	238 61%	581 80% N	37 19%	554 81% P	62 26%	654 100% R	- -	371 91% T	197 44%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	252 22%	147 24%	83 23%	21 15%	107 29% F	145 19%	69 22%	56 20%	10 15% *	35 26%	81 19%	89 23%	90 12%	138 70% M	77 11% O	152 63% O	- -	252 100% Q	30 7%	207 46% S
Don't know	188 17%	94 15%	59 16%	34 25% BC	53 14%	134 18%	49 16%	46 17%	14 23% *	18 13%	65 15%	57 15%	56 8%	16 8%	48 7%	23 9%	- -	- -	3 1%	41 9% S
Prefer not to say	34 3%	19 3%	15 4% D	- -	12 3%	22 3%	9 3%	7 2%	- -	- -	12 3%	5 1%	1 *	5 2% M	4 1%	3 1%	- -	- -	1 *	3 1%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*\*)

ColumnMeans (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q3. Do you think that it should be legal or not for a doctor to assist a patient (aged 18 or over in ending their life, if they are not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, and where the patient has expressed a clear desire to end their life? Assume that the other conditions for assisted dying outlined above are met. - If they are mentally or emotionally suffering

All Adults aged 16-75 in UK

	Total (A)	Gender		Age					Aggregated Age breaks			Generations				Region					Employment status		Social grade		Education		Ethnicity			
		Male (B)	Female (C)	16-24 (D)	25-34 (E)	35-44 (F)	45-54 (G)	55-75 (H)	16-34 (I)	35-54 (J)	55-75 (K)	Gen Z (L)	Millennials (M)	Gen X (N)	Baby Boomer (O)	North (P)	Midlands (Q)	South (R)	London (S)	Wales (T)	Scotland (U)	Northern Ireland (V)	Working (W)	Not working (X)	ABC1 (Y)	C2DE (Z)	Graduates (a)	Non-graduates (b)	White ethnic group (c)	Minority ethnic group (d)
Unweighted base	1128	551	570	164	211	191	212	350	375	403	350	187	334	288	319	263	283	249	155	53	95	30	725	403	731	397	586	542	980	134
Weighted base	1128	554	567	159	207	195	199	368	366	394	368	181	330	284	333	259	287	249	156	52	92	32	745	383	638	490	397	731	982	133
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	405 36%	201 36%	201 35%	57 36%	85 41% H	61 31%	89 45% FH	114 31%	142 39% K	149 38%	114 31%	66 37%	125 38%	113 40% O	101 30%	99 38%	114 40%	86 35%	47 30%	21 41% *	32 35% *	6 18% **	291 39% X	114 30%	227 35%	179 36%	143 36%	262 36%	365 37%	38 28%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	448 40%	222 40%	224 39%	67 42%	85 41%	80 41%	63 32%	153 41% G	152 41%	144 37%	153 41%	77 42%	131 40%	97 34%	143 43% N	86 33%	108 38%	104 42%	76 48% PQT	14 27% *	41 44% *	20 65% **	292 39%	156 41%	255 40%	193 39%	169 43%	279 38%	376 38%	69 52% c
Don't know	231 21%	111 20%	121 21%	22 14%	33 16%	46 24%	40 20%	91 25% D	54 15%	87 22% I	91 25% I	24 13%	64 19%	61 22% L	82 25% L	66 25%	54 19%	48 19%	28 18%	14 27% *	16 17% *	6 18% **	145 19%	86 23%	133 21%	99 20%	72 18%	159 22%	213 22% d	17 13%
Prefer not to say	43 4%	20 4%	21 4%	14 9% EGH	4 2%	7 4%	7 3%	11 3%	18 5%	14 3%	11 3%	14 7% MO	11 3%	12 4%	7 2%	9 3%	11 4%	12 5%	6 4%	2 4% *	3 4% *	- - **	17 2%	26 7% W	24 4%	19 4%	13 3%	30 4%	28 3%	9 7% c

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)



22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q3. Do you think that it should be legal or not for a doctor to assist a patient (aged 18 or over in ending their life, if they are not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, and where the patient has expressed a clear desire to end their life? Assume that the other conditions for assisted dying outlined above are met. - If they are mentally or emotionally suffering

All Adults aged 16-75 in UK

	Total (A)	Marital Status			Presence of children HH (17 or under)		GE 2019 Vote				EU Referendum Vote		Beliefs on legality of assisted dying		Beliefs on legality of doctor administering life-ending meds		Beliefs on legality of assisted dying if patient is not terminally ill but mentally suffering		Beliefs on legality of assisted dying if patient is not terminally ill but physically suffering	
		Married/ Living as Married (B)	Single (C)	Widowed/ Divorced/ Separated (D)	ANY (E)	NONE (F)	Conservati ve (G)	Labour (H)	Liberal Dems (I)	Other (J)	Remain (K)	Leave (L)	Yes, should be legal (M)	No, shouldn't be legal (N)	Yes, should be legal (O)	No, shouldn't be legal (P)	Yes, should be legal (Q)	No, shouldn't be legal (R)	Yes, should be legal (S)	No, shouldn't be legal (T)
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Unweighted base	1128	643	354	131	383	745	307	274	78	135	456	365	735	201	688	249	657	259	405	453
Weighted base	1128	627	363	138	376	752	310	273	64	133	424	389	729	196	684	241	654	252	405	448
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	405 36%	231 37%	122 33%	52 38%	133 35%	272 36%	116 37%	103 38%	25 39% *	55 41%	154 36%	144 37%	362 50% N	21 11%	346 51% P	34 14%	371 57% R	30 12%	405 100% T	- -
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	448 40%	248 40%	151 42%	49 36%	150 40%	299 40%	127 41%	105 39%	20 31% *	52 39%	168 40%	165 43%	245 34%	160 82% M	223 33%	189 78% O	197 30%	207 82% Q	- -	448 100% S
Don't know	231 21%	122 19%	73 20%	36 26%	76 20%	155 21%	56 18%	58 21%	19 30% GJ*	22 17%	90 21%	73 19%	115 16% N	12 6%	107 16% P	13 6%	82 12% R	10 4%	- -	- -
Prefer not to say	43 4%	25 4%	18 5% D	1 * *	17 5%	26 3%	10 3%	7 2%	- - *	4 3%	11 3%	7 2%	7 1%	3 2%	8 1%	5 2%	5 1%	5 2%	- -	- -

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q6. To remind you, at the moment assisted dying is not legal in the UK. Euthanasia is illegal across the UK and could be prosecuted as murder or manslaughter. In England, Wales and Northern Ireland, assisting a suicide is also a crime.

All Adults aged 16-75 in UK

	Gender			Age					Aggregated Age breaks			Generations				Region						Employment status		Social grade		Education		Ethnicity		
	Total (A)	Male (B)	Female (C)	16-24 (D)	25-34 (E)	35-44 (F)	45-54 (G)	55-75 (H)	16-34 (I)	35-54 (J)	55-75 (K)	Gen Z (L)	Millennials (M)	Gen X (N)	Baby Boomer (O)	North (P)	Midlands (Q)	South (R)	London (S)	Wales (T)	Scotland (U)	Northern Ireland (V)	Working (W)	Not working (X)	ABC1 (Y)	C2DE (Z)	Graduates (a)	Non-graduates (b)	White ethnic group (c)	Minority ethnic group (d)
Unweighted base	1128	551	570	164	211	191	212	350	375	403	350	187	334	288	319	263	283	249	155	53	95	30	725	403	731	397	586	542	980	134
Weighted base	1128	554	567	159	207	195	199	368	366	394	368	181	330	284	333	259	287	249	156	52	92	32	745	383	638	490	397	731	982	133
Completely acceptable (2)	161 14%	90 16%	70 12%	15 10%	33 16%	30 16%	31 16%	50 14%	49 13%	62 16%	50 14%	17 9%	58 17% L	39 14%	47 14%	43 17%	48 17%	27 11%	20 13%	8 15% *	12 13% *	2 7% **	111 15%	50 13%	76 12%	85 17% y	62 16%	99 14%	150 15% d	10 7%
Mostly acceptable (1)	264 23%	128 23%	135 24%	32 20%	50 24%	37 19%	63 32% DFH	82 22%	82 22%	100 25%	82 22%	38 21%	76 23%	78 27%	72 22%	56 22%	69 24%	65 26%	34 22%	15 29% *	19 21% *	6 19% **	179 24%	85 22%	159 25%	105 21%	104 26%	160 22%	240 24%	23 17%
Neither acceptable nor unacceptable (0)	192 17%	92 17%	99 17%	33 20%	36 17%	34 17%	28 14%	62 17%	68 19%	62 16%	62 17%	35 20%	53 16%	46 16%	58 17%	53 21%	45 16%	35 14%	28 18%	7 14% *	14 15% *	9 30% **	130 18%	62 16%	105 16%	87 18%	59 15%	133 18%	162 16%	30 23%
Mostly unacceptable (-1)	156 14%	83 15%	73 13%	34 21% FGH	30 15%	20 11%	26 13%	46 12%	64 18% J	46 12%	46 12%	38 21% MNO	43 13%	34 12%	42 13%	27 10%	50 17% P	28 11%	23 15%	10 20% *	11 12% *	7 21% **	100 13%	56 15%	105 17% z	51 10%	63 16%	94 13%	133 14%	21 16%
Completely unacceptable (-2)	172 15%	85 15%	86 15%	20 13%	30 14%	47 24% DEGH	16 8%	59 16% G	50 14%	63 16%	59 16%	22 12%	57 17%	42 15%	51 15%	38 15%	36 13%	34 14%	30 19%	7 14% *	21 23% Q*	6 20% **	116 16%	56 15%	97 15%	75 15%	68 17%	105 14%	133 14%	38 29% c
Don't know	138 12%	57 10%	79 14%	14 8%	23 11%	19 10%	24 12%	59 16% D	36 10%	43 11%	59 16% I	18 10%	34 10%	32 11%	55 16% M	32 12%	29 10%	45 18%	16 10%	4 7% *	12 13% *	1 2% **	84 11%	54 14%	72 11%	66 13%	36 9%	102 14% a	130 13% d	6 4%
Prefer not to say	44 4%	19 3%	24 4%	12 7% EH	5 2%	7 3%	11 6%	10 3%	17 5%	18 5%	10 3%	13 7% MO	10 3%	13 5%	7 2%	10 4%	10 3%	15 6%	5 3%	- -	4 4% *	1 2% **	24 3%	20 5%	24 4%	21 4%	5 1%	39 5% a	33 3%	6 4%
Net: Acceptable	425 38%	218 39%	205 36%	48 30%	83 40%	68 35%	94 47% DFH	132 36%	131 36%	162 41%	132 36%	55 30%	134 40% L	117 41% L	120 36%	99 38%	118 41%	92 37%	54 34%	23 44% *	31 34% *	8 25% **	290 39%	135 35%	235 37%	190 39%	166 42% b	259 35%	390 40% d	32 24%
Net: Not Acceptable	328 29%	168 30%	159 28%	54 34% G	60 29%	68 35% G	41 21%	105 28%	114 31%	109 28%	105 28%	60 33%	100 30%	76 27%	93 28%	65 25%	86 30%	62 25%	53 34%	18 34% *	32 35% *	13 41% **	216 29%	112 29%	202 32% z	126 26%	130 33% b	198 27%	267 27%	59 44% c
Mean	0.09	0.11	0.07	-0.08	0.15	-0.10	0.42 DFH	0.06	0.05	0.15	0.06	-0.06	0.12	0.16	0.08	0.18	0.18	0.13	-0.07 *	0.13 *	-0.12 *	-0.30 **	0.11	0.05	0.02	0.18	0.08	0.09	0.17 d	-0.45 *

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

**PUBLIC**  
**Assisted Dying**  
**1000 Adults 16-75 UK**

Q6. To remind you, at the moment assisted dying is not legal in the UK. Euthanasia is illegal across the UK and could be prosecuted as murder or manslaughter. In England, Wales and Northern Ireland, assisting a suicide is also a crime.

All Adults aged 16-75 in UK

	Total (A)	Marital Status			Presence of children HH (17 or under)		GE 2019 Vote				EU Referendum Vote		Beliefs on legality of assisted dying		Beliefs on legality of doctor administering life-ending meds		Beliefs on legality of assisted dying if patient is not terminally ill but mentally suffering		Beliefs on legality of assisted dying if patient is not terminally ill but physically suffering	
		Married/ Living as Married (B)	Single (C)	Widowed/ Divorced/ Separated (D)	ANY (E)	NONE (F)	Conservati ve (G)	Labour (H)	Liberal Dems (I)	Other (J)	Remain (K)	Leave (L)	Yes, should be legal (M)	No, shouldn't be legal (N)	Yes, should be legal (O)	No, shouldn't be legal (P)	Yes, should be legal (Q)	No, shouldn't be legal (R)	Yes, should be legal (S)	No, shouldn't be legal (T)
Unweighted base	1128	643	354	131	383	745	307	274	78	135	456	365	735	201	688	249	657	259	405	453
Weighted base	1128	627	363	138	376	752	310	273	64	133	424	389	729	196	684	241	654	252	405	448
Completely acceptable (2)	161 14%	94 15%	52 14%	14 10%	47 13%	114 15%	32 10%	44 16%	10 16% *	27 20% G	66 16%	57 15%	151 21% N	4 2%	150 22% P	4 2%	147 23% R	10 4%	114 28% T	28 6%
Mostly acceptable (1)	264 23%	159 25% C	70 19%	35 25%	92 25%	172 23%	78 25%	74 27%	14 23% *	34 25%	118 28%	93 24%	234 32% N	17 9%	214 31% P	30 13%	205 31% R	36 14%	119 29% T	94 21%
Neither acceptable nor unacceptable (0)	192 17%	118 19%	55 15%	19 14%	78 21% F	114 15%	59 19%	47 17%	8 12% *	23 17%	68 16%	77 20%	132 18% N	20 10%	128 19% P	30 12%	122 19% R	29 12%	67 17%	68 15%
Mostly unacceptable (-1)	156 14%	78 12%	65 18% BD	13 9%	45 12%	111 15%	41 13%	41 15%	14 21% *	15 11%	62 15%	47 12%	86 12%	53 27% M	81 12%	56 23% O	78 12%	58 23% Q	39 10%	94 21% S
Completely unacceptable (-2)	172 15%	96 15%	50 14%	27 19%	64 17%	108 14%	49 16%	33 12%	9 14% *	20 15%	58 14%	62 16%	56 8%	94 48% M	52 8%	101 42% O	45 7%	103 41% Q	28 7%	121 27% S
Don't know	138 12%	64 10%	51 14%	23 17%	36 10%	102 14%	41 13%	32 12%	6 9% *	14 11%	43 10%	42 11%	54 7%	6 3%	46 7%	15 6%	42 6%	13 5%	25 6%	37 8%
Prefer not to say	44 4%	18 3%	19 5%	7 5%	13 3%	31 4%	8 3%	3 1%	3 5% J*	- -	10 2%	11 3%	17 2%	2 1%	13 2%	4 2%	15 2%	4 1%	13 3%	6 1%
Net: Acceptable	425 38%	253 40%	123 34%	49 36%	139 37%	285 38%	110 36%	118 43%	24 38% *	61 46%	184 43%	150 39%	385 53% N	21 11%	364 53% P	35 14%	353 54% R	46 18%	233 57% T	123 27%
Net: Not Acceptable	328 29%	174 28%	115 32%	40 29%	109 29%	219 29%	91 29%	74 27%	22 35% *	35 26%	120 28%	109 28%	142 19%	146 75% M	133 19%	157 65% O	122 19%	161 64% Q	67 16%	215 48% S
Mean	0.09	0.14	0.03	-0.02 *	0.04	0.12	0.01	0.23	0.06 *	0.28 *	0.19	0.11	0.51 N	-1.14	0.53 P	-0.99	0.56 R	-0.88	0.69 T	-0.46

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q8. Do you think it should be legal or not for a doctor to assist a patient aged under 18 in ending their life by providing them with life-ending medication, if that is the patient's wish, provided that the patient is terminally ill (where it is believed that they have 6 months or less to live), are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, meet all the other conditions of assisted dying outlined above, and also have their parent's or guardian's consent? - Summary

All Adults aged 16-75 in UK

	should be legal or not for a doctor to assist a patient aged under 18 in ending their life by providing them with life-ending medication, if that is the patient's wish, provided that the patient is terminally ill (where it is believed that they have 6 months or less to live), are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, meet all the other conditions of assisted dying outlined above, and also have their parent's or guardian's consent?	
	16-17 (A)	11-15 (B)
Unweighted base	1128	1128
Weighted base	1128	1128
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	484 43% B	407 36% A
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	393 35% A	440 39% B
Don't know	208 18% A	238 21% B
Prefer not to say	43 4% A	42 4% B

nts of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions

Overlap formulae used

ColumnProportions (5%): A/B Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A/B Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q8. Do you think it should be legal or not for a doctor to assist a patient aged under 18 in ending their life by providing them with life-ending medication, if that is the patient's wish, provided that the patient is terminally ill (where it is believed that they have 6 months or less to live), are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, meet all the other conditions of assisted dying outlined above, and also have their parent's or guardian's consent? - 16-17  
All Adults aged 16-75 in UK

	Gender			Age					Aggregated Age breaks			Generations				Region						Employment status		Social grade		Education		Ethnicity		
	Total (A)	Male (B)	Female (C)	16-24 (D)	25-34 (E)	35-44 (F)	45-54 (G)	55-75 (H)	16-34 (I)	35-54 (J)	55-75 (K)	Gen Z (L)	Millennials (M)	Gen X (N)	Baby Boomer (O)	North (P)	Midlands (Q)	South (R)	London (S)	Wales (T)	Scotland (U)	Northern Ireland (V)	Working (W)	Not working (X)	ABC1 (Y)	CZDE (Z)	Graduates (a)	Non-graduates (b)	White ethnic group (c)	Minority ethnic group (d)
Unweighted base	1128	551	570	164	211	191	212	350	375	403	350	187	334	288	319	263	283	249	155	53	95	30	725	403	731	397	586	542	980	134
Weighted base	1128	554	567	159	207	195	199	368	366	394	368	181	330	284	333	259	287	249	156	52	92	32	745	383	638	490	397	731	982	133
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	484 43%	231 42%	250 44%	73 46% F	93 45% F	66 34%	90 45% F	162 44% F	166 45%	157 40%	162 44%	82 45%	135 41%	121 43%	146 44%	112 43% s	145 50% s	107 43% s	48 31%	21 41%	41 44% s*	10 31% **	304 41%	180 47%	270 42%	214 44%	170 43%	314 43%	434 44%	48 36%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	393 35%	214 39% c	177 31%	66 42% H	79 38%	74 38%	62 31%	112 30%	145 40% k	136 34%	112 30%	76 42% o	121 37%	93 33%	102 31%	81 31%	84 29%	83 33%	78 50% pqrT	16 30%	34 37% *	17 54% **	279 37% x	114 30%	232 36%	160 33%	146 37%	246 34%	323 33%	67 50% c
Don't know	208 18%	91 16%	116 21%	14 9%	29 14%	46 24% de	37 19% d	81 22% de	43 12%	84 21% i	81 22% i	15 9%	63 19% L	54 19% L	76 23% L	53 21%	48 17%	48 19%	25 16%	12 24% *	17 18% *	5 15% **	140 19%	68 18%	112 17%	96 20%	70 18%	138 19%	190 19% d	15 12%
Prefer not to say	43 4%	19 3%	23 4%	7 4%	6 3%	9 4%	9 5%	13 4%	12 3%	18 4%	13 4%	8 4%	11 3%	16 6%	9 3%	13 5%	10 3%	11 4%	6 4%	3 5%	1 1% *	- - **	23 3% 3%	20 5%	24 4%	19 4%	11 3%	32 4%	35 4%	3 2%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C,D/E/F/G/H,I/J/K,L,M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C,D/E/F/G/H,I/J/K,L,M/N/O,P/Q,R/S,T/U/V,W,X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q8. Do you think it should be legal or not for a doctor to assist a patient aged under 18 in ending their life by providing them with life-ending medication, if that is the patient's wish, provided that the patient is terminally ill (where it is believed that they have 6 months or less to live), are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, meet all the other conditions of assisted dying outlined above, and also have their parent's or guardian's consent? - 16-17  
All Adults aged 16-75 in UK

	Total (A)	Marital Status			Presence of children HH (17 or under)		GE 2019 Vote				EU Referendum Vote		Beliefs on legality of assisted dying		Beliefs on legality of doctor administering life-ending meds		Beliefs on legality of assisted dying if patient is not terminally ill but mentally suffering		Beliefs on legality of assisted dying if patient is not terminally ill but physically suffering	
		Married/ Living as Married (B)	Single (C)	Widowed/ Divorced/ S eparated (D)	ANY (E)	NONE (F)	Conservati ve (G)	Labour (H)	Liberal Dems (I)	Other (J)	Remain (K)	Leave (L)	Yes, should be legal (M)	No, shouldn't be legal (N)	Yes, should be legal (O)	No, shouldn't be legal (P)	Yes, should be legal (Q)	No, shouldn't be legal (R)	Yes, should be legal (S)	No, shouldn't be legal (T)
Unweighted base	1128	643	354	131	383	745	307	274	78	135	456	365	735	201	688	249	657	259	405	453
Weighted base	1128	627	363	138	376	752	310	273	64	133	424	389	729	196	684	241	654	252	405	448
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	484 43%	256 41%	159 44%	69 50%	140 37%	344 46% E	129 42%	118 43%	29 46% -	68 51%	176 41%	187 48%	444 61% N	18 9%	423 62% P	33 14%	403 62% R	41 16%	269 66% T	138 31%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	393 35%	227 36%	129 35%	37 27%	155 41% F	238 32%	116 37%	102 37%	21 32% -	42 32%	149 35%	133 34%	182 25%	167 85% M	171 25%	186 77% O	160 24%	190 75% Q	88 22%	262 58% S
Don't know	208 18%	113 18%	64 18%	31 22%	63 17%	145 19%	55 18%	49 18%	13 21% -	20 15%	86 20%	61 16%	95 13% N	8 4%	81 12%	18 8%	82 12%	21 8%	44 11%	45 10%
Prefer not to say	43 4%	31 5% D	11 3%	1 1%	17 5%	26 3%	10 3%	4 1%	- -	3 2%	14 3%	8 2%	8 1%	3 2%	8 1%	3 1%	11 2%	1 *	4 1%	3 1%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (S%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (S%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q,R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q8. Do you think it should be legal or not for a doctor to assist a patient aged under 18 in ending their life by providing them with life-ending medication, if that is the patient's wish, provided that the patient is terminally ill (where it is believed that they have 6 months or less to live), are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, meet all the other conditions of assisted dying outlined above, and also have their parent's or guardian's consent? - 11-15  
 All Adults aged 16-75 in UK

	Gender			Age					Aggregated Age breaks			Generations				Region						Employment status		Social grade		Education		Ethnicity		
	Total (A)	Male (B)	Female (C)	16-24 (D)	25-34 (E)	35-44 (F)	45-54 (G)	55-75 (H)	16-34 (I)	35-54 (J)	55-75 (K)	Gen Z (L)	Millennials (M)	Gen X (N)	Baby Boomer (O)	North (P)	Midlands (Q)	South (R)	London (S)	Wales (T)	Scotland (U)	Northern Ireland (V)	Working (W)	Not working (X)	ABC1 (Y)	C2DE (Z)	Graduates (a)	Non-graduates (b)	White ethnic group (c)	Minority ethnic group (d)
Unweighted base	1128	551	570	164	211	191	212	350	375	403	350	187	334	288	319	263	283	249	155	53	95	30	725	403	731	397	586	542	980	134
Weighted base	1128	554	567	159	207	195	199	368	366	394	368	181	330	284	333	259	287	249	156	52	92	32	745	383	638	490	397	731	982	133
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	407 36%	191 35%	215 38%	56 35%	75 36%	58 30%	77 39%	141 38%	131 36%	135 34%	141 38%	61 34%	113 34%	107 38%	126 38%	94 36%	117 41%	100 40%	36 23%	18 34%	32 35%	10 31%	261 35%	146 38%	232 36%	175 36%	143 36%	264 36%	371 38%	34 26%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	440 39%	241 43%	197 35%	79 49%	87 42%	77 39%	71 36%	127 34%	166 45%	148 38%	127 34%	91 50%	129 39%	104 37%	116 35%	87 34%	112 39%	81 32%	90 57%	18 35%	37 40%	15 49%	299 40%	141 37%	259 41%	181 37%	166 42%	275 38%	359 37%	78 59%
Don't know	238 21%	107 19%	130 23%	18 11%	38 18%	51 26%	43 22%	88 24%	56 15%	94 24%	88 24%	20 11%	77 23%	58 21%	83 25%	67 26%	48 17%	57 23%	24 15%	13 26%	23 24%	6 20%	162 22%	76 20%	122 19%	116 24%	76 19%	162 22%	217 22%	19 14%
Prefer not to say	42 4%	16 3%	26 5%	7 4%	7 3%	9 4%	8 4%	12 3%	14 4%	16 4%	12 3%	9 5%	11 3%	15 5%	7 2%	11 4%	11 4%	11 4%	6 4%	3 5%	1 1%	- -	23 3%	19 5%	26 4%	17 3%	13 3%	30 4%	34 3%	3 2%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C,D/E/F/G/H,I/J/K,L,M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C,D/E/F/G/H,I/J/K,L,M/N/O,P/Q,R/S,T/U/V,W,X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q8. Do you think it should be legal or not for a doctor to assist a patient aged under 18 in ending their life by providing them with life-ending medication, if that is the patient's wish, provided that the patient is terminally ill (where it is believed that they have 6 months or less to live), are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, meet all the other conditions of assisted dying outlined above, and also have their parent's or guardian's consent? - 11-15  
All Adults aged 16-75 in UK

	Total (A)	Marital Status			Presence of children HH (17 or under)		GE 2019 Vote				EU Referendum Vote		Beliefs on legality of assisted dying		Beliefs on legality of doctor administering life-ending meds		Beliefs on legality of assisted dying if patient is not terminally ill but mentally suffering		Beliefs on legality of assisted dying if patient is not terminally ill but physically suffering	
		Married/ Living as Married (B)	Single (C)	Widowed/ Divorced/S eparated (D)	ANY (E)	NONE (F)	Conservati ve (G)	Labour (H)	Liberal Dems (I)	Other (J)	Remain (K)	Leave (L)	Yes, should be legal (M)	No, shouldn't be legal (N)	Yes, should be legal (O)	No, shouldn't be legal (P)	Yes, should be legal (Q)	No, shouldn't be legal (R)	Yes, should be legal (S)	No, shouldn't be legal (T)
Unweighted base	1128	643	354	131	383	745	307	274	78	135	456	365	735	201	688	249	657	259	405	453
Weighted base	1128	627	363	138	376	752	310	273	64	133	424	389	729	196	684	241	654	252	405	448
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	407 36%	223 36%	126 35%	59 42%	122 32%	285 38%	109 35%	95 35%	27 43%	51 39%	148 35%	160 41%	370 51%	16 8%	357 52%	26 11%	339 52%	38 15%	239 59%	107 24%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	440 39%	244 39%	153 42%	43 31%	165 44%	275 37%	129 42%	116 43%	22 34%	50 37%	163 38%	152 39%	225 31%	168 86%	212 31%	189 78%	201 31%	188 74%	96 24%	289 64%
Don't know	238 21%	130 21%	72 20%	36 26%	73 19%	166 22%	61 20%	57 21%	15 23%	31 24%	100 23%	72 18%	123 17%	8 4%	106 15%	23 9%	104 16%	26 10%	66 16%	48 11%
Prefer not to say	42 4%	30 5%	12 3%	1 1%	16 4%	26 4%	11 4%	5 2%	- -	1 *	14 3%	6 2%	11 1%	3 2%	9 1%	3 1%	10 2%	1 *	4 1%	4 1%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (S%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (S%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)



22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q9. Do you think it should be legal or not for a doctor to assist a patient aged under 18 in ending their life by providing them with life-ending medication, if that is the patient's wish, where the patient is not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, meet all the other conditions of assisted dying outlined above, and also have their parent's or guardian's consent? - Summary  
All Adults aged 16-75 in UK

	should be legal or not for a doctor to assist a patient aged under 18 in ending their life by providing them with life-ending medication, if that is the patient's wish, where the patient is not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, meet all the other conditions of assisted dying outlined above, and also have their parent's or guardian's consent?	
	16-17 (A)	11-15 (B)
Unweighted base	1128	1128
Weighted base	1128	1128
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	340 30% B	288 25%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	507 45%	536 47% A
Don't know	240 21%	262 23% A
Prefer not to say	41 4%	43 4%

its of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

*Overlap formulae used*

*ColumnProportions (5%): A/B Minimum Base: 30(\*\*) Small Base: 100(\*)*

*ColumnMeans (5%): A/B Minimum Base: 30(\*\*) Small Base: 100(\*)*

**22-082270-28 - 14th July - 16th July**  
**PUBLIC**  
**Assisted Dying**  
**1000 Adults 16-75 UK**

Q9. Do you think it should be legal or not for a doctor to assist a patient aged under 18 in ending their life by providing them with life-ending medication, if that is the patient's wish, where the patient is not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, meet all the other conditions of assisted dying outlined above, and also have their parent's or guardian's consent? - 16-17  
 All Adults aged 16-75 in UK

	Gender			Age					Aggregated Age breaks			Generations				Region						Employment status		Social grade		Education		Ethnicity		
	Total (A)	Male (B)	Female (C)	16-24 (D)	25-34 (E)	35-44 (F)	45-54 (G)	55-75 (H)	16-34 (I)	35-54 (J)	55-75 (K)	Gen Z (L)	Millennials (M)	Gen X (N)	Baby Boomer (O)	North (P)	Midlands (Q)	South (R)	London (S)	Wales (T)	Scotland (U)	Northern Ireland (V)	Working (W)	Not working (X)	ABC1 (Y)	C2DE (Z)	Graduates (a)	Non-graduates (b)	White ethnic group (c)	Minority ethnic group (d)
Unweighted base	1128	551	570	164	211	191	212	350	375	403	350	187	334	288	319	263	283	249	155	53	95	30	725	403	731	397	586	542	980	134
Weighted base	1128	554	567	159	207	195	199	368	366	394	368	181	330	284	333	259	287	249	156	52	92	32	745	383	638	490	397	731	982	133
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	340 30%	173 31%	166 29%	48 30%	69 33%	54 27%	62 31%	108 29%	116 32%	116 29%	108 29%	54 30%	107 32%	82 29%	97 29%	77 30%	102 36% s	74 30%	37 24%	14 28% *	29 32% *	6 20% **	220 29%	120 31%	185 29%	155 32%	122 31%	218 30%	306 31%	32 24%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	507 45%	261 47%	240 42%	91 57% FGH	98 48%	83 42%	84 42%	151 41%	189 52% JK	166 42%	151 41%	102 56% MNO	144 44%	122 43%	139 42%	106 41%	124 43%	101 40%	90 57% PQR	22 43% *	42 45% *	23 72% **	348 47%	159 41%	296 46%	210 43%	186 47%	320 44%	416 42%	87 65% c
Don't know	240 21%	104 19%	135 24%	12 8%	34 17% D	53 27% DE	45 22% D	95 26% DE	46 13%	98 25% I	95 26% I	16 9%	69 21% L	67 24% L	87 26% L	68 26% OS	51 18%	61 25% S	22 14%	15 29% 5*	20 22% *	2 8% **	153 21%	87 23%	133 21%	107 22%	79 20%	160 22%	226 23% d	12 9%
Prefer not to say	41 4%	15 3%	25 4%	9 6%	5 3%	5 3%	8 4%	14 4%	14 4%	13 3%	14 4%	9 5%	11 3%	13 5%	9 3%	9 4%	9 3%	14 6%	8 5%	- *	1 2% *	- **	25 3%	17 4%	24 4%	17 3%	10 3%	31 4%	34 3%	2 1%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W,X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q9. Do you think it should be legal or not for a doctor to assist a patient aged under 18 in ending their life by providing them with life-ending medication, if that is the patient's wish, where the patient is not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, meet all the other conditions of assisted dying outlined above, and also have their parent's or guardian's consent? - 16-17  
All Adults aged 16-75 in UK

	Marital Status				Presence of children HH (17 or under)		GE 2019 Vote				EU Referendum Vote		Beliefs on legality of assisted dying		Beliefs on legality of doctor administering life-ending meds		Beliefs on legality of assisted dying if patient is not terminally ill but mentally suffering		Beliefs on legality of assisted dying if patient is not terminally ill but physically suffering	
	Total	Married/ Living as Married	Single	Widowed/ Divorced/ Separated	ANY	NONE	Conservati ve	Labour	Liberal Dems	Other	Remain	Leave	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Unweighted base	1128	643	354	131	383	745	307	274	78	135	456	365	735	201	688	249	657	259	405	453
Weighted base	1128	627	363	138	376	752	310	273	64	133	424	389	729	196	684	241	654	252	405	448
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	340 30%	198 32%	105 29%	37 26%	105 28%	235 31%	89 29%	88 32%	21 33% *	49 37%	128 30%	125 32%	315 43% N	13 6%	302 44% P	19 8%	314 48% R	15 6%	232 57% T	68 15%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	507 45%	274 44%	178 49%	54 39%	180 48%	327 43%	143 46%	129 47%	29 46% *	57 43%	188 44%	172 44%	277 38%	171 87% M	243 36%	206 86% O	218 33%	222 88% Q	111 27%	328 73% S
Don't know	240 21%	126 20%	69 19%	45 33% BC	77 20%	163 22%	67 22%	51 19%	13 21% *	26 20%	94 22%	88 23%	127 17% N	11 5%	131 19% P	16 7%	114 17% R	12 5%	56 14%	48 11%
Prefer not to say	41 4%	28 5%	11 3%	2 2%	14 4%	28 4%	11 3% J	6 2%	- *	- -	14 3%	5 1%	9 1%	2 1%	8 1%	1 *	8 1%	2 1%	6 1%	5 1%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

**22-082270-28 - 14th July - 16th July**  
**PUBLIC**  
**Assisted Dying**  
**1000 Adults 16-75 UK**

Q9. Do you think it should be legal or not for a doctor to assist a patient aged under 18 in ending their life by providing them with life-ending medication, if that is the patient's wish, where the patient is not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, meet all the other conditions of assisted dying outlined above, and also have their parent's or guardian's consent? - 11-15  
 All Adults aged 16-75 in UK

	Gender			Age					Aggregated Age breaks			Generations				Region						Employment status		Social grade		Education		Ethnicity		
	Total (A)	Male (B)	Female (C)	16-24 (D)	25-34 (E)	35-44 (F)	45-54 (G)	55-75 (H)	16-34 (I)	35-54 (J)	55-75 (K)	Gen Z (L)	Millennials (M)	Gen X (N)	Baby Boomer (O)	North (P)	Midlands (Q)	South (R)	London (S)	Wales (T)	Scotland (U)	Northern Ireland (V)	Working (W)	Not working (X)	ABC1 (Y)	C2DE (Z)	Graduates (a)	Non-graduates (b)	White ethnic group (c)	Minority ethnic group (d)
Unweighted base	1128	551	570	164	211	191	212	350	375	403	350	187	334	288	319	263	283	249	155	53	95	30	725	403	731	397	586	542	980	134
Weighted base	1128	554	567	159	207	195	199	368	366	394	368	181	330	284	333	259	287	249	156	52	92	32	745	383	638	490	397	731	982	133
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	288 25%	159 29% c	128 23%	46 29%	58 28%	42 22%	52 26%	90 24%	104 28%	94 24%	90 24%	53 29%	84 26%	66 23%	84 25%	58 22%	85 30%	66 26%	41 26%	14 26% *	20 22% *	4 12% **	190 25%	98 26%	154 24%	134 27%	103 26%	185 25%	256 26%	30 22%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	536 47%	266 48%	265 47%	90 57% GH	106 51%	90 46%	85 43%	164 45%	196 54% JK	176 45%	164 45%	101 56% NO	158 48%	127 45%	150 45%	114 44%	138 48%	103 41%	89 57% PR	23 44% *	46 50% *	24 75% **	361 48%	175 46%	312 49%	223 46%	198 50%	338 46%	448 46%	85 64% c
Don't know	262 23%	117 21%	145 26%	15 10%	37 18% D	57 29% DE	52 26% D	100 27% DE	53 14%	109 28% I	100 27% I	19 11%	76 23% L	75 26% L	91 27% L	76 29% OS	55 19%	67 27% S	20 13%	15 30% 5*	25 27% 5*	4 13% **	171 23%	91 24%	147 23%	114 23%	87 22%	174 24%	243 25% d	16 12%
Prefer not to say	43 4%	12 2%	30 5% B	7 5%	6 3%	5 3%	10 5%	15 4%	13 4%	15 4%	15 4%	7 4%	11 3%	16 6%	8 2%	12 4%	9 3%	14 6%	6 4%	- *	1 2% *	- **	24 3%	19 5%	25 4%	18 4%	9 2%	34 5%	34 3%	3 2%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W,X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July  
**PUBLIC**  
**Assisted Dying**  
**1000 Adults 16-75 UK**

Q9. Do you think it should be legal or not for a doctor to assist a patient aged under 18 in ending their life by providing them with life-ending medication, if that is the patient's wish, where the patient is not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, meet all the other conditions of assisted dying outlined above, and also have their parent's or guardian's consent? - 11-15  
 All Adults aged 16-75 in UK

	Marital Status				Presence of children HH (17 or under)		GE 2019 Vote				EU Referendum Vote		Beliefs on legality of assisted dying		Beliefs on legality of doctor administering life-ending meds		Beliefs on legality of assisted dying if patient is not terminally ill but mentally suffering		Beliefs on legality of assisted dying if patient is not terminally ill but physically suffering	
	Total	Married/ Living as Married	Single	Widowed/ Divorced/ Separated	ANY	NONE	Conservati ve	Labour	Liberal Dems	Other	Remain	Leave	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Unweighted base	1128	643	354	131	383	745	307	274	78	135	456	365	735	201	688	249	657	259	405	453
Weighted base	1128	627	363	138	376	752	310	273	64	133	424	389	729	196	684	241	654	252	405	448
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	288 25%	167 27%	95 26%	26 19%	93 25%	194 26%	75 24%	66 24%	24 37% GH*	42 32%	109 26%	103 27%	257 35% N	18 9%	255 37% P	17 7%	262 40% R	19 8%	200 49% T	54 12%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication	536 47%	294 47%	182 50%	60 43%	188 50%	347 46%	152 49%	140 51%	26 41% *	55 42%	192 45%	185 48%	308 42%	167 85% M	268 39%	205 85% O	247 38%	216 86% Q	125 31%	336 75% S
Don't know	262 23%	138 22%	76 21%	47 34% BC	81 21%	181 24%	68 22%	61 22%	14 21% *	35 27%	108 25%	94 24%	153 21% N	9 5%	151 22% P	17 7%	134 20% R	17 7%	75 19% T	52 12%
Prefer not to say	43 4%	28 4%	10 3%	5 3%	14 4%	29 4%	15 5% J	6 2%	- *	- -	16 4%	7 2%	11 1%	2 1%	11 2%	2 1%	12 2% R	- -	5 1%	7 1%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC  
Assisted Dying

1000 Adults 16-75 UK

Q10. How important or not do you think it should be that a patient aged under 18 must have consent from their parent or guardian if they want assistance with dying, as a condition of it being legal? - Summary

All Adults aged 16-75 in UK

	Q10. How important or not do you think it should be that a patient aged under 18 must have consent from their parent or guardian if they want assistance with dying, as a condition of it being legal?	
	16-17 (A)	11-15 (B)
Unweighted base	1128	1128
Weighted base	1128	1128
Very important	433 38%	517 46% A
Fairly important	220 19% B	163 14%
Not very important	79 7% B	44 4%
Not important at all	43 4% B	28 3%
I don't think assisted dying should be made legal in any circumstances	184 16%	199 18%
Don't know	134 12%	144 13%
Prefer not to say	36 3%	33 3%

Net: Important	653 58%	680 60% A
Net: Not Important	121 11% B	72 6%

ts of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A/B Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A/B Minimum Base: 30(\*\*) Small Base: 100(\*)

**22-082270-28 - 14th July - 16th July**  
**PUBLIC**  
**Assisted Dying**  
**1000 Adults 16-75 UK**

Q10. How important or not do you think it should be that a patient aged under 18 must have consent from their parent or guardian if they want assistance with dying, as a condition of it being legal? - 16-17  
 All Adults aged 16-75 in UK

	Gender			Age					Aggregated Age breaks			Generations				Region						Employment status		Social grade		Education		Ethnicity		
	Total (A)	Male (B)	Female (C)	16-24 (D)	25-34 (E)	35-44 (F)	45-54 (G)	55-75 (H)	16-34 (I)	35-54 (J)	55-75 (K)	Gen Z (L)	Millennials (M)	Gen X (N)	Baby Boomer (O)	North (P)	Midlands (Q)	South (R)	London (S)	Wales (T)	Scotland (U)	Northern Ireland (V)	Working (W)	Not working (X)	ABC1 (Y)	C2DE (Z)	Graduates (a)	Non-graduates (b)	White ethnic group (c)	Minority ethnic group (d)
Unweighted base	1128	551	570	164	211	191	212	350	375	403	350	187	334	288	319	263	283	249	155	53	95	30	725	403	731	397	586	542	980	134
Weighted base	1128	554	567	159	207	195	199	368	366	394	368	181	330	284	333	259	287	249	156	52	92	32	745	383	638	490	397	731	982	133
Very important	433 38%	202 36%	228 40%	45 28%	76 37%	65 33%	78 39% D	169 46% DEF	121 33%	143 36%	169 46% U	54 30%	113 34%	113 40% L	153 46% LM	91 35%	112 39% T	106 42% T	60 38% T	11 22% *	41 44% T*	12 38% **	293 39%	140 37%	238 37%	195 40%	157 40%	276 38%	387 39%	42 31%
Fairly important	220 19%	113 20%	104 18%	42 27% FH	37 18%	30 15%	50 25% FH	61 16% FH	79 22%	80 20%	61 16%	43 24%	58 18%	63 22%	56 17%	52 20%	68 24% R	39 16%	27 17%	14 27% *	16 17% *	3 9% **	145 19%	74 19%	140 22% z	79 16%	86 22%	134 18%	193 20%	26 19%
Not very important	79 7%	42 7%	36 6%	16 10% H	23 11% H	10 5%	11 5%	19 5%	39 11% JK	21 5%	19 5%	19 11% O	27 8%	18 6%	15 4%	21 8%	23 8%	11 4%	6 4%	7 13% RS*	6 6% *	6 17% **	49 7%	29 8%	42 7%	37 8%	26 7%	53 7%	70 7%	9 7%
Not important at all	43 4%	27 5%	16 3%	10 7% H	8 4%	8 4%	8 4%	7 2%	19 5% K	17 4%	7 2%	11 6% O	15 4%	10 4%	7 2%	8 3%	11 4%	14 6%	4 3%	2 4% *	3 3% *	- - **	29 4%	14 4%	22 3%	21 4%	13 3%	30 4%	36 4%	7 6%
I don't think assisted dying should be made legal in any circumstances	184 16%	94 17%	90 16%	25 16%	42 21%	38 20%	27 14%	51 14%	68 18%	65 17%	51 14%	30 17%	68 20% N	38 13%	48 15%	35 13%	39 14%	40 16%	39 25% PQRU	9 18% *	12 13% *	11 34% **	126 17%	58 15%	107 17%	78 16%	70 18%	114 16%	147 15%	35 27% c
Don't know	134 12%	59 11%	74 13%	13 8%	17 8%	37 19% DEG	17 9%	50 14%	29 8%	54 14% I	50 14% I	15 8%	41 12%	32 11%	46 14%	46 18% OS	24 8%	29 12%	14 9%	8 15% *	13 14% *	- - **	80 11%	54 14%	72 11%	61 13%	37 9%	97 13% a	121 12%	11 8%
Prefer not to say	36 3%	17 3%	18 3%	8 5%	3 2%	6 3%	8 4%	11 3%	12 3%	14 3%	11 3%	8 4%	9 3%	10 4%	8 2%	8 3%	10 3%	10 4%	6 4%	1 1% *	1 1% *	1 2% **	23 3%	13 3%	17 3%	19 4%	8 2%	28 4%	28 3%	3 2%
Net: Important	653 58%	315 57%	332 59%	87 55%	113 55%	95 49%	127 64% F	230 62% F	200 55%	222 57%	230 62%	97 54%	171 52%	175 62% M	209 63% M	143 55%	180 63%	145 58%	87 56%	25 49% *	57 62% *	15 47% **	438 59%	214 56%	378 59%	274 56%	243 61%	409 56%	580 59%	67 51%
Net: Not Important	121 11%	69 12%	52 9%	27 17% H	31 15% H	19 10%	19 10%	26 7%	58 16% JK	38 10%	26 7%	31 17% NO	41 13% O	28 10%	21 6%	28 11%	34 12%	26 10%	10 6%	9 17% S*	9 10% *	6 17% **	78 10%	43 11%	64 10%	58 12%	39 10%	82 11%	105 11%	16 12%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q10. How important or not do you think it should be that a patient aged under 18 must have consent from their parent or guardian if they want assistance with dying, as a condition of it being legal? - 16-17

All Adults aged 16-75 in UK

	Total	Marital Status			Presence of children HH (17 or under)		GE 2019 Vote				EU Referendum Vote		Beliefs on legality of assisted dying		Beliefs on legality of doctor administering life-ending meds		Beliefs on legality of assisted dying if patient is not terminally ill but mentally suffering		Beliefs on legality of assisted dying if patient is not terminally ill but physically suffering	
		Married/Living as Married (B)	Single (C)	Widowed/Divorced/Separated (D)	ANY (E)	NONE (F)	Conservative (G)	Labour (H)	Liberal Dems (I)	Other (J)	Remain (K)	Leave (L)	Yes, should be legal (M)	No, shouldn't be legal (N)	Yes, should be legal (O)	No, shouldn't be legal (P)	Yes, should be legal (Q)	No, shouldn't be legal (R)	Yes, should be legal (S)	No, shouldn't be legal (T)
Unweighted base	1128	643	354	131	383	745	307	274	78	135	456	365	735	201	688	249	657	259	405	453
Weighted base	1128	627	363	138	376	752	310	273	64	133	424	389	729	196	684	241	654	252	405	448
Very important	433 38%	245 39%	134 37%	53 39%	136 36%	297 40%	123 40%	102 37%	26 41%*	48 36%	178 42%	158 40%	337 46% N	46 24%	316 46% P	67 28%	303 46% R	76 30%	184 45%	177 39%
Fairly important	220 19%	116 19%	72 20%	32 23%	77 20%	143 19%	65 21%	54 20%	13 20%*	35 27%	87 21%	81 21%	179 25% N	20 10%	171 25% P	32 13%	170 26% R	25 10%	94 23% T	66 15%
Not very important	79 7%	44 7%	27 7%	7 5%	28 7%	51 7%	13 4%	29 11% G	4 6%*	7 5%	37 9% L	18 5%	63 9%	9 5%	61 9% P	9 4%	59 9% R	11 4%	43 10% T	27 6%
Not important at all	43 4%	21 3%	19 5%	3 2%	19 5%	24 3%	10 3%	9 3%	2 4%*	10 8%	15 4%	10 2%	32 4%	5 2%	30 4%	8 3%	24 4%	13 5%	20 5%	16 3%
I don't think assisted dying should be made legal in any circumstances	184 16%	108 17%	58 16%	19 13%	72 19%	113 15%	49 16%	50 18%	6 10%*	23 18%	55 13%	65 17%	47 6%	110 56% M	43 6%	118 49% O	38 6%	119 47% Q	25 6%	137 31% S
Don't know	134 12%	67 11%	42 11%	25 18% B	31 8%	102 14% E	40 13%	26 10%	12 19% HJ*	8 6%	41 10%	54 14%	63 9% N	2 1%	58 9% P	5 2%	57 9% R	4 2%	37 9% T	20 4%
Prefer not to say	36 3%	25 4% D	11 3%	- -	14 4%	22 3%	9 3%	3 1%	- *	1 1%	11 3%	5 1%	8 1%	4 2%	6 1%	3 1%	4 1%	3 1%	3 1%	6 1%

Net: Important	653 58%	361 58%	206 57%	85 62%	213 57%	440 58%	189 61%	156 57%	39 62%*	83 63%	265 63%	238 61%	516 71% N	66 33%	486 71% P	99 41%	472 72% R	102 40%	278 69% T	243 54%
Net: Not Important	121 11%	65 10%	46 13%	10 7%	46 12%	75 10%	23 7%	38 14% G	6 10%*	17 13%	52 12% L	28 7%	95 13% N	14 7%	90 13% P	17 7%	82 13%	24 10%	63 15% T	42 9%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)



**22-082270-28 - 14th July - 16th July**  
**PUBLIC**  
**Assisted Dying**  
**1000 Adults 16-75 UK**

Q10. How important or not do you think it should be that a patient aged under 18 must have consent from their parent or guardian if they want assistance with dying, as a condition of it being legal? - 11-15

All Adults aged 16-75 in UK

	Gender			Age					Aggregated Age breaks			Generations				Region						Employment status		Social grade		Education		Ethnicity		
	Total (A)	Male (B)	Female (C)	16-24 (D)	25-34 (E)	35-44 (F)	45-54 (G)	55-75 (H)	16-34 (I)	35-54 (J)	55-75 (K)	Gen Z (L)	Millennials (M)	Gen X (N)	Baby Boomer (O)	North (P)	Midlands (Q)	South (R)	London (S)	Wales (T)	Scotland (U)	Northern Ireland (V)	Working (W)	Not working (X)	ABC1 (Y)	C2DE (Z)	Graduates (a)	Non-graduates (b)	White ethnic group (c)	Minority ethnic group (d)
Unweighted base	1128	551	570	164	211	191	212	350	375	403	350	187	334	288	319	263	283	249	155	53	95	30	725	403	731	397	586	542	980	134
Weighted base	1128	554	567	159	207	195	199	368	366	394	368	181	330	284	333	259	287	249	156	52	92	32	745	383	638	490	397	731	982	133
Very important	517 46%	249 45%	263 46%	74 47%	82 40%	72 37%	92 46%	197 53% EF	156 43%	164 42%	197 53% U	84 46%	122 37%	137 48% M	175 53% M	114 44%	130 45%	125 50%	64 41%	21 40% *	52 57% S*	12 38% **	343 46%	174 46%	294 46%	224 46%	193 49%	324 44%	471 48% d	43 32%
Fairly important	163 14%	81 15%	82 15%	19 12%	37 18%	30 16%	35 17%	43 12%	55 15%	65 16%	43 12%	20 11%	61 19% LO	43 15%	39 12%	33 13%	56 19% R	26 10%	25 16%	9 17% *	9 10% *	5 15% **	117 16%	46 12%	97 15%	66 13%	59 15%	104 14%	138 14%	24 18%
Not very important	44 4%	26 5%	18 3%	13 8% FH	13 6% FH	1 1%	9 5% F	6 2%	26 7% JK	11 3%	6 2%	14 8% NO	14 4%	9 3%	6 2%	14 5%	13 4%	8 3%	2 1%	2 4% *	2 2% *	4 12% **	27 4%	17 4%	24 4%	20 4%	12 3%	32 4%	36 4%	7 6%
Not important at all	28 3%	19 3%	10 2%	5 3%	6 3%	6 3%	7 3%	4 1%	11 3%	13 3%	4 1%	8 4% O	10 3%	7 2%	4 1%	6 2%	7 2%	6 3%	4 3%	2 4% *	3 3% *	- - **	20 3%	8 2%	13 2%	15 3%	14 3%	14 2%	24 2%	5 4%
I don't think assisted dying should be made legal in any circumstances	199 18%	98 18%	100 18%	28 18%	45 22%	40 21%	29 15%	56 15%	74 20%	69 18%	56 15%	33 18%	70 21%	44 16%	51 15%	38 15%	46 16%	42 17%	39 25% PQU	10 19% *	12 13% *	11 36% **	131 18%	68 18%	124 19%	75 15%	73 18%	126 17%	157 16%	39 29% c
Don't know	144 13%	67 12%	76 13%	13 8%	19 9%	38 20% DEG	20 10%	53 14%	32 9%	59 15% I	53 14% I	15 8%	45 14%	34 12%	50 15% L	46 18% Q	28 10%	33 13%	16 10%	8 15% *	13 14% *	- - **	87 12%	57 15%	72 11%	72 15%	39 10%	105 14% a	131 13%	12 9%
Prefer not to say	33 3%	15 3%	18 3%	8 5%	3 2%	6 3%	6 3%	9 3%	12 3%	12 3%	9 3%	8 4%	9 3%	9 3%	7 2%	8 3%	8 3%	10 4%	6 4%	1 1% *	1 1% *	- - **	20 3%	13 3%	14 2%	19 4%	7 2%	26 4%	25 3%	3 2%

Net: Important	680 60%	330 59%	346 61%	93 58%	119 57%	103 53%	127 64% F	240 65% F	211 58%	229 58%	240 65%	103 57%	183 55%	180 63%	214 64% M	148 57%	185 65%	150 60%	89 57%	30 57% *	62 67% *	17 52% **	460 62%	220 58%	391 61%	289 59%	252 63%	428 59%	609 62% d	67 51%
Net: Not Important	72 6%	45 8% C	27 5%	18 11% FH	20 10% FH	8 4%	16 8% H	10 3%	37 10% K	24 6%	10 3%	22 12% NO	23 7% O	16 6%	10 3%	19 7%	20 7%	14 6%	6 4%	4 7% *	5 5% *	4 12% **	47 6%	25 6%	37 6%	35 7%	26 6%	46 6%	60 6%	12 9%

**This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.**

Overlap formulae used

ColumnProportions (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(\*\*) Small Base: 100(\*)

22-082270-28 - 14th July - 16th July

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q10. How important or not do you think it should be that a patient aged under 18 must have consent from their parent or guardian if they want assistance with dying, as a condition of it being legal? - 11-15

All Adults aged 16-75 in UK

	Total	Marital Status				Presence of children HH (17 or under)		GE 2019 Vote				EU Referendum Vote		Beliefs on legality of assisted dying		Beliefs on legality of doctor administering life-ending meds		Beliefs on legality of assisted dying if patient is not terminally ill but mentally suffering		Beliefs on legality of assisted dying if patient is not terminally ill but physically suffering	
		Married/Living as Married	Single	Widowed/Divorced/Separated	ANY	NONE	Conservative	Labour	Liberal Dems	Other	Remain	Leave	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	
		(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Unweighted base	1128	643	354	131	383	745	307	274	78	135	456	365	735	201	688	249	657	259	405	453	
Weighted base	1128	627	363	138	376	752	310	273	64	133	424	389	729	196	684	241	654	252	405	448	
Very important	517 46%	286 46%	169 47%	62 45%	154 41%	364 48% E	143 46%	120 44%	29 45% *	63 47%	220 52%	176 45%	414 57% N	47 24%	391 57% P	73 30%	374 57% R	85 34%	213 53% T	203 45%	
Fairly important	163 14%	99 16%	42 12%	23 16%	65 17%	98 13%	46 15%	45 16%	13 20% *	23 17%	67 16%	62 16%	128 18% N	21 11%	121 18% P	25 10%	129 20% R	19 7%	86 21% T	44 10%	
Not very important	44 4%	21 3%	21 6% D	2 1%	17 4%	27 4%	6 2%	14 5% G	2 3% *	4 3%	13 3%	11 3%	33 4%	5 3%	30 4%	7 3%	31 5%	6 3%	24 6% T	13 3%	
Not important at all	28 3%	13 2%	12 3%	3 2%	13 3%	16 2%	7 2%	5 2%	2 4% *	6 4%	11 3%	6 2%	19 3%	6 3%	21 3%	5 2%	16 2%	8 3%	10 2%	15 3%	
I don't think assisted dying should be made legal in any circumstances	199 18%	114 18%	65 18%	20 14%	79 21% F	120 16%	58 19% I	54 20% I	4 7% *	26 19% I	60 14%	71 18%	60 8%	110 56% M	53 8%	122 51% O	45 7%	126 50% Q	30 7%	145 32% S	
Don't know	144 13%	72 11%	44 12%	28 21% BC	36 9%	108 14% E	42 14%	32 12%	13 20% J*	12 9%	43 10%	59 15% K	70 10% N	3 2%	63 9% P	7 3%	57 9% R	6 2%	39 10% T	25 6%	
Prefer not to say	33 3%	23 4% D	10 3%	- -	13 3%	20 3%	8 3%	3 1%	- *	- -	10 2%	3 1%	5 1%	3 2%	4 1%	2 1%	3 *	1 1%	3 1%	3 1%	
Net: Important	680 60%	384 61%	211 58%	85 61%	219 58%	461 61%	190 61%	165 60%	42 65% *	86 65%	288 68%	238 61%	542 74% N	68 35%	512 75% P	98 41%	503 77% R	104 41%	299 74% T	247 55%	
Net: Not Important	72 6%	34 5%	33 9% B	5 4%	29 8%	43 6%	13 4%	19 7%	5 7% *	9 7%	24 6%	18 5%	51 7%	11 6%	52 8%	12 5%	47 7%	15 6%	34 8%	28 6%	

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

Overlap formulae used

ColumnProportions (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)

ColumnMeans (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(\*\*) Small Base: 100(\*)



23-082370-28 - 14th July - 18th July  
PUBLIC  
Annual Data  
1800 Adults 16-75 UK

Sample Profile  
All Adults aged 16-75 in UK

	Market Status			Presence of children (17 or under)			GC 2008 Vote			No. of children aged 16-75 in UK			No. of children aged 16-75 in UK			No. of children aged 16-75 in UK			No. of children aged 16-75 in UK		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Unweighted base	1126	549	576	131	65	66	100	50	50	100	50	50	100	50	50	100	50	50	100	50	50
Weighted base	1126	549	576	131	65	66	100	50	50	100	50	50	100	50	50	100	50	50	100	50	50
Age	154	75	79	16	8	8	10	5	5	10	5	5	10	5	5	10	5	5	10	5	5
16-24	145	75	70	12	6	6	15	8	8	15	8	8	15	8	8	15	8	8	15	8	8
25-34	207	108	99	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
35-44	195	100	95	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
45-54	195	100	95	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
55-74	208	104	104	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
75+	208	104	104	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
Aggregated Age Brackets	1126	549	576	131	65	66	100	50	50	100	50	50	100	50	50	100	50	50	100	50	50
16-24	145	75	70	12	6	6	15	8	8	15	8	8	15	8	8	15	8	8	15	8	8
25-34	207	108	99	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
35-44	195	100	95	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
45-54	195	100	95	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
55-74	208	104	104	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
75+	208	104	104	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
Generations	1126	549	576	131	65	66	100	50	50	100	50	50	100	50	50	100	50	50	100	50	50
Gen 2	145	75	70	12	6	6	15	8	8	15	8	8	15	8	8	15	8	8	15	8	8
Millennials	195	100	95	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
Gen X	208	104	104	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
Baby Boomers	208	104	104	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
Region	1126	549	576	131	65	66	100	50	50	100	50	50	100	50	50	100	50	50	100	50	50
North	215	108	107	22	11	11	22	11	11	22	11	11	22	11	11	22	11	11	22	11	11
Midlands	207	104	103	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
South	208	104	104	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
London	195	100	95	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10	20	10	10
Wales	12	6	6	1	0	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0	0
Scotland	88	44	44	9	5	4	9	5	4	9	5	4	9	5	4	9	5	4	9	5	4
Northern Ireland	21	10	11	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1
Employment status	1126	549	576	131	65	66	100	50	50	100	50	50	100	50	50	100	50	50	100	50	50
Working	745	368	376	76	38	38	76	38	38	76	38	38	76	38	38	76	38	38	76	38	38
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27	55	27	27
Not working	381	181	200																		