1st - 2nd October 2024 PUBLIC Assisted Dying

1000 Adults 16-75 UK

Q1. Do you think it should be legal or not for a doctor to assist a patient aged 18 or over in ending their life by prescribing life-ending medication that the patient can take themselves, if all the conditions for assisted dying outlined above are met?

All Adults aged 16-75 in UK

		Ge	ender			Age			Aggr	egated Age	breaks		Gene	rations					Region				Employm	ent status	Social	l grade	Edu	cation	Ethr	nicity
	Total	Male	Female	16-24	25-34	35-44	45-54	55-75	16-34	35-54	55-75	Gen Z	Millennials	Gen X	Baby	North	Midlands	South	London	Wales	Scotland	Northern	Working	Not working	ABC1	C2DE	Graduates	Non- graduates	White ethnic group	Minor ethn grou
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)	(1)	(K)	(L)	(M)	(N)	(0)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(w)	(x)	(Y)	(Z)	(a)	(b)	(c)	(d)
Unweighted base	1130	550	570	157	212	193	215	353	369	408	353	192	319	295	324	263	285	249	155	53	95	30	730	400	696	434	606	524	994	129
Weighted base	1130	554	566	157	206	196	201	370	363	397	370	191	321	275	343	258	290	249	155	52	94	32	744	386	640	490	401	729	1003	119
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	746 66%	353 64%	386 68%	79 50%	121 59%	137 70% DE	142 70% DE	267 72% DE	200 55%	279 70%	267 72% I	98 51%	206 64% L	193 70% L	248 72% LM	176 68% s	185 64% s	182 73% qs	74 48%	40 77% s*	62 66% s*	27 84% **	485 65%	261 68%	430 67%	316 64%	262 65%	484 66%	694 69% d	49 41%
No, it should not be legal for a doctor to assist a batient in ending their life by prescribing life-ending medication that the patient could take themselves	186 16%	113 20% c	72 13%	50 32% FGH	47 23% FGH	26 13%	23 11%	40 11%	97 27% JK	49 12%	40 11%	55 29% MNO	64 20% NO	32 12%	36 10%	35 14%	47 16%	29 12%	43 27% PQR	9 17% *	19 20%	4 12% **	130 18%	55 14%	117 18%	69 14%	80 20% b	105 14%	140 14%	45 38% c
Don't know	167 15%	75 14%	90 16%	21 13%	34 16%	27 14%	33 17%	52 14%	55 15%	61 15%	52 14%	30 16%	45 14%	45 16%	48 14%	39 15%	48 16%	31 12%	33 21% RT	3 6% *	13 13% *	1 4% **	115 16%	52 13%	84 13%	83 17%	55 14%	113 15%	144 14%	22 18%
Prefer not to say	31 3%	13 2%	18 3%	7 5%	4 2%	5 3%	4 2%	11 3%	11 3%	9 2%	11 3%	9 5%	6 2%	5 2%	11 3%	8 3%	10 3%	7 3%	6 4%	-	1 1% *	-	13 2%	18 5% w	9 1%	23 5% Y	5 1%	27 4% a	25 2%	3 3%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

ColumnProportions (5%): A,B/C,D/E/F/G/H,I/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(**) Small Base: 100(*)

ColumnMeans (5%): A,B/C,D/E/F/G/H,I/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(**) Small Base: 100(*)

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q1. Do you think it should be legal or not for a doctor to assist a patient aged 18 or over in ending their life by prescribing life-ending medication that the patient can take themselves, if all the conditions for assisted dying outlined above are met?

All Adults aged 16-75 in UK

		N	Narital Stat	us		of children or under)		GE 20:	19 Vote		EU Refere	ndum Vote	Beliefs on assiste			legality of ministering ing meds		I dying if t is not lly ill but	assisted patier termina	n legality o d dying if nt is not ally ill but ly suffering
	Total	Married/ Living as Married	Single	Widowed/ Divorced/S eparated	ANY	NONE	Conservati ve	Labour	Liberal Dems	Other	Remain	Leave	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)	(1)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)
Unweighted base	1130	621	396	113	363	767	147	403	86	227	471	338	745	196	714	224	658	244	400	444
Weighted base	1130	625	391	114	356	774	149	384	78	233	437	363	746	186	723	208	644	251	391	442
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	746 66%	424 68% c	235 60%	86 76% C*	214 60%	531 69% E	103 69%	251 65%	53 69% *	168 72%	309 71%	254 70%	746 100% N	-	663 92% P	49 23%	574 89% R	97 38%	347 89% T	258 58%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	186 16%	99 16% D	79 20% D	8 7% *	81 23% F	105 14%	22 15%	76 20% J	16 21% *	28 12%	65 15%	54 15%		186 100% M	33 5%	142 68% 0	35 5%	129 52% Q	21 5%	139 31% s
Don't know	167 15%	88 14%	63 16%	16 14% *	52 15%	115 15%	21 14%	48 13%	6 8% *	35 15%	54 12%	47 13%	-	-	24 3%	16 8% o	30 5%	23 9% Q	17 4%	43 10% s
Prefer not to say	31 3%	15 2%	14 4%	2 2% *	9 2%	23 3%	3 2%	8 2%	2 3% *	3 1%	8 2%	8 2%	-	-	3	2 1%	6 1%	3 1%	5 1%	3 1%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

ColumnProportions (5%): A,B/c/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(**) Small Base: 100(*)

ColumnMeans (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(**) Small Base: 100(*)

1st - 2nd October 2024 PUBLIC Assisted Dying

1000 Adults 16-75 UK

Q2. Do you think it should be legal or not for a doctor to assist a patient aged 18 or over in ending their life, by the doctor administering life-ending medication, assuming that the other conditions for assisted dying outlined above are met?

All Adults aged 16-75 in UK

		Ge	nder			Age			Aggre	gated Age b	oreaks		Gene	rations					Region				Employm	ent status	Social	grade	Educ	ation	Ethi	nicity
	Total	Male	Female	16-24	25-34	35-44	45-54	55-75	16-34	35-54	55-75	Gen Z	Millennials	Gen X	Baby Boomer	North	Midlands	South	London	Wales	Scotland	Northern Ireland	Working	Not working	ABC1	C2DE	Graduates	Non- graduates	White ethnic group	Minority ethnic group
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)	(1)	(K)	(L)	(M)	(N)	(0)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(w)	(X)	(Y)	(Z)	(a)	(b)	(c)	(d)
Unweighted base	1130	550	570	157	212	193	215	353	369	408	353	192	319	295	324	263	285	249	155	53	95	30	730	400	696	434	606	524	994	129
Weighted base	1130	554	566	157	206	196	201	370	363	397	370	191	321	275	343	258	290	249	155	52	94	32	744	386	640	490	401	729	1003	119
Yes, it should be legal for a doctor to administer life- ending medication	723 64%	354 64%	364 64%	83 53%	124 60%	132 67% D	140 69% D	244 66% D	207 57%	271 68%	244 66%	105 55%	205 64%	185 67% L	228 67% L	175 68% Qs	169 58%	171 69% QS	80 52%	40 77% Qs*	63 66% s*	26 81% **	472 63%	251 65%	413 65%	310 63%	243 61%	480 66%	669 67% d	52 43%
No, it should not be legal for a doctor to administer life-ending medication	208 18%	116 21%	91 16%	53 34% FGH	52 25% FGH	30 15%	21 11%	51 14%	106 29% JK	51 13%	51 14%	58 31% MNO	70 22% NO	36 13%	44 13%	37 14%	64 22% PR	36 15%	42 27% PR	8 16% *	16 17% *	5 14% **	147 20%	62 16%	128 20%	80 16%	94 23% b	114 16%	161 16%	47 40% c
Don't know	171 15%	70 13%	97 17%	18 12%	25 12%	30 16%	35 17%	62 17%	43 12%	65 16%	62 17%	26 13%	40 12%	47 17%	58 17%	37 14%	47 16%	38 15%	29 18%	4 7% *	14 15% *	1 4%	112 15%	59 15%	91 14%	80 16%	59 15%	111 15%	149 15%	19 16%
Prefer not to say	28 2%	13 2%	14 2%	3 2%	4 2%	4 2%	6 3%	12 3%	6 2%	9 2%	12 3%	3 1%	6 2%	7 2%	12 4%	9 4%	10 3%	4 2%	4 3%	-	1 1% •	- - 	13 2%	15 4%	7 1%	21 4% Y	5 1%	23 3% a	24 2%	1 1%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

 $Column Proportions (5\%): A,B/C,D/E/F/G/H,J/J/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \ \ Minimum \ Base: 30(**) \ Small \ Base: 100(*)$

Column/Means (5%): A,B/C,D/E/F/G/H,I/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(**) Small Base: 100(*)

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q2. Do you think it should be legal or not for a doctor to assist a patient aged 18 or over in ending their life, by the doctor administering life-ending medication, assuming that the other conditions for assisted dying outlined above are met?

All Adults aged 16-75 in UK

		N	Narital Stat	us		of children or under)		GE 201	19 Vote		EU Refere	ndum Vote	Beliefs on assiste	legality of d dying	doctor ad	legality of ministering ing meds	termina		patien termina	n legality o d dying if nt is not ally ill but y suffering
	Total	Married/ Living as Married	Single	Widowed/ Divorced/ Separated	ANY	NONE	Conservati ve	Labour	Liberal Dems	Other	Remain	Leave	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn' be legal
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)	(1)	(K)	(L)	(M)	(N)	(0)	(P)	(Q)	(R)	(S)	(T)
Unweighted base	1130	621	396	113	363	767	147	403	86	227	471	338	745	196	714	224	658	244	400	444
Weighted base	1130	625	391	114	356	774	149	384	78	233	437	363	746	186	723	208	644	251	391	442
Yes, it should be legal for a doctor to administer life- ending medication	723 64%	410 65%	240 61%	74 65% *	216 61%	507 66%	90 61%	249 65%	51 66% *	163 70%	300 69%	244 67%	663 89% N	33 18%	723 100% P	-	556 86% R	94 37%	339 87% T	242 55%
No, it should not be legal for a doctor to administer life-ending medication	208 18%	109 17%	86 22% D	13 12% *	92 26% F	116 15%	30 20%	76 20%	20 25% *	36 15%	71 16%	63 17%	49 7%	142 76% M	-	208 100% o	50 8%	134 53% Q	32 8%	149 34% s
Don't know	171 15%	90 14%	55 14%	25 22% *	42 12%	129 17% E	26 17% I	48 13%	5 6% *	35 15%	59 13%	46 13%	33 4%	11 6%	-	-	36 6%	21 8%	18 5%	49 11% s
Prefer not to say	28 2%	16 3%	10 3%	2 2% *	6 2%	22 3%	3 2%	11 3%	2 3% J*	-	8 2%	9 3%	1 *	-	-	-	1	2 1%	1 *	3 1%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

ColumnProportions (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(**) Small Base: 100(*)

ColumnMeans (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(**) Small Base: 100(*)

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q3. Do you think that it should be legal or not for a doctor to assist a patient (aged 18 or over in ending their life; if they are not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, and where the patient has expressed a clear desire to end their life? Assume that the other conditions for assisted dying outlined above are met. - Summary All Adults aged 16-75 in UK

	not for a assist a pa 18 or ove their life, not termin are ph suffering in the pati unbearable cannot b improve existing science, at the pat express desire to life? Assurother con assiste outlined	be legal or doctor to titient (aged r in ending if they are sally ill, but ysically a a way that ent finds e and which e cured or red with medical and where ient has ed a clear end their me that the ditions for d dying above are et.
		If they are mentally or emotionall y suffering
	(A)	(B)
Unweighted base	1130	1130
Weighted base	1130	1130
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	644 57% 8	391 35%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	251 22%	442 39% A
Don't know	206 18%	263 23% A
Prefer not to say	28 3%	34 3%

ents of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

ColumnProportions (5%): A/B Minimum Base: 30(**) Small Base: 100(*)

ColumnMeans (5%): A/B Minimum Base: 30(**) Small Base: 100(*)

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q3. Do you think that it should be legal or not for a doctor to assist a patient (aged 18 or over in ending their life, if they are not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, and where the patient has expressed a clear desire to end their life? Assume that the other conditions for assisted dying outlined above are met. - If they are physically suffering All Adults aged 16-75 in UK

		Ge	nder			Age			Aggre	egated Age	breaks		Gener	ations					Region				Employme	ent status	Social	grade	Edu	cation		nicity
	Total	Male	Female	16-24	25-34	35-44	45-54	55-75	16-34	35-54	55-75	Gen Z	Millennial s	Gen X	Baby Boomer	North	Midlands	South	London	Wales	Scotland	Northern Ireland	Working	Not working	ABC1	CZDE	Graduates	Non- s graduates	White ethnic group	Minori ethni grou
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)	(1)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(w)	(X)	(Y)	(Z)	(a)	(b)	(c)	(d)
Unweighted base	1130	550	570	157	212	193	215	353	369	408	353	192	319	295	324	263	285	249	155	53	95	30	730	400	696	434	606	524	994	129
Weighted base	1130	554	566	157	206	196	201	370	363	397	370	191	321	275	343	258	290	249	155	52	94	32	744	386	640	490	401	729	1003	119
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	644 57%	324 58%	315 56%	84 54%	115 56%	121 62%	116 58%	207 56%	200 55%	238 60%	207 56%	101 53%	192 60%	160 58%	191 56%	155 60% s	155 54%	155 62% s	76 49%	32 62% *	50 53% •	20 63% **	428 58%	216 56%	370 58%	275 56%	240 60%	405 56%	588 59% d	55 46%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	251 22%	130 23%	120 21%	49 31% FGH	54 26%	37 19%	38 19%	73 20%	103 28% JK	75 19%	73 20%	59 31% MNO	72 22%	54 20%	66 19%	44 17%	69 24%	47 19%	45 29% PR	9 18%	28 29% _{P*}	8 27%	167 23%	84 22%	147 23%	104 21%	89 22%	162 22%	207 21%	43 36% c
Don't know	206 18%	88 16%	117 21%	20 12%	32 16%	34 17%	41 20%	79 21% D	52 14%	75 19%	79 21%	27 14%	52 16%	53 19%	74 22% L	47 18%	60 21%	42 17%	28 18%	11 21% •	16 17%	3 10%	136 18%	71 18%	116 18%	90 18%	68 17%	138 19%	182 18%	22 18%
Prefer not to say	28 3%	12 2%	15 3%	4 3%	4 2%	3 2%	6 3%	11 3%	8 2%	9 2%	11 3%	5 2%	5 2%	8 3%	11 3%	12 5%	6 2%	5 2%	6 4%	-	-	-	12 2%	16 4% w	7 1%	21 4%	5 1%	24 3%	26 3%	

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

ColumnMeans (5%): A,B/C,D/E/F/G/H,I/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(**) Small Base: 100(*)

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q3. Do you think that it should be legal or not for a doctor to assist a patient (aged 18 or over in ending their life, if they are not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, and where the patient has expressed a clear desire to end their life? Assume that the other conditions for assisted dying outlined above are met. - If they are physically suffering All Adults aged 16-75 in UK

		N	Narital Sta	tus		of children or under)		GE 20:	19 Vote		EU Refere	ndum Vote	Beliefs on assiste	legality of d dying	doctor ad	n legality of ministering ling meds	assisted patier termina	legality of d dying if at is not ally ill but y suffering	assisted patier termina	n legality o d dying if nt is not ally ill but y suffering
	Total	Married/ Living as Married	Single	Widowed/ Divorced/ Separated	ANY	NONE	Conservati	Labour	Liberal Dems	Other	Remain	Leave	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	be lega
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)	(1)	(K)	(L)	(M)	(N)	(0)	(P)	(Q)	(R)	(S)	(T)
Unweighted base	1130	621	396	113	363	767	147	403	86	227	471	338	745	196	714	224	658	244	400	444
Weighted base	1130	625	391	114	356	774	149	384	78	233	437	363	746	186	723	208	644	251	391	442
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	644 57%	357 57%	215 55%	73 64%	192 54%	453 58%	82 55%	219 57%	43 55% •	146 62%	273 62% L	200 55%	574 77% N	35 19%	556 77% P	50 24%	644 100% R	-	352 90% T	184 42%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	251 22%	139 22%	96 25% D	16 14%	95 27% F	156 20%	38 26%	94 25% J	25 32% j*	40 17%	83 19%	95 26% K	97 13%	129 70% M	94 13%	134 64% 0	-	251 100% Q	28 7%	213 48% s
Don't know	206 18%	115 18%	68 17%	24 21%	64 18%	142 18%	27 18%	62 16%	8 10% *	47 20%	79 18%	58 16%	72 10%	20 11%	68 9%	23 11%	-	-	9 2%	44 10% s
Prefer not to say	28 3%	15 2%	13 3%	:	6 2%	23 3%	2 1%	8 2%	2 3% *	1 1%	3 1%	11 3% K	3 *	1 1%	5 1%	:	-	-	1 *	1 *

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

ColumnProportions (5%): A,B/C/D,E/F,G/H//J,K/I,M/N,O/P,Q/R,S/T Minimum Base: 30(**) Small Base: 100(*)
ColumnMeans (5%): A,B/C/D,E/F,G/H//J,K/I,M/N,O/P,Q/R,S/T Minimum Base: 30(**) Small Base: 100(*)

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q3. Do you think that it should be legal or not for a doctor to assist a patient (aged 18 or over in ending their life, if they are not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, and where the patient has expressed a clear desire to end their life? Assume that the other conditions for assisted dying outlined above are met. - If they are mentally or emotionally suffering All Adults aged 16-75 in UK

		Ge	nder			Age			Aggre	gated Age	breaks		Gener	rations					Region				Employn	nent status	Socia	grade	Educa	ition		nicity
	Total	Male	Female	16-24	25-34	35-44	45-54	55-75	16-34	35-54	55-75	Gen Z	Millennial s	Gen X	Baby Boomer	North	Midlands	South	London	Wales	Scotland	Northern Ireland	Working	Not working	ABC1	C2DE	Graduates	Non- graduates	White ethnic group	Minori ethni group
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)	(I)	(K)	(L)	(M)	(N)	(0)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(w)	(x)	(Y)	(Z)	(a)	(b)	(c)	(d)
Unweighted base	1130	550	570	157	212	193	215	353	369	408	353	192	319	295	324	263	285	249	155	53	95	30	730	400	696	434	606	524	994	129
Weighted base	1130	554	566	157	206	196	201	370	363	397	370	191	321	275	343	258	290	249	155	52	94	32	744	386	640	490	401	729	1003	119
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	391 35%	205 37%	181 32%	54 34%	79 38%	65 33%	75 37%	118 32%	132 36%	140 35%	118 32%	61 32%	123 38%	94 34%	112 33%	93 36%	91 31%	97 39%	48 31%	13 26% *	36 39%	12 38% **	269 36%	122 32%	229 36%	161 33%	153 38%	238 33%	352 35%	35 29%
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	442 39%	216 39%	223 39%	77 49% FGH	89 43%	69 35%	67 33%	141 38%	165 46%	136 34%	141 38%	94 49% MNO	126 39%	96 35%	126 37%	98 38%	117 40%	93 37%	62 40%	20 39% +	37 39%	15 48% **	285 38%	158 41%	256 40%	186 38%	163 41%	279 38%	384 38%	58 48% c
Don't know	263 23%	115 21%	147 26%	22 14%	33 16%	58 30% DE	53 27% DE	97 26% DE	54 15%	112 28%	97 26%	30 16%	66 21%	76 28% L	91 27% L	57 22%	72 25%	54 22%	37 24%	18 35% *	21 22% •	5 14%	174 23%	90 23%	142 22%	122 25%	81 20%	183 25%	237 24%	25 21%
Prefer not to say	34 3%	18 3%	14 3%	5 3%	5 3%	3 2%	6 3%	13 4%	11 3%	10 2%	13 4%	6 3%	7 2%	8 3%	13 4%	11 4%	9 3%	6 2%	7 5% U	-	-	-	17 2%	17 4%	13 2%	21 4% Y	4 1%	30 4% a	30 3%	2 1%

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

 $Column Proportions (5\%): A,B/C,D/E/F/G/H, V//K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \quad Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H, V//K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \\ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H, V//K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \\ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H, V//K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \\ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H, V//K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \\ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H, V//K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \\ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H, V//K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \\ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H, V//K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \\ Minimum \ Base: 30(**) \ Small \ Base: 30(**) \ A,B/C,D/E/F/G/H, V//K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \\ Minimum \ Base: 30(**) \ A,B/C,D/E/F/G/H, V//K,U/V,W/X,Y/Z,a/b,c/d \\ Minimum \ Base: 30(**) \ A,B/C,D/E/F/G/H, V//K,U/V,W/X,Y/Z,a/b,c/d \\ Minimum \ Base: 30(**) \ A,B/C,D/E/F/G/H, V//K,U/V,W/X,$

ColumnMeans (5%): A,B/C,D/E/F/G/H,U/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d Minimum Base: 30(**) Small Base: 100(*)

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q3. Do you think that it should be legal or not for a doctor to assist a patient (aged 18 or over in ending their life, if they are not terminally ill, but are physically suffering in a way that the patient finds unbearable and which cannot be cured or improved with existing medical science, and where the patient has expressed a clear desire to end their life? Assume that the other conditions for assisted dying outlined above are met. - If they are mentally or emotionally suffering All Adults aged 16-75 in UK

			farital Stat	tus		of children or under)		GE 20:	19 Vote		EU Refere	ndum Vote	Beliefs on assiste		Beliefs on doctor add		patien termina	legality of dying if it is not lly ill but suffering	assisted patier termina	n legality of d dying if nt is not ally ill but y suffering
	Total	Married/ Living as Married	Single	Widowed/ Divorced/ Separated	ANY	NONE	Conservati ve	Labour	Liberal Dems	Other	Remain	Leave	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)	(1)	(K)	(L)	(M)	(N)	(0)	(P)	(Q)	(R)	(S)	(T)
Unweighted base	1130	621	396	113	363	767	147	403	86	227	471	338	745	196	714	224	658	244	400	444
Weighted base	1130	625	391	114	356	774	149	384	78	233	437	363	746	186	723	208	644	251	391	442
Yes, it should be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	391 35%	211 34%	136 35%	44 39%	117 33%	273 35%	49 33%	128 33%	30 39%	88 38%	152 35%	126 35%	347 47% N	21 11%	339 47% P	32 15%	352 55% R	28 11%	391 100% T	-
No, it should not be legal for a doctor to assist a patient in ending their life by prescribing life-ending medication that the patient could take themselves	442 39%	249 40%	151 39%	43 38% •	157 44% F	285 37%	60 40%	164 43%	31 40% +	93 40%	160 37%	164 45% K	258 35%	139 75% M	242 33%	149 72% 0	184 29%	213 85% Q	-	442 100% s
Don't know	263 23%	147 24%	90 23%	27 23% •	74 21%	190 25%	38 25%	85 22%	14 19% *	50 21%	122 28% L	61 17%	137 18%	23 13%	137 19% P	25 12%	106 16% R	10 4%	-	:
Prefer not to say	34 3%	18 3%	15 4%	:	8 2%	26 3%	3 2%	7 2%	2 3% *	3 1%	3 1%	12 3% K	3	3 1%	5 1%	2 1%	1	-	-	-

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

 $Column Proportions~(SN): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T \\ Minimum~Base:~30(**)~Small~Base:~100(*)$

ColumnMeans (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(**) Small Base: 100(*)

1st - 2nd October 2024 PUBLIC Assisted Dying

1000 Adults 16-75 UK

Q6. To remind you, at the moment assisted dying is not legal in the UK. Euthanasia is illegal across the UK and could be prosecuted as murder or manslaughter. In England, Wales and Northern Ireland, assisting a suicide is also a crime. How acceptable or unacceptable do you think it is for someone in England, Wales or Northern Ireland to break the law to assist someone they know who wanted to die?

All Adults aged 16-75 in UK

		Ger	nder			Age			Aggre	egated Age b	oreaks		Gener	ations					Region				Employm	ent status	Social	l grade	Educa	ation		nicity
	Total	Male	Female	16-24	25-34	35-44	45-54	55-75	16-34	35-54	55-75	Gen Z	Millennial	Gen X	Baby Boomer	North	Midlands	South	London	Wales	Scotland	Northern Ireland	Working	Not working	ABC1	C2DE	Graduates	Non-	White ethnic group	Mino ethr grou
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)	(J)	(K)	(L)	(M)	(N)	(0)	(P)	(Q)	(R)	(S)	(T)	(U)	(V)	(W)	(X)	(Y)	(Z)	(a)	(b)	(c)	(d
weighted base	1130	550	570	157	212	193	215	353	369	408	353	192	319	295	324	263	285	249	155	53	95	30	730	400	696	434	606	524	994	12
eighted base	1130	554	566	157	206	196	201	370	363	397	370	191	321	275	343	258	290	249	155	52	94	32	744	386	640	490	401	729	1003	11
mpletely acceptable (2)	170 15%	92 17%	78 14%	21 13%	32 15%	32 16%	35 17%	50 14%	52 14%	67 17%	50 14%	24 13%	50 15%	50 18%	46 13%	35 13%	39 13%	45 18%	19 12%	10 19%	18 19% *	5 15%	118 16%	51 13%	101 16%	68 14%	58 14%	111 15%	157 16% d	10
stly acceptable (1)	289 26%	144 26%	142 25%	33 21%	46 23%	61 31%	56 28%	92 25%	80 22%	117 29%	92 25%	38 20%	85 26%	81 30% L	85 25%	69 27%	81 28%	69 28%	29 19%	8 16%	24 25% •	8 26% **	193 26%	95 25%	171 27%	117 24%	114 28%	175 24%	267 27% d	18
ither acceptable nor unacceptable (0)	211 19%	91 16%	119 21%	33 21%	50 24% F	30 15%	33 16%	65 17%	83 23% J	63 16%	65 17%	44 23%	62 19%	43 16%	61 18%	49 19%	60 21%	38 15%	33 21%	15 28% R*	14 15% *	3 10%	141 19%	70 18%	112 18%	99 20%	73 18%	138 19%	184 18%	22
ostly unacceptable (-1)	157 14%	82 15%	75 13%	32 20% H	25 12%	25 13%	31 15%	44 12%	57 16%	56 14%	44 12%	38 20% o	41 13%	38 14%	40 12%	47 18%	37 13%	32 13%	21 13%	4 8% *	10 10% •	5 17%	99 13%	58 15%	92 14%	65 13%	48 12%	109 15%	132 13%	21
mpletely unacceptable (-2)	123 11%	68 12%	51 9%	20 13% _G	28 14% G	20 10%	12 6%	42 11%	49 13% J	32 8%	42 11%	23 12%	41 13%	21 8%	38 11%	19 8%	35 12%	18 7%	25 16% PR	5 10% *	14 15%	6 19%	85 11%	38 10%	68 11%	55 11%	49 12%	74 10%	100 10%	19
n't know	140 12%	59 11%	78 14%	13 8%	20 10%	23 12%	26 13%	58 16% D	33 9%	50 12%	58 16%	17 9%	36 11%	33 12%	54 16% L	25 10%	29 10%	34 14%	26 17%	10 19%	14 15%	3 11%	92 12%	48 13%	76 12%	64 13%	49 12%	92 13%	126 13%	11
efer not to say	41 4%	18 3%	22 4%	5 3%	4 2%	5 2%	8 4%	20 5%	9 2%	12 3%	20 5%	6 3%	7 2%	9 3%	19 6% M	14 6%	9 3%	13 5%	3 2%	:	1 1% *	1 3% **	16 2%	25 7% w	19 3%	22 5%	11 3%	30 4%	37 4%	19
t: Acceptable	458 41%	236 43%	220 39%	54 34%	78 38%	92 47% D	92 45% D	142 38%	132 36%	184 46% IK	142 38%	62 32%	135 42% L	131 48% LO	130 38%	104 40%	120 41% s	113 46% s	48 31%	18 35%	42 45% s*	13 42%	312 42%	147 38%	272 43%	186 38%	172 43%	286 39%	424 42% d	3: 26
t: Not Acceptable	280 25%	150 27%	127 22%	52 33% GH	54 26%	45 23%	43 21%	86 23%	106 29%	88 22%	86 23%	61 32% NO	82 26%	59 21%	78 23%	67 26%	72 25%	51 20%	46 29%	9 18%	24 25% *	11 35%	183 25%	96 25%	160 25%	119 24%	97 24%	183 25%	232 23%	40
							0.43	0.22		0.39	0.22																	0.23	0.30	-0

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

 $Column Proportions (5\%): A,B/C,D/E/F/G/H,I/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \ \ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H,I/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \ \ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H,I/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \ \ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H,I/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \ \ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H,I/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \ \ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H,I/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \ \ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H,I/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \ \ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H,I/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \ \ Minimum \ Base: 30(**) \ Small \ Base: 100(*) \ A,B/C,D/E/F/G/H,I/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \ \ Minimum \ Base: 30(**) \ A,B/C,D/E/F/G/H,I/I/K,L/M/N/D,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \ \ A,B/C,D/E/F/G/H,I/I/K,L/M/N/D,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \ \ A,B/C,D/E/F/G/H,$

 $Column Means (5\%): A,B/C,D/E/F/G/H,I/I/K,L/M/N/O,P/Q/R/S/T/U/V,W/X,Y/Z,a/b,c/d \ \ Minimum \ Base: 30(**) \ Small \ Base: 100(*)$

PUBLIC

Assisted Dying

1000 Adults 16-75 UK

Q6. To remind you, at the moment assisted dying is not legal in the UK. Euthanasia is illegal across the UK and could be prosecuted as murder or manslaughter. In England, Wales and Northern Ireland, assisting a suicide is also a crime. How acceptable or unacceptable do you think it is for someone in England, Wales or Northern Ireland to break the law to assist someone they know who wanted to die?

All Adults aged 16-75 in UK

		N	larital Stat	us	Presence of HH (17 o			GE 201	.9 Vote		EU Refere	ndum Vote		legality of d dying	Beliefs on doctor adr life-endi		assisted patien termina	legality of I dying if It is not Ily ill but suffering	assisted patier termina	n legality o d dying if nt is not ally ill but y suffering
	Total	Married/ Living as Married	Single	Widowed/ Divorced/ Separated	ANY	NONE	Conservati ve	Labour	Liberal Dems	Other	Remain	Leave	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn't be legal	Yes, should be legal	No, shouldn be lega
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(1)	(1)	(K)	(L)	(M)	(N)	(0)	(P)	(Q)	(R)	(S)	(T)
Unweighted base	1130	621	396	113	363	767	147	403	86	227	471	338	745	196	714	224	658	244	400	444
Weighted base	1130	625	391	114	356	774	149	384	78	233	437	363	746	186	723	208	644	251	391	442
Completely acceptable (2)	170 15%	100 16%	58 15%	11 10% *	50 14%	119 15%	24 16%	53 14%	17 22% *	39 17%	66 15%	64 18%	158 21% N	7 4%	152 21% P	13 6%	152 24% R	16 6%	115 30% T	39 9%
Mostly acceptable (1)	289 26%	154 25%	85 22%	49 43% BC*	87 24%	201 26%	41 27%	102 27%	20 26% *	66 28%	125 29%	92 25%	249 33% N	29 16%	236 33% P	32 15%	209 32% R	46 18%	139 36% T	93 21%
Neither acceptable nor unacceptable (0)	211 19%	113 18%	76 19%	22 19% *	68 19%	143 18%	28 19%	84 22%	13 16% *	43 18%	78 18%	71 20%	128 17%	25 14%	125 17%	32 16%	115 18%	35 14%	57 15%	85 19%
Mostly unacceptable (-1)	157 14%	93 15%	56 14%	8 7% •	60 17%	97 13%	17 11%	57 15%	10 13% *	31 13%	57 13%	51 14%	88 12%	48 26% M	93 13%	51 24% 0	67 10%	64 26% Q	38 10%	95 22% s
Completely unacceptable (-2)	123 11%	67 11%	49 13%	7 6% •	44 12%	78 10%	18 12%	40 10%	11 14% •	20 8%	43 10%	39 11%	53 7%	63 34% M	51 7%	64 31% o	44 7%	71 28% Q	14 4%	94 21% s
Don't know	140 12%	76 12%	51 13%	14 12% *	39 11%	101 13%	16 11%	37 10%	5 7% •	29 13%	61 14% L	28 8%	57 8%	9 5%	52 7%	12 6%	47 7%	14 6%	24 6%	26 6%
Prefer not to say	41 4%	22 4%	16 4%	2 2% *	6 2%	35 4% E	5 3%	10 3%	1 2% *	6 2%	7 2%	17 5% K	12 2%	4 2%	14 2%	4 2%	10 2%	5 2%	4 1%	10 2%
Net: Acceptable	458 41%	255 41%	143 37%	60 53% BC*	137 39%	321 41%	65 44%	155 40%	37 48% *	105 45%	191 44%	156 43%	407 55% N	36 20%	389 54% P	45 22%	362 56% R	62 25%	254 65% T	131 30%
Net: Not Acceptable	280 25%	159 25% D	105 27% D	15 14% *	105 29% F	175 23%	35 24%	97 25%	21 27% •	51 22%	101 23%	91 25%	141 19%	111 60% M	144 20%	115 55% o	111 17%	135 54% Q	52 13%	189 43% s
Mean	0.24	0.24	0.15	0.50	0.12	0.29	0.28	0.22	0.31	0.37	0.31	0.29	0.55	-0.76	0.53	-0.63	0.61	-0.55	0.84	-0.28

This work was carried out in accordance with the requirements of the international quality standard for market research, ISO 20252 and with the Ipsos Terms and Conditions.

ColumnProportions (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(**) Small Base: 100(*)

ColumnMeans (5%): A,B/C/D,E/F,G/H/I/J,K/L,M/N,O/P,Q/R,S/T Minimum Base: 30(**) Small Base: 100(*)